


2024/05/03 0050Z

LFQQ BNE LFAT

58.10 nm / 107.61 km



## Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 150kts
- Cruise Altitude: 9000ft
- Cruise Speed: 220kts
- Descent Rate: 1500ft/min
- Descent Speed: 150kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFQQ	-	50.56630	0 ft	-	Lille Lesquin
APT	-	3.09539	0 m		
BNE	-	50.62480	5,100 ft	45	BOULOGNE SUR MER
VOR	-	1.90711	1,554 m		
LFAT	-	50.51590	0 ft	12	Le Touquet Paris Plage
APT	-	1.62273	0 m		

## LFQQ

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 154 ft / 47 m  
Location: 50.566300 3.095390  
Magnetic Var: 1.584 E

## METAR

LFQQ 030030Z AUTO 25015KT 9999 OVC012 12/09 Q1006 TEMPO 27015G25KT 2000 RA BKN007 OVC014 BKN025TCU

## TAF

TAF LFQQ 022300Z 0300/0406 26010KT 9999 BKN016 TEMPO 0300/0308 27015G25KT 4000 RA BKN007 OVC014 BKN025TCU PROB30 (

## Frequencies

REC - 119.32 MHz - LILLE ATIS  
TWR - 118.55 MHz - LILLE TWR  
COM - 123.50 MHz - LILLE UNICOM

GND - 121.85 MHz - LILLE GND  
APP - 126.47 MHz - LILLE APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	146 ft	9,250 ft	77.36	ASPHALT	0 ft	0 ft
	45 m	2,819 m	75.77		0 m	0 m
26	146 ft	9,250 ft	257.39	ASPHALT	919 ft	0 ft
	45 m	2,819 m	255.80		280 m	0 m
02	98 ft	5,172 ft	14.83	ASPHALT	0 ft	0 ft
	30 m	1,576 m	13.25		0 m	0 m
20	98 ft	5,172 ft	194.84	ASPHALT	0 ft	0 ft
	30 m	1,576 m	193.25		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	LL	110.10 MHz	18 nm	77.13	-	135 ft
				33 km	75.55		135 m
26	LOC-ILS	LIL	110.75 MHz	18 nm	257.13	-	157 ft
				33 km	255.55		157 m
26	GS	LIL	110.75 MHz	10 nm	257.00	3.00	129 ft
				19 km	255.42		129 m

## LFAT

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 35 ft / 11 m  
Location: 50.515900 1.622730  
Magnetic Var: 1.127 E

## METAR

LFAT 030030Z AUTO 26011KT 230V300 9999 BKN016 BKN025 OVC035 11/09 Q1007

## TAF

UNKNOWN

## Frequencies

REC - 129.12 MHz - LFAT ATIS  
GND - 125.30 MHz - LE\_TOUQUET GND  
APP - 120.27 MHz - LILLE APP

COM - 118.45 MHz - LE\_TOUQUET MULT  
TWR - 118.45 MHz - LE\_TOUQUET TWR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	131 ft	6,050 ft	133.54	ASPHALT	0 ft	0 ft
	40 m	1,844 m	132.41		0 m	0 m
32	131 ft	6,050 ft	313.56	ASPHALT	492 ft	0 ft
	40 m	1,844 m	312.43		150 m	0 m
25	120 ft	1,949 ft	240.66	ASPHALT	750 ft	0 ft
	37 m	594 m	239.53		229 m	0 m
07	120 ft	1,949 ft	60.65	ASPHALT	0 ft	0 ft
	37 m	594 m	59.52		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	LT	110.15 MHz	27 nm	-	-	35 ft
				50 km	-		35 m
14	LOC-ILS	LT	110.15 MHz	18 nm	134.00	-	35 ft
				33 km	132.87		35 m
14	GS	LT	110.15 MHz	10 nm	134.00	3.00	35 ft
				19 km	132.87		35 m