

YBBN

Brisbane Intl


PANC

Ted Stevens Anchorage Intl

2024/05/12 0032Z

YBBN TRIKI **A598** NI **G223** MUBIT 400N16500E 500N16500E 600N16500E STEFF **A222** NDJNB 1100N17000E
1200N17000E 1300N17000E 1400N17000E 1500N17000E 1600N17000E 1700N17000E 1800N17000E SEWEE **A450**
DUSKI 2100N17500E 2200N17500E 2300N17500E 2400N17500E 2500N17500E 2600N17500E 2700N17500E
2800N17500E 2900N17500E 32N180E 3300N18000W 3400N18000W 3500N18000W 3600N18000W 3700N18000W
3800N18000W 3900N18000W 41N180E 42N180E 43N180E 45N180E 1 48N170W 4900N17000W 5000N17000W
5100N17000W DUT **J115** TUCKS PANC

6650.86 nm / 12317.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Using PACOT tracks from 8/6/2016

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YBBN	-	-27.37571	0 ft	-	Brisbane Intl
APT	-	153.12771	0 m		
TRIKI	-	-26.87208	11,600 ft	32	-
FIX	-	153.35361	3,536 m		
SETER	A598	-24.71481	35,000 ft	138	-
FIX	AWY-LO	154.26858	10,668 m		
PUGEL	A598	-19.82750	35,000 ft	312	-
FIX	AWY-HI	156.22447	10,668 m		
IKODA	A598	-16.62333	35,000 ft	204	-
FIX	AWY-HI	157.44833	10,668 m		
RIPNA	A598	-14.00000	35,000 ft	167	-
FIX	AWY-HI	158.41667	10,668 m		
BISTT	A598	-11.02667	35,000 ft	188	-
FIX	AWY-HI	159.46833	10,668 m		
UMCRE	A598	-10.39333	35,000 ft	40	-
FIX	AWY-HI	159.68833	10,668 m		
HN	A598	-9.43511	35,000 ft	61	HONIARA VOR-DME
VOR	AWY-HI	160.03731	10,668 m		
KARSM	A598	-8.65833	35,000 ft	59	-
FIX	AWY-HI	160.65000	10,668 m		
MANOT	A598	-6.71833	35,000 ft	149	-
FIX	AWY-HI	162.21167	10,668 m		
MORNA	A598	-3.00000	35,000 ft	284	-
FIX	AWY-HI	165.16667	10,668 m		
NI	A598	-0.54333	35,000 ft	181	NAURU VOR-DME
VOR	AWY-HI	166.92167	10,668 m		
MUBIT	G223	3.50000	34,000 ft	277	-
FIX	AWY-HI	164.66833	10,363 m		
400N16500E	-	4.00000	35,000 ft	36	-
LATLON	-	165.00000	10,668 m		
500N16500E	-	5.00000	35,000 ft	60	-
LATLON	-	165.00000	10,668 m		
600N16500E	-	6.00000	35,000 ft	60	-
LATLON	-	165.00000	10,668 m		
STEFF	-	6.98667	35,000 ft	61	-
FIX	-	165.25500	10,668 m		
NDJNB	A222	8.72088	35,000 ft	180	-
FIX	AWY-HI	167.72776	10,668 m		
1100N17000E	-	11.00000	35,000 ft	191	-
LATLON	-	170.00000	10,668 m		
1200N17000E	-	12.00000	35,000 ft	60	-
LATLON	-	170.00000	10,668 m		
1300N17000E	-	13.00000	35,000 ft	60	-
LATLON	-	170.00000	10,668 m		
1400N17000E	-	14.00000	35,000 ft	60	-
LATLON	-	170.00000	10,668 m		
1500N17000E	-	15.00000	35,000 ft	60	-
LATLON	-	170.00000	10,668 m		
1600N17000E	-	16.00000	35,000 ft	60	-
LATLON	-	170.00000	10,668 m		
1700N17000E	-	17.00000	35,000 ft	60	-
LATLON	-	170.00000	10,668 m		
1800N17000E	-	18.00000	35,000 ft	60	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	170.00000	10,668 m		
SEWEE	-	19.79500	35,000 ft	107	-
FIX	-	170.00000	10,668 m		
DUSKI	A450	20.40019	35,000 ft	284	-
FIX	AWY-HI	175.00000	10,668 m		
2100N17500E	-	21.00000	35,000 ft	36	-
LATLON	-	175.00000	10,668 m		
2200N17500E	-	22.00000	35,000 ft	60	-
LATLON	-	175.00000	10,668 m		
2300N17500E	-	23.00000	35,000 ft	60	-
LATLON	-	175.00000	10,668 m		
2400N17500E	-	24.00000	35,000 ft	60	-
LATLON	-	175.00000	10,668 m		
2500N17500E	-	25.00000	35,000 ft	60	-
LATLON	-	175.00000	10,668 m		
2600N17500E	-	26.00000	35,000 ft	60	-
LATLON	-	175.00000	10,668 m		
2700N17500E	-	27.00000	35,000 ft	60	-
LATLON	-	175.00000	10,668 m		
2800N17500E	-	28.00000	35,000 ft	60	-
LATLON	-	175.00000	10,668 m		
2900N17500E	-	29.00000	35,000 ft	60	-
LATLON	-	175.00000	10,668 m		
32N180E	-	32.00000	35,000 ft	315	-
LATLON	-	-180.00000	10,668 m		
3300N18000W	-	33.00000	35,000 ft	60	-
LATLON	-	-180.00000	10,668 m		
3400N18000W	-	34.00000	35,000 ft	60	-
LATLON	-	-180.00000	10,668 m		
3500N18000W	-	35.00000	35,000 ft	60	-
LATLON	-	-180.00000	10,668 m		
3600N18000W	-	36.00000	35,000 ft	60	-
LATLON	-	-180.00000	10,668 m		
3700N18000W	-	37.00000	35,000 ft	60	-
LATLON	-	-180.00000	10,668 m		
3800N18000W	-	38.00000	35,000 ft	60	-
LATLON	-	-180.00000	10,668 m		
3900N18000W	-	39.00000	35,000 ft	60	-
LATLON	-	-180.00000	10,668 m		
41N180E	-	41.00000	34,000 ft	120	-
LATLON	-	-180.00000	10,363 m		
42N180E	-	42.00000	35,000 ft	60	-
LATLON	-	-180.00000	10,668 m		
43N180E	-	43.00000	35,000 ft	60	-
LATLON	-	-180.00000	10,668 m		
45N180E	-	45.00000	35,000 ft	120	-
LATLON	-	-180.00000	10,668 m		
48N170W	1	48.00000	35,000 ft	450	-
LATLON	PACOT	-170.00000	10,668 m		
4900N17000W	-	49.00000	35,000 ft	60	-
LATLON	-	-170.00000	10,668 m		
5000N17000W	-	50.00000	35,000 ft	60	-
LATLON	-	-170.00000	10,668 m		
5100N17000W	-	51.00000	35,000 ft	60	-
LATLON	-	-170.00000	10,668 m		
DUT	-	53.90514	35,000 ft	215	DUTCH HARBOR NDB

Ident Type NDB	Via	Lat Lon	Alt	Dist (nm)	Name
	-	-166.54786	10,668 m		
CDB	J115	55.26738	35,000 ft	154	COLD BAY VORTAC
DME	AWY-HI	-162.77424	10,668 m		
BINAL	J115	55.76666	35,000 ft	39	-
FIX	AWY-HI	-161.99901	10,668 m		
TANIE	J115	57.96974	35,000 ft	181	-
FIX	AWY-HI	-158.21281	10,668 m		
AKN	J115	58.72472	35,000 ft	64	KING SALMON VORTAC
VOR	AWY-HI	-156.75233	10,668 m		
CIFJI	J115	59.54647	35,000 ft	83	-
FIX	AWY-HI	-154.55614	10,668 m		
TUCKS	J115	60.22301	19,700 ft	75	-
FIX	AWY-HI	-152.46097	6,005 m		
PANC	-	61.17411	0 ft	92	Ted Stevens Anchorage Intl
APT	-	-149.99598	0 m		

YBBN

Region: AUSTRALIA
Timezone: AUSTRALIA/BRISBANE
Runways: 2

Elevation: 15 ft / 5 m
Location: -27.375800 153.128000
Magnetic Var: 11.016 E

METAR

YBBN 120000Z 19004KT 160V240 9999 VCSH FEW008 BKN065 BKN105 20/20 Q1020 BKN068

TAF

TAF AMD YBBN 112309Z 1200/1306 19005KT 9999 -SHRA FEW005 SCT050 FM120200 03008KT 9999 -SHRA SCT030 FM120900 32007KT

Frequencies

REC - 125.50 MHz - ATIS	REC - 113.20 MHz - ATIS
CLD - 118.85 MHz - BRISBANE CLEARANCE	GND - 121.70 MHz - BRISBANE GROUND
TWR - 118.00 MHz - BRISBANE TOWER	TWR - 120.50 MHz - BRISBANE TOWER
APP - 124.70 MHz - BRISBANE NORTH APPROACH	APP - 125.60 MHz - BRISBANE SOUTH APPROACH
APP - 119.25 MHz - BRISBANE FINALS APPROACH	DEP - 118.45 MHz - BRISBANE DEPARTURE
DEP - 133.45 MHz - BRISBANE DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	11,744 ft	26.93	ASPHALT	213 ft	0 ft
	45 m	3,580 m	15.92		65 m	0 m
19	148 ft	11,744 ft	206.92	ASPHALT	0 ft	0 ft
	45 m	3,580 m	195.91		0 m	0 m
14	98 ft	5,787 ft	145.66	ASPHALT	197 ft	0 ft
	30 m	1,764 m	134.65		60 m	0 m
32	98 ft	5,787 ft	325.66	ASPHALT	197 ft	0 ft
	30 m	1,764 m	314.64		60 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IBA	109.50 MHz	18 nm	26.93	-	15 ft
				33 km	15.91		15 m
19	LOC-ILS	IBS	110.10 MHz	18 nm	206.93	-	15 ft
				33 km	195.91		15 m
01	GS	IBA	109.50 MHz	10 nm	26.93	3.00	15 ft
				19 km	15.91		15 m
19	GS	IBS	110.10 MHz	10 nm	206.93	3.00	15 ft
				19 km	195.91		15 m

PANC

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 151 ft / 46 m

Location: 61.174300 -149.998000

Magnetic Var: 14.023 E

METAR

PANC 112353Z 19007KT 10SM FEW045 SCT070 OVC110 07/01 A2955

TAF

TAF PANC 112320Z 1200/1306 18006KT P6SM SCT070 OVC090 FM120300 14011G21KT P6SM OVC100 FM120600 15006KT P6SM BKN10

Frequencies

REC - 135.50 MHz - D-ATIS

GND - 121.90 MHz - ANCHORAGE GROUND

CLD - 119.40 MHz - CLEARANCE DELIVERY

APP - 118.60 MHz - ANCHORAGE APPROACH

APP - 123.80 MHz - ANCHORAGE APPROACH

DEP - 118.60 MHz - ANCHORAGE DEPARTURE

DEP - 123.80 MHz - ANCHORAGE DEPARTURE

COM - 122.95 MHz - UNICOM

TWR - 118.30 MHz - ANCHORAGE TOWER

CLD - 128.65 MHz - CLEARANCE DELIVERY

APP - 119.10 MHz - ANCHORAGE APPROACH

APP - 126.40 MHz - ANCHORAGE APPROACH

DEP - 119.10 MHz - ANCHORAGE DEPARTURE

DEP - 126.40 MHz - ANCHORAGE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	12,357 ft	89.84	ASPHALT	0 ft	0 ft
	61 m	3,767 m	75.82		0 m	0 m
25L	200 ft	12,357 ft	269.90	ASPHALT	0 ft	194 ft
	61 m	3,767 m	255.88		0 m	59 m
07L	150 ft	10,566 ft	89.88	ASPHALT	0 ft	387 ft
	46 m	3,221 m	75.85		0 m	118 m
25R	150 ft	10,566 ft	269.93	ASPHALT	0 ft	387 ft
	46 m	3,221 m	255.91		0 m	118 m
15	200 ft	10,847 ft	164.89	ASPHALT	0 ft	397 ft
	61 m	3,306 m	150.87		0 m	121 m
33	200 ft	10,847 ft	344.90	ASPHALT	463 ft	236 ft
	61 m	3,306 m	330.88		141 m	72 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	ITGN	109.90 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07R	DME	IANC	111.30 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
15	DME	IBSC	111.75 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07L	LOC-ILS	ITGN	109.90 MHz	18 nm	89.90	-	151 ft
				33 km	75.88		151 m
07R	LOC-ILS	IANC	111.30 MHz	18 nm	89.87	-	151 ft
				33 km	75.85		151 m
15	LOC-ILS	IBSC	111.75 MHz	18 nm	164.90	-	151 ft
				33 km	150.88		151 m
07L	GS	ITGN	109.90 MHz	10 nm	89.90	3.00	151 ft
				19 km	75.88		151 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	IANC	111.30 MHz	10 nm	89.87	3.00	151 ft
				19 km	75.85		151 m
15	GS	IBSC	111.75 MHz	10 nm	164.90	3.00	151 ft
				19 km	150.88		151 m