

KCLT

Charlotte Douglas Intl


KFAY

Fayetteville Rgnl Grannis Fld

2024/05/15 0015Z

KCLT LILLS V296 FAY KFAY

105.18 nm / 194.80 km



Notes

Requested: KCLT LILLS2 LILLS V296 FAY KFAY

Unmatched points: LILLS2

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KCLT APT	-	35.21380 -80.94850	0 ft 0 m	-	Charlotte Douglas Intl
LILLS FIX	-	34.93540 -79.93020	0 ft 0 m	52 -	
RAEFO FIX	V296 AWY-LO	34.96270 -79.38130	0 ft 0 m	27 -	
LORRY FIX	V296 AWY-LO	34.97520 -79.11080	0 ft 0 m	13 -	
FAY VOR	V296 AWY-LO	34.98550 -78.87510	0 ft 0 m	11	FAYETTEVILLE
KFAY APT	-	34.99060 -78.88020	0 ft 0 m	0	Fayetteville Rgnl Grannis Fld

KCLT

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 748 ft / 228 m
Location: 35.213800 -80.948500
Magnetic Var: 8.055 W

METAR

KCLT 142352Z 29003KT 10SM FEW010 SCT020 BKN035 OVC150 21/18 A2977 RMK A02 SLP091 60025 T02060183 10217 20189 51008

TAF

KCLT 142334Z 1500/1606 30004KT P6SM BKN018 FM150400 03003KT 5SM BR BKN009 FM150900 08003KT 4SM BR VCSH BKN007 FM15

Frequencies

REC - 121.15 MHz - ATIS (ARRIVAL)	REC - 132.10 MHz - ATIS (DEPARTURE)
COM - 122.95 MHz - UNICOM	CLD - 127.15 MHz - CLEARANCE DELIVERY
GND - 121.80 MHz - CHARLOTTE GROUND	GND - 121.90 MHz - CHARLOTTE GROUND
TWR - 133.35 MHz - CHARLOTTE TOWER	TWR - 126.40 MHz - CHARLOTTE TOWER
TWR - 118.10 MHz - CHARLOTTE TOWER	DEP - 134.75 MHz - CHARLOTTE DEPARTURE
DEP - 128.32 MHz - CHARLOTTE DEPARTURE	DEP - 124.00 MHz - CHARLOTTE DEPARTURE
DEP - 120.50 MHz - CHARLOTTE DEPARTURE	DEP - 120.05 MHz - CHARLOTTE DEPARTURE
APP - 134.75 MHz - CHARLOTTE APPROACH	APP - 128.32 MHz - CHARLOTTE APPROACH
APP - 126.15 MHz - CHARLOTTE APPROACH	APP - 124.00 MHz - CHARLOTTE APPROACH
APP - 120.50 MHz - CHARLOTTE APPROACH	APP - 120.05 MHz - CHARLOTTE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18R	151 ft	9,008 ft	175.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	184.04		0 m	0 m
36L	151 ft	9,008 ft	355.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	4.04		0 m	0 m
18C	151 ft	10,009 ft	175.98	CONCRETE	0 ft	0 ft
	46 m	3,051 m	184.03		0 m	0 m
36C	151 ft	10,009 ft	355.98	CONCRETE	0 ft	0 ft
	46 m	3,051 m	4.04		0 m	0 m
18L	151 ft	8,686 ft	176.00	ASPHALT	0 ft	0 ft
	46 m	2,648 m	184.05		0 m	0 m
36R	151 ft	8,686 ft	356.00	ASPHALT	0 ft	0 ft
	46 m	2,648 m	4.05		0 m	0 m
05	151 ft	7,510 ft	48.35	ASPHALT	0 ft	148 ft
	46 m	2,289 m	56.40		0 m	45 m
23	151 ft	7,510 ft	228.36	ASPHALT	0 ft	148 ft
	46 m	2,289 m	236.41		0 m	45 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18R	DME	IRGS	110.15 MHz	18 nm	-	-	749 ft
				33 km	-		749 m
23	DME	IAPU	109.50 MHz	18 nm	-	-	749 ft
				33 km	-		749 m
36L	DME	IXUU	110.15 MHz	18 nm	-	-	749 ft
				33 km	-		749 m
36R	DME	IBQC	108.90 MHz	18 nm	-	-	749 ft
				33 km	-		749 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	ICLT	110.95 MHz	18 nm	48.37	-	749 ft
				33 km	56.42		749 m
18C	LOC-ILS	IPEP	111.30 MHz	18 nm	175.98	-	748 ft
				33 km	184.03		748 m
18L	LOC-ILS	IVKQ	110.35 MHz	18 nm	176.00	-	748 ft
				33 km	184.05		748 m
18R	LOC-ILS	IRGS	110.15 MHz	18 nm	175.98	-	748 ft
				33 km	184.03		748 m
23	LOC-ILS	IAPU	109.50 MHz	18 nm	228.35	-	748 ft
				33 km	236.40		748 m
36C	LOC-ILS	IDQG	111.70 MHz	18 nm	355.98	-	748 ft
				33 km	4.03		748 m
36L	LOC-ILS	IXUU	110.15 MHz	18 nm	355.98	-	748 ft
				33 km	4.03		748 m
36R	LOC-ILS	IBQC	108.90 MHz	18 nm	356.00	-	748 ft
				33 km	4.05		748 m
05	GS	ICLT	110.95 MHz	10 nm	48.35	3.00	748 ft
				19 km	56.40		748 m
18C	GS	IPEP	111.30 MHz	10 nm	175.98	3.00	748 ft
				19 km	184.03		748 m
18L	GS	IVKQ	110.35 MHz	10 nm	176.00	3.00	748 ft
				19 km	184.05		748 m
18R	GS	IRGS	110.15 MHz	10 nm	175.98	3.00	748 ft
				19 km	184.03		748 m
23	GS	IAPU	109.50 MHz	10 nm	228.35	3.00	748 ft
				19 km	236.40		748 m
36C	GS	IDQG	111.70 MHz	10 nm	355.98	3.00	748 ft
				19 km	4.03		748 m
36L	GS	IXUU	110.15 MHz	10 nm	355.98	3.00	748 ft
				19 km	4.03		748 m
36R	GS	IBQC	108.90 MHz	10 nm	356.00	3.00	748 ft
				19 km	4.05		748 m

KFAY

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 188 ft / 57 m
Location: 34.990600 -78.880300
Magnetic Var: 9.263 W

METAR

KFAY 142353Z 22005KT 10SM FEW018 22/20 A2972 RMK A02 RAE2256B08E19 SLP058 P0000 60076 T02170200 10228 20211 53001

TAF

TAF KFAY 142320Z 1500/1524 12010G18KT 6SM -DZ SCT006 OVC010 FM150100 VRB05KT 5SM BR OVC006 FM150800 VRB03KT 3SM BR

Frequencies

REC - 121.25 MHz - ATIS
TWR - 118.30 MHz - FAYETTEVILLE TOWER
DEP - 125.17 MHz - FAYETTEVILLE DEPARTURE
APP - 125.17 MHz - FAYETTEVILLE APPROACH
COM - 122.95 MHz - FAYETTEVILLE UNICOM
APP - 121.70 MHz - FAYETTEVILLE GROUND
APP - 133.00 MHz - FAYETTEVILLE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	150 ft	7,721 ft	31.07	ASPHALT	597 ft	0 ft
	46 m	2,353 m	40.33		182 m	0 m
22	150 ft	7,721 ft	211.08	ASPHALT	308 ft	95 ft
	46 m	2,353 m	220.34		94 m	29 m
10	150 ft	4,793 ft	91.11	ASPHALT	0 ft	0 ft
	46 m	1,461 m	100.37		0 m	0 m
28	150 ft	4,793 ft	271.12	ASPHALT	0 ft	0 ft
	46 m	1,461 m	280.38		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	IGRA	110.50 MHz	18 nm	31.08	-	188 ft
				33 km	40.34		188 m
22	LOC-LOC	IGRA	110.50 MHz	18 nm	211.08	-	188 ft
				33 km	220.34		188 m
04	GS	IGRA	110.50 MHz	10 nm	31.08	3.00	188 ft
				19 km	40.34		188 m