

# SKBQ

Ernesto Cortissoz Int'l


# SKBO

El Dorado Int'l

2024/05/06 1132Z

SKBQ ARMOL A301 DAGAN UL542 EJA A301 ARMIR SKBO

380.64 nm / 704.95 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 275kts
- Cruise Altitude: 41000ft
- Cruise Speed: 420kts
- Descent Rate: 2500ft/min
- Descent Speed: 280kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SKBQ APT	-	10.88960 -74.78080	0 ft 0 m	-	Ernesto Cortissoz Int'l
ARMOL FIX	-	9.60222 -74.52330	28,100 ft 8,565 m	78	-
ILNAG FIX	A301 AWY-LO	9.02028 -74.35940	41,000 ft 12,497 m	36	-
DAGAN FIX	A301 AWY-LO	7.98583 -74.06970	41,000 ft 12,497 m	64	-
EJA VOR	UL542 AWY-HI	7.02861 -73.80560	41,000 ft 12,497 m	59	BARRANCABERMEJA
ARMIR FIX	A301 AWY-LO	6.46389 -73.82560	38,400 ft 11,704 m	33	-
SKBO APT	-	4.70162 -74.14700	0 ft 0 m	107	El Dorado Int'l

## SKBQ

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 1

Elevation: 98 ft / 30 m  
Location: 10.889600 -74.780900  
Magnetic Var: 8.541 W

## METAR

SKBQ 061100Z 22003KT 7000 FEW012 27/26 Q1008 NOSIG RMK BR

## TAF

TAF SKBQ 060430Z 0606/0706 VRB02KT 9999 SCT015 TEMPO 0610/0613 3000 BR BKN006 BECMG 0616/0618 03012KT PROB40 TEMPO

## Frequencies

APP - 119.75 MHz - BARRANQUILLA APPROACH  
GND - 121.90 MHz - CORTISSOZ GROUND  
REC - 113.70 MHz - ATIS  
APP - 119.10 MHz - BARRANQUILLA APPROACH  
TWR - 118.10 MHz - CORTISSOZ TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	151 ft	9,855 ft	40.07	ASPHALT	0 ft	197 ft
	46 m	3,004 m	48.61		0 m	60 m
23	151 ft	9,855 ft	220.07	ASPHALT	0 ft	577 ft
	46 m	3,004 m	228.62		0 m	176 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IBAQ	109.90 MHz	18 nm	39.98	-	98 ft
				33 km	48.52		98 m
05	GS	IBAQ	109.90 MHz	10 nm	40.18	3.00	98 ft
				19 km	48.72		98 m

## SKBO

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 2

Elevation: 8,358 ft / 2,548 m  
Location: 4.701600 -74.147000  
Magnetic Var: 8.191 W

## METAR

SKBO 061100Z VRB02KT 9999 VCSH BKN017 SCT070 13/12 Q1028 NOSIG RMK VCSH/SE

## TAF

TAF TAF SKBO 060430Z 0606/0706 VRB02KT 9999 SCT020 BKN07 TEMPO 0606/0609 DZRA BKN017 TEMPO 0621/0624 DZRA SCT017T

## Frequencies

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.42		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.43		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.43		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.43		0 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m