


2024/05/07 0242Z

EGSS PEVAD **UP20** GORLO **UL480** RKN **UG9** ETEBO **UL980** CZE **UP150** AMUTO EPWA

768.04 nm / 1422.41 km



Notes

Basic altitude profile:

- Ascent Rate: 1800ft/min
- Ascent Speed: 210kts
- Cruise Altitude: 36000ft
- Cruise Speed: 275kts
- Descent Rate: 890ft/min
- Descent Speed: 230kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGSS APT	-	51.88510 0.23496	0 ft 0 m	-	London Stansted
PEVAD FIX	-	51.91540 2.66691	31,100 ft 9,479 m	90	-
GORLO FIX	UP20 AWY-HI	51.92407 3.17184	35,000 ft 10,668 m	18	-
RENDI FIX	UL480 AWY-HI	52.06167 5.67750	35,000 ft 10,668 m	93	-
RKN VOR	UL480 AWY-HI	52.13320 6.76388	35,000 ft 10,668 m	40	REKKEN VOR-DME
ETEB0 FIX	UG9 AWY-HI	52.13833 6.87528	35,000 ft 10,668 m	4	-
AMSAN FIX	UL980 AWY-HI	52.15028 7.11139	35,000 ft 10,668 m	8	-
OSN VOR	UL980 AWY-HI	52.20014 8.28552	35,000 ft 10,668 m	43	OSNABRUCK VOR
ROBEG FIX	UL980 AWY-HI	52.23362 9.26962	35,000 ft 10,668 m	36	-
DLE VOR	UL980 AWY-HI	52.25032 9.88350	35,000 ft 10,668 m	22	LEINE VOR-DME
ATROS FIX	UL980 AWY-HI	52.28278 10.13833	35,000 ft 10,668 m	9	-
HLZ VOR	UL980 AWY-HI	52.36339 10.79522	35,000 ft 10,668 m	24	HEHLINGEN VOR-DME
GALKU FIX	UL980 AWY-HI	52.38944 12.07917	35,000 ft 10,668 m	47	-
SOBLU FIX	UL980 AWY-HI	52.39222 12.27278	35,000 ft 10,668 m	7	-
PENEK FIX	UL980 AWY-HI	52.39583 12.64667	35,000 ft 10,668 m	13	-
ADLIR FIX	UL980 AWY-HI	52.40028 13.62194	35,000 ft 10,668 m	35	-
TUVAK FIX	UL980 AWY-HI	52.39972 14.07083	35,000 ft 10,668 m	16	-
SUI VOR	UL980 AWY-HI	52.37986 14.58560	35,000 ft 10,668 m	18	SUBI VOR-DME
KELOD FIX	UL980 AWY-HI	52.23389 15.88333	35,000 ft 10,668 m	48	-
CZE VOR	UL980 AWY-HI	52.13061 16.72713	33,700 ft 10,272 m	31	CZEMPIN VOR-DME
AMUTO FIX	UP150 AWY-HI	52.33333 18.94583	27,500 ft 8,382 m	82	-
EPWA APT	-	52.16509 20.96692	0 ft 0 m	74	WARSZAWA Okęcie

EGSS

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 348 ft / 106 m
Location: 51.885100 0.234989
Magnetic Var: 0.577 E

METAR

EGSS 070220Z AUTO 02003KT 1700 BR NCD 08/08 Q1016

TAF

TAF EGSS 062259Z 0700/0806 03005KT 7000 FEW025 PROB30 0700/0707 3000 BR BKN004 BECMG 0707/0710 9999 PROB40 0707/0710 3000 BR BKN004

Frequencies

DEP - 120.62 MHz - ESSEX RADAR	APP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH	CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
GND - 121.72 MHz - STANSTED GROUND	TWR - 123.80 MHz - STANSTED TOWER
TWR - 125.55 MHz - STANSTED TOWER	APP - 136.20 MHz - STANSTED DIRECT
REC - 114.55 MHz - ATIS	REC - 127.17 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,984 ft	42.78	ASPHALT	974 ft	0 ft
	46 m	3,043 m	42.21		297 m	0 m
22	151 ft	9,984 ft	222.81	ASPHALT	0 ft	0 ft
	46 m	3,043 m	222.23		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
22	DME	ISX	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm	42.80	-	348 ft
				33 km	42.22		348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm	222.80	-	348 ft
				33 km	222.22		348 m
04	GS	ISED	110.50 MHz	10 nm	42.80	3.00	348 ft
				19 km	42.22		348 m
22	GS	ISX	110.50 MHz	10 nm	222.80	3.00	348 ft
				19 km	222.22		348 m

EPWA

Region: POLAND
Timezone: EUROPE/WARSAW
Runways: 2

Elevation: 362 ft / 110 m
Location: 52.165100 20.967000
Magnetic Var: 6.621 E

METAR

EPWA 070230Z 29007KT 9999 SCT029 09/07 Q1009 NOSIG

TAF

TAF EPWA 070230Z 0703/0803 31006KT CAVOK PROB40 0703/0707 BKN009 BECMG 0710/0713 02010KT PROB40 TEMPO 0710/0715 0

Frequencies

REC - 120.45 MHz - ATIS	TWR - 118.30 MHz - OKECIE TOWER
GND - 121.90 MHz - OKECIE GROUND	CLD - 121.60 MHz - CLEARANCE DELIVERY
APP - 128.80 MHz - WARSAW APPROACH	APP - 125.05 MHz - WARSAW APPROACH
REC - 118.77 MHz - OLSZTYN INFORMATION	REC - 119.45 MHz - WARSAW INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	164 ft	9,166 ft	114.57	ASPHALT	0 ft	492 ft
	50 m	2,794 m	107.95		0 m	150 m
29	164 ft	9,166 ft	294.60	ASPHALT	1,617 ft	102 ft
	50 m	2,794 m	287.98		493 m	31 m
15	197 ft	12,093 ft	151.80	ASPHALT	0 ft	144 ft
	60 m	3,686 m	145.18		0 m	44 m
33	197 ft	12,093 ft	331.82	ASPHALT	2,159 ft	148 ft
	60 m	3,686 m	325.20		658 m	45 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	WAS	109.90 MHz	18 nm	-	-	394 ft
				33 km	-		394 m
33	DME	WA	110.30 MHz	18 nm	-	-	394 ft
				33 km	-		394 m
11	LOC-ILS	WAS	109.90 MHz	18 nm	114.59	-	362 ft
				33 km	107.97		362 m
33	LOC-ILS	WA	110.30 MHz	18 nm	331.82	-	362 ft
				33 km	325.20		362 m
11	GS	WAS	109.90 MHz	10 nm	114.59	3.00	362 ft
				19 km	107.97		362 m
33	GS	WA	110.30 MHz	10 nm	331.82	3.00	362 ft
				19 km	325.20		362 m