

EIDW

Dublin International Airport


EGLC

London City

2024/05/05 1940Z

EIDW DOLOP **UY124** AMPIT **UL15** HON EGLC

267.66 nm / 495.71 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 27000ft
- Cruise Speed: 320kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EIDW APT	-	53.42490 -6.26305	0 ft 0 m	-	Dublin International Airport
DOLOP FIX	-	53.21420 -3.63083	27,000 ft 8,230 m	95 -	
AMPIT FIX	UY124 AWY-HI	53.19420 -3.19250	27,000 ft 8,230 m	15 -	
RISLA FIX	UL15 AWY-HI	53.03080 -2.88667	27,000 ft 8,230 m	14 -	
KEPAD FIX	UL15 AWY-HI	52.80970 -2.47889	27,000 ft 8,230 m	19 -	
HON VOR	UL15 AWY-HI	52.35670 -1.66373	22,900 ft 6,980 m	40	HONILEY
EGLC APT	-	51.50520 0.05518	0 ft 0 m	81	London City

EIDW

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 240 ft / 73 m
Location: 53.424900 -6.263080
Magnetic Var: 1.978 W

METAR

EIDW 051930Z 09005KT 9999 FEW026 BKN100 12/09 Q1007 NOSIG

TAF

TAF EIDW 051700Z 0518/0618 VRB03KT 9999 FEW020 SCT040 BECMG 0602/0604 BKN014 TEMPO 0604/0610 3000 -RADZ BKN009 BE

Frequencies

REC - 124.52 MHz - ATIS	TWR - 118.60 MHz - DUBLIN TOWER
GND - 118.75 MHz - DUBLIN GROUND	GND - 121.80 MHz - DUBLIN GROUND
CLD - 121.87 MHz - CLEARANCE DELIVERY	APP - 133.27 MHz - DUBLIN APPROACH
APP - 121.10 MHz - DUBLIN APPROACH	APP - 119.92 MHz - DUBLIN APPROACH
APP - 119.55 MHz - DUBLIN APPROACH	REC - 118.50 MHz - DUBLIN INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	148 ft	8,660 ft	95.26	ASPHALT	0 ft	0 ft
	45 m	2,640 m	97.23		0 m	0 m
28L	148 ft	8,660 ft	275.29	ASPHALT	0 ft	0 ft
	45 m	2,640 m	277.27		0 m	0 m
16	190 ft	6,805 ft	156.64	ASPHALT	0 ft	0 ft
	58 m	2,074 m	158.61		0 m	0 m
34	190 ft	6,805 ft	336.65	ASPHALT	0 ft	0 ft
	58 m	2,074 m	338.62		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAC	111.50 MHz	18 nm	-	-	200 ft
				33 km	-		200 m
10R	LOC-ILS	IDE	108.90 MHz	18 nm	95.26	-	242 ft
				33 km	97.24		242 m
16	LOC-ILS	IAC	111.50 MHz	18 nm	156.64	-	242 ft
				33 km	158.62		242 m
28L	LOC-ILS	IDW	111.35 MHz	18 nm	275.26	-	242 ft
				33 km	277.24		242 m
10R	GS	IDE	108.90 MHz	10 nm	95.26	3.00	242 ft
				19 km	97.24		242 m
16	GS	IAC	111.50 MHz	10 nm	156.64	3.00	242 ft
				19 km	158.62		242 m
28L	GS	IDW	111.35 MHz	10 nm	275.26	3.00	242 ft
				19 km	277.24		242 m

EGLC

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 19 ft / 6 m
Location: 51.505200 0.055176
Magnetic Var: 0.547 E

METAR

EGLC 051920Z AUTO 16004KT 100V220 9999 SCT030 15/10 Q1007

TAF

UNKNOWN

Frequencies

APP - 132.70 MHz - THAMES RADAR
GND - 121.82 MHz - CITY GROUND
TWR - 129.45 MHz - CITY TOWER

REC - 136.35 MHz - CITY ATIS
TWR - 118.07 MHz - CITY TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	98 ft	4,916 ft	92.88	ASPHALT	315 ft	190 ft
	30 m	1,498 m	92.34		96 m	58 m
27	98 ft	4,916 ft	272.90	ASPHALT	230 ft	302 ft
	30 m	1,498 m	272.35		70 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ILST	111.15 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
27	DME	ILSR	111.15 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
09	LOC-ILS	ILST	111.15 MHz	18 nm	92.89	-	19 ft
				33 km	92.34		19 m
27	LOC-ILS	ILSR	111.15 MHz	18 nm	272.89	-	19 ft
				33 km	272.34		19 m
09	GS	ILST	111.15 MHz	10 nm	92.89	5.50	19 ft
				19 km	92.34		19 m
27	GS	ILSR	111.15 MHz	10 nm	272.89	5.50	19 ft
				19 km	272.34		19 m