


2024/06/05 1723Z

CYVR SHUKA **J52** GEG KGEG

247.52 nm / 458.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 26000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYVR	-	49.19410	0 ft	-	Vancouver Intl
APT	-	-123.18500	0 m		
SHUKA	-	48.82540	16,700 ft	46	-
FIX	-	-122.13300	5,090 m		
TWISP	J52	48.26910	23,700 ft	89	-
FIX	AWY-HI	-120.03800	7,224 m		
GEG	J52	47.56490	1,000 ft	105	SPOKANE
VOR	AWY-HI	-117.62700	305 m		
KGEG	-	47.61880	0 ft	4	Spokane Airport
APT	-	-117.53500	0 m		

CYVR

Region: CANADA
Timezone: AMERICA/VANCOUVER
Runways: 3

Elevation: 13 ft / 4 m
Location: 49.194000 -123.185000
Magnetic Var: 15.257 E

METAR

CYVR 051700Z 10007KT 070V140 30SM FEW021 FEW039 BKN210 BKN250 14/09 A3023 RMK SC1CU1CC6CI1 SC TR CU TR SLP239

TAF

TAF CYVR 051440Z 0515/0618 10008KT P6SM FEW040 SCT240 BECMG 0517/0519 22008KT FM052200 24008KT P6SM FEW150 BECMG 0601/0603 10008KT P6SM FEW040 SCT240

Frequencies

REC - 124.60 MHz - ATIS	CLD - 121.40 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - VANCOUVER GROUND	GND - 127.50 MHz - VANCOUVER GROUND
TWR - 118.70 MHz - VANCOUVER TOWER	TWR - 119.55 MHz - VANCOUVER TOWER
APP - 128.60 MHz - VANCOUVER APPROACH	APP - 133.10 MHz - VANCOUVER APPROACH
DEP - 126.12 MHz - VANCOUVER DEPARTURE	DEP - 132.30 MHz - VANCOUVER DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	200 ft	10,777 ft	99.88	ASPHALT	0 ft	0 ft
	61 m	3,285 m	84.62		0 m	0 m
26L	200 ft	10,777 ft	279.91	ASPHALT	0 ft	0 ft
	61 m	3,285 m	264.65		0 m	0 m
13	200 ft	7,294 ft	141.92	ASPHALT	0 ft	0 ft
	61 m	2,223 m	126.66		0 m	0 m
31	200 ft	7,294 ft	321.93	ASPHALT	0 ft	0 ft
	61 m	2,223 m	306.68		0 m	0 m
08L	200 ft	9,916 ft	99.89	CONCRETE	0 ft	0 ft
	61 m	3,022 m	84.63		0 m	0 m
26R	200 ft	9,916 ft	279.92	CONCRETE	0 ft	0 ft
	61 m	3,022 m	264.66		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ITL	110.55 MHz	18 nm	-	-	1 ft
				33 km	-		1 m
08R	DME	IVR	109.50 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
26L	DME	IFZ	111.95 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
26R	DME	IRD	110.70 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
08L	LOC-ILS	ITL	110.55 MHz	18 nm	99.90	-	13 ft
				33 km	84.64		13 m
08R	LOC-ILS	IVR	109.50 MHz	18 nm	99.89	-	13 ft
				33 km	84.63		13 m
13	LOC-ILS	IMK	111.10 MHz	18 nm	141.93	-	13 ft
				33 km	126.67		13 m
26L	LOC-ILS	IFZ	110.70 MHz	18 nm	279.89	-	13 ft
				33 km	264.63		13 m
26R	LOC-ILS	IRD	111.95 MHz	18 nm	279.90	-	13 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	264.64		13 m
08L	GS	ITL	110.55 MHz	10 nm	99.90	3.00	13 ft
				19 km	84.64		13 m
08R	GS	IVR	109.50 MHz	10 nm	99.89	3.00	13 ft
				19 km	84.63		13 m
13	GS	IMK	111.10 MHz	10 nm	141.93	3.00	13 ft
				19 km	126.67		13 m
26L	GS	IFZ	110.70 MHz	10 nm	279.89	3.00	13 ft
				19 km	264.63		13 m
26R	GS	IRD	111.95 MHz	10 nm	279.90	3.00	13 ft
				19 km	264.64		13 m

KGEG

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 2,384 ft / 727 m
Location: 47.618800 -117.535000
Magnetic Var: 13.709 E

METAR

KGEG 051653Z 20013G17KT 10SM FEW045 FEW080 FEW150 16/01 A3014 RMK A02 SLP202 T01560011

TAF

KGEG 051127Z 0512/0612 21009KT P6SM FEW090 FM060700 15005KT P6SM FEW200

Frequencies

REC - 124.32 MHz - SPOKANE ATIS	COM - 122.95 MHz - SPOKANE UNICOM
GND - 121.90 MHz - SPOKANE GROUND	TWR - 118.30 MHz - SPOKANE TOWER
CLD - 127.55 MHz - SPOKANE CLEARANCE DELIVERY	DEP - 123.75 MHz - SPOKANE DEPARTURE
DEP - 133.35 MHz - SPOKANE DEPARTURE	APP - 123.75 MHz - SPOKANE APPROACH
APP - 133.35 MHz - SPOKANE APPROACH	APP - 126.45 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft	8,177 ft	90.49	ASPHALT	0 ft	0 ft
	46 m	2,492 m	76.79		0 m	0 m
26	150 ft	8,177 ft	270.52	ASPHALT	0 ft	98 ft
	46 m	2,492 m	256.81		0 m	30 m
03	150 ft	10,987 ft	45.41	ASPHALT	0 ft	397 ft
	46 m	3,349 m	31.70		0 m	121 m
21	150 ft	10,987 ft	225.44	ASPHALT	0 ft	400 ft
	46 m	3,349 m	211.73		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	IOLJ	111.10 MHz	18 nm	-	-	2,322 ft
				33 km	-		2,322 m
03	LOC-ILS	IOLJ	111.10 MHz	18 nm	45.43	-	2,384 ft
				33 km	31.72		2,384 m
21	LOC-ILS	IGEG	111.10 MHz	18 nm	225.43	-	2,384 ft
				33 km	211.72		2,384 m
03	GS	IOLJ	111.10 MHz	10 nm	45.43	3.00	2,384 ft
				19 km	31.72		2,384 m
21	GS	IGEG	111.10 MHz	10 nm	225.43	3.00	2,384 ft
				19 km	211.72		2,384 m