

LYBE

Belgrade


LZIB

Bratislava/M.R. Stefanik

2024/05/12 2149Z

LYBE NIVIS **N739** LULIK **UN739** BABIT **UY55** OKORA LZIB

240.25 nm / 444.94 km



Notes

Basic altitude profile:

- Ascent Rate: 500ft/min
- Ascent Speed: 80kts
- Cruise Altitude: 4000ft
- Cruise Speed: 100kts
- Descent Rate: 500ft/min
- Descent Speed: 90kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LYBE APT	-	44.81843 20.30921	0 ft 0 m	-	Belgrade
NIVIS FIX	-	45.25250 19.78725	12,200 ft 3,719 m	34	-
LULIK FIX	N739 AWY-LO	45.52664 19.44428	20,000 ft 6,096 m	21	-
BABIT FIX	UN739 AWY-HI	45.93164 18.92897	30,600 ft 9,327 m	32	-
OKORA FIX	UY55 AWY-HI	46.76636 18.37124	24,500 ft 7,468 m	55	-
LZIB APT	-	48.16831 17.21560	0 ft 0 m	96	Bratislava/M.R. Stefanik

LYBE

Region: SERBIA AND MONTENEGRO
Timezone: EUROPE/BELGRADE
Runways: 1

Elevation: 334 ft / 102 m
Location: 44.818500 20.309200
Magnetic Var: 5.370 E

METAR

LYBE 122130Z 21005KT 170V230 CAVOK 13/12 Q1018 NOSIG

TAF

TAF LYBE 121700Z 1218/1318 29005KT CAVOK TX23/1314Z TN09/1303Z BECMG 1300/1302 3000 BR PROB40 1302/1305 0500 FG B

Frequencies

TWR - 118.10 MHz - BELGRADE TWR
GND - 118.30 MHz - BELGRADE GROUND

APP - 119.10 MHz - BELGRADE APP
REC - 122.92 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	11,149 ft	122.00	ASPHALT	0 ft	0 ft
	45 m	3,398 m	116.63		0 m	0 m
30	148 ft	11,149 ft	302.03	ASPHALT	1,299 ft	194 ft
	45 m	3,398 m	296.66		396 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	YUB	110.30 MHz	18 nm	122.02	-	334 ft
				33 km	116.65		334 m
30	LOC-ILS	YBE	109.90 MHz	18 nm	302.02	-	334 ft
				33 km	296.65		334 m
12	GS	YUB	110.30 MHz	10 nm	122.02	3.00	334 ft
				19 km	116.65		334 m
30	GS	YBE	109.90 MHz	10 nm	302.02	3.00	334 ft
				19 km	296.65		334 m

LZIB

Region: SLOVAKIA
Timezone: EUROPE/BRATISLAVA
Runways: 2

Elevation: 436 ft / 133 m
Location: 48.168300 17.215600
Magnetic Var: 5.161 E

METAR

LZIB 122130Z 36003KT CAVOK 14/07 Q1018 NOSIG

TAF

TAF LZIB 121715Z 1218/1318 04007KT CAVOK BECMG 1300/1302 11008KT BECMG 1308/1310 18010KT

Frequencies

TWR - 118.30 MHz - STEFANIK TOWER	APP - 119.70 MHz - STEFANIK APPROACH
APP - 128.65 MHz - STEFANIK ARRIVAL	APP - 120.90 MHz - STEFANIK APPROACH
TWR - 118.70 MHz - STEFANIK TOWER	REC - 133.87 MHz - STEFANIK ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	9,689 ft	134.00	CONCRETE	0 ft	98 ft
	45 m	2,953 m	128.83		0 m	30 m
31	148 ft	9,689 ft	314.02	CONCRETE	0 ft	787 ft
	45 m	2,953 m	308.86		0 m	240 m
04	197 ft	9,541 ft	43.83	CONCRETE	0 ft	0 ft
	60 m	2,908 m	38.67		0 m	0 m
22	197 ft	9,541 ft	223.85	CONCRETE	0 ft	49 ft
	60 m	2,908 m	218.69		0 m	15 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	OKR	108.30 MHz	25 nm	-	-	436 ft
				46 km	-		436 m
31	DME	OB	110.70 MHz	25 nm	-	-	433 ft
				46 km	-		433 m
22	LOC-ILS	OKR	108.30 MHz	18 nm	223.84	-	436 ft
				33 km	218.68		436 m
31	LOC-ILS	OB	110.70 MHz	18 nm	314.01	-	436 ft
				33 km	308.85		436 m
22	GS	OKR	108.30 MHz	10 nm	223.84	3.00	436 ft
				19 km	218.68		436 m
31	GS	OB	110.70 MHz	10 nm	314.01	3.00	436 ft
				19 km	308.85		436 m