

EHAM

Amsterdam Schiphol Airport


TNCM

Princess Juliana International Airport

2024/05/23 0513Z

EHAM XAMAN **UL980** LAM **UL179** CPT **UM197** GAPLI 4900N0-1000W TAMEL 4800N0-1200W 4800N0-1300W
4800N0-1400W 4800N0-1500W 4800N0-1600W 4800N0-1700W 4800N0-1800W 4700N0-2000W 4600N0-2200W
4600N0-2300W 4500N0-2500W 4400N0-2700W 4300N0-2900W 4200N0-3100W LUKAL 4100N0-3300W KOLIT
4000N0-3500W 4000N0-3600W 4000N0-3700W 3900N0-3900W 3800N0-4100W 3700N0-4300W 3500N0-4500W
3400N0-4600W 3300N0-4800W 3200N0-4900W 3100N0-5000W 2900N0-5200W 2800N0-5300W 2700N0-5400W
2500N0-5600W 2400N0-5700W 2300N0-5800W RKDIA **A516** NEYDU TNCM

3818.29 nm / 7071.47 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.30810 4.76417	0 ft 0 m	-	Amsterdam Schiphol Airport
XAMAN FIX	-	51.78470 2.22417	35,000 ft 10,668 m	98	-
LOGAN FIX	UL980 AWY-HI	51.74760 1.61183	35,000 ft 10,668 m	22	-
TRIPO FIX	UL980 AWY-HI	51.71310 1.08278	35,000 ft 10,668 m	19	-
SABER FIX	UL980 AWY-HI	51.70380 0.94950	35,000 ft 10,668 m	4	-
LIVSU FIX	UL980 AWY-HI	51.69690 0.84944	35,000 ft 10,668 m	3	-
MANGO FIX	UL980 AWY-HI	51.69280 0.79056	35,000 ft 10,668 m	2	-
BRASO FIX	UL980 AWY-HI	51.68530 0.68333	35,000 ft 10,668 m	4	-
WESUL FIX	UL980 AWY-HI	51.67080 0.48583	35,000 ft 10,668 m	7	-
LAM VOR	UL980 AWY-HI	51.64600 0.15170	35,000 ft 10,668 m	12	LAMBOURNE
CPT VOR	UL179 AWY-HI	51.49160 -1.21969	35,000 ft 10,668 m	52	COMPTON
GAPLI FIX	UM197 AWY-HI	50.00000 -8.00000	35,000 ft 10,668 m	272	-
4900N0-1000W LATLON	-	49.00000 -10.00000	35,000 ft 10,668 m	98	-
TAMEL FIX	-	48.72860 -10.49720	35,000 ft 10,668 m	25	-
4800N0-1200W LATLON	-	48.00000 -12.00000	35,000 ft 10,668 m	74	-
4800N0-1300W LATLON	-	48.00000 -13.00000	35,000 ft 10,668 m	40	-
4800N0-1400W LATLON	-	48.00000 -14.00000	35,000 ft 10,668 m	40	-
4800N0-1500W LATLON	-	48.00000 -15.00000	35,000 ft 10,668 m	40	-
4800N0-1600W LATLON	-	48.00000 -16.00000	35,000 ft 10,668 m	40	-
4800N0-1700W LATLON	-	48.00000 -17.00000	35,000 ft 10,668 m	40	-
4800N0-1800W LATLON	-	48.00000 -18.00000	35,000 ft 10,668 m	40	-
4700N0-2000W LATLON	-	47.00000 -20.00000	35,000 ft 10,668 m	100	-
4600N0-2200W LATLON	-	46.00000 -22.00000	35,000 ft 10,668 m	102	-
4600N0-2300W LATLON	-	46.00000 -23.00000	35,000 ft 10,668 m	41	-
4500N0-2500W LATLON	-	45.00000 -25.00000	35,000 ft 10,668 m	103	-
4400N0-2700W LATLON	-	44.00000 -27.00000	35,000 ft 10,668 m	104	-
4300N0-2900W	-	43.00000	35,000 ft	105	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-29.00000	10,668 m		
4200N0-3100W	-	42.00000	35,000 ft	106	-
LATLON	-	-31.00000	10,668 m		
LUKAL	-	41.25310	35,000 ft	75	-
FIX	-	-32.35580	10,668 m		
4100N0-3300W	-	41.00000	35,000 ft	32	-
LATLON	-	-33.00000	10,668 m		
KOLIT	-	40.54860	35,000 ft	32	-
FIX	-	-33.38920	10,668 m		
4000N0-3500W	-	40.00000	35,000 ft	80	-
LATLON	-	-35.00000	10,668 m		
4000N0-3600W	-	40.00000	35,000 ft	46	-
LATLON	-	-36.00000	10,668 m		
4000N0-3700W	-	40.00000	35,000 ft	46	-
LATLON	-	-37.00000	10,668 m		
3900N0-3900W	-	39.00000	35,000 ft	110	-
LATLON	-	-39.00000	10,668 m		
3800N0-4100W	-	38.00000	35,000 ft	111	-
LATLON	-	-41.00000	10,668 m		
3700N0-4300W	-	37.00000	35,000 ft	112	-
LATLON	-	-43.00000	10,668 m		
3500N0-4500W	-	35.00000	35,000 ft	154	-
LATLON	-	-45.00000	10,668 m		
3400N0-4600W	-	34.00000	35,000 ft	77	-
LATLON	-	-46.00000	10,668 m		
3300N0-4800W	-	33.00000	35,000 ft	116	-
LATLON	-	-48.00000	10,668 m		
3200N0-4900W	-	32.00000	35,000 ft	78	-
LATLON	-	-49.00000	10,668 m		
3100N0-5000W	-	31.00000	35,000 ft	78	-
LATLON	-	-50.00000	10,668 m		
2900N0-5200W	-	29.00000	35,000 ft	158	-
LATLON	-	-52.00000	10,668 m		
2800N0-5300W	-	28.00000	35,000 ft	79	-
LATLON	-	-53.00000	10,668 m		
2700N0-5400W	-	27.00000	35,000 ft	80	-
LATLON	-	-54.00000	10,668 m		
2500N0-5600W	-	25.00000	35,000 ft	161	-
LATLON	-	-56.00000	10,668 m		
2400N0-5700W	-	24.00000	35,000 ft	81	-
LATLON	-	-57.00000	10,668 m		
2300N0-5800W	-	23.00000	35,000 ft	81	-
LATLON	-	-58.00000	10,668 m		
RKDIA	-	21.00000	35,000 ft	163	-
FIX	-	-60.00000	10,668 m		
OBIKE	A516	19.34130	23,400 ft	140	-
FIX	AWY-HI	-61.76720	7,132 m		
NEYDU	A516	18.97260	16,700 ft	31	-
FIX	AWY-HI	-62.15250	5,090 m		
TNCM	-	18.04090	0 ft	78	Princess Juliana International Airport
APT	-	-63.10890	0 m		

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.048 E

METAR

EHAM 230455Z 20011KT 9999 FEW014 SCT017 BKN030 14/12 Q1011 NOSIG

TAF

TAF TAF EHAM 222306Z 2300/2406 21012KT 9999 FEW025 BECMG 2300/2303 SCT009 BKN014 BECMG 2305/2308 SCT018 BKN025 BE

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.19		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.19		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.17		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.17		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.14		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.14		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.84		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.15		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.83	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.17	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.14	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.15	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.74	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.17	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.19	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.83	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.17	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.14	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.15	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.74	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.17	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.19	3.00	-11 ft -11 m