


2024/05/14 1229Z

EFHK DIPAR **UY75** MIMLA **Y75** OUK EFOU

277.35 nm / 513.65 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EFHK APT	-	60.32057 24.95267	0 ft 0 m	-	Helsinki Vantaa
DIPAR FIX	-	62.07972 25.12444	35,000 ft 10,668 m	105	-
EPESI FIX	UY75 AWY-HI	62.69194 25.22333	27,800 ft 8,473 m	36	-
VAVIX FIX	UY75 AWY-HI	62.96444 25.23250	27,500 ft 8,382 m	16	-
MIMLA FIX	UY75 AWY-HI	63.82528 25.26250	27,500 ft 8,382 m	51	-
OSTOS FIX	Y75 AWY-LO	64.43500 25.31500	9,500 ft 2,896 m	36	-
OUK VOR	Y75 AWY-LO	64.93155 25.35928	9,500 ft 2,896 m	29	OULU VOR-DME
EFOU APT	-	64.93006 25.35456	0 ft 0 m	0	Oulu

EFHK

Region: FINLAND
Timezone: EUROPE/HELSINKI
Runways: 3

Elevation: 180 ft / 55 m
Location: 60.320400 24.952200
Magnetic Var: 9.963 E

METAR

EFHK 141220Z 16012KT CAVOK 17/08 Q1020 NOSIG

TAF

TAF TAF EFHK 141123Z 1412/1512 15011KT 9999 FEW045 BECMG 1422/1424 VRB02KT BECMG 1508/1510 24013KT

Frequencies

REC - 135.07 MHz - ATIS ARRIVAL	REC - 114.20 MHz - ATIS DEPARTURE
TWR - 119.70 MHz - HELSINKI TOWER	TWR - 118.85 MHz - HELSINKI TOWER
TWR - 118.60 MHz - HELSINKI TOWER	GND - 121.80 MHz - HELSINKI GROUND
GND - 118.12 MHz - HELSINKI GROUND	GND - 121.65 MHz - HELSINKI RAMP/TAXI
APP - 119.10 MHz - HELSINKI RADAR APPROACH	APP - 129.85 MHz - HELSINKI RADAR APPROACH
APP - 119.70 MHz - HELSINKI RADAR APPROACH	APP - 124.32 MHz - HELSINKI ARRIVAL
APP - 119.90 MHz - HELSINKI ARRIVAL	GND - 127.02 MHz - HELSINKI DE-ICING

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	197 ft	11,459 ft	47.48	ASPHALT	978 ft	210 ft
	60 m	3,493 m	37.52		298 m	64 m
22L	197 ft	11,459 ft	227.52	ASPHALT	0 ft	207 ft
	60 m	3,493 m	217.56		0 m	63 m
04L	197 ft	10,047 ft	47.42	ASPHALT	0 ft	236 ft
	60 m	3,062 m	37.46		0 m	72 m
22R	197 ft	10,047 ft	227.46	ASPHALT	253 ft	177 ft
	60 m	3,062 m	217.50		77 m	54 m
15	197 ft	9,497 ft	153.07	ASPHALT	0 ft	194 ft
	60 m	2,895 m	143.10		0 m	59 m
33	197 ft	9,497 ft	333.09	ASPHALT	0 ft	197 ft
	60 m	2,895 m	323.12		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	HTV	111.90 MHz	18 nm	-	-	165 ft
				33 km	-		165 m
04R	DME	HG	111.50 MHz	18 nm	-	-	206 ft
				33 km	-		206 m
15	DME	HL	109.10 MHz	18 nm	-	-	220 ft
				33 km	-		220 m
22L	DME	HK	110.30 MHz	18 nm	-	-	205 ft
				33 km	-		205 m
22R	DME	HUO	110.70 MHz	18 nm	-	-	207 ft
				33 km	-		207 m
04L	LOC-ILS	HTV	111.90 MHz	18 nm	47.45	-	180 ft
				33 km	37.49		180 m
04R	LOC-ILS	HG	111.50 MHz	18 nm	47.51	-	180 ft
				33 km	37.55		180 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	HL	109.10 MHz	18 nm	153.08	-	180 ft
				33 km	143.12		180 m
22L	LOC-ILS	HK	110.30 MHz	18 nm	227.51	-	180 ft
				33 km	217.55		180 m
22R	LOC-ILS	HUO	110.70 MHz	18 nm	227.45	-	180 ft
				33 km	217.49		180 m
04L	GS	HTV	111.90 MHz	10 nm	47.45	3.00	180 ft
				19 km	37.49		180 m
04R	GS	HG	111.50 MHz	10 nm	47.51	3.00	180 ft
				19 km	37.55		180 m
15	GS	HL	109.10 MHz	10 nm	153.08	3.00	180 ft
				19 km	143.12		180 m
22L	GS	HK	110.30 MHz	10 nm	227.51	3.00	180 ft
				19 km	217.55		180 m
22R	GS	HUO	110.70 MHz	10 nm	227.45	3.00	180 ft
				19 km	217.49		180 m

EFOU

Region: FINLAND
Timezone: EUROPE/HELSINKI
Runways: 1

Elevation: 46 ft / 14 m
Location: 64.930100 25.354600
Magnetic Var: 11.834 E

METAR

EFOU 141220Z AUTO 19007KT 150V220 9999 //CB 20/09 Q1016

TAF

TAF EFOU 141127Z 1412/1512 24005KT CAVOK PROB30 1412/1413 FEW045CB

Frequencies

REC - 135.45 MHz - ATIS
APP - 118.15 MHz - OULU RADAR
TWR - 124.40 MHz - OULU TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	197 ft	8,214 ft	121.02	ASPHALT	0 ft	0 ft
	60 m	2,504 m	109.18		0 m	0 m
30	197 ft	8,214 ft	301.06	ASPHALT	0 ft	0 ft
	60 m	2,504 m	289.22		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	OU	109.50 MHz	18 nm	-	-	100 ft
				33 km	-		100 m
12	LOC-ILS	OU	109.50 MHz	18 nm	121.04	-	45 ft
				33 km	109.21		45 m
12	GS	OU	109.50 MHz	10 nm	121.04	3.00	45 ft
				19 km	109.21		45 m