

# EDLV

Weeze-Niederrhein


# LEPA

Palma de Mallorca

2024/06/16 0922Z

EDLV LNO **UZ707** FAMEN XERAM **Z319** SOTUS **Q763** GITAN **Y50** REM REM **B3** VATRI **G40** TRO **B373** MOU **A27** CFA  
**UY27** MEN **A27** SIJAN **UY27** PPG **UP84** KUREG LEPA

759.41 nm / 1406.42 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDLV	-	51.60240	0 ft	-	Weeze-Niederrhein
APT	-	6.14213	0 m		
LNO	-	50.58580	22,500 ft	63	OLNO
VOR	-	5.71028	6,858 m		
FAMEN	UZ707	49.97500	35,000 ft	57	-
FIX	AWY-HI	4.56667	10,668 m		
XERAM	-	49.59670	35,000 ft	29	-
FIX	-	4.06722	10,668 m		
SOTUS	Z319	49.38000	35,000 ft	13	-
FIX	AWY-LO	4.05028	10,668 m		
GITAN	Q763	49.37690	35,000 ft	0	-
FIX	AWY-LO	4.03472	10,668 m		
REM	Y50	49.31160	35,000 ft	3	REIMS
VOR	AWY-LO	4.04536	10,668 m		
REM	-	49.30970	35,000 ft	0	REIMS CHAMPAGNE VORTAC
DME	-	4.04117	10,668 m		
DIKOL	B3	49.13750	35,000 ft	10	-
FIX	AWY-LO	4.04917	10,668 m		
VATRI	B3	48.79330	35,000 ft	20	-
FIX	AWY-LO	4.05833	10,668 m		
ARSIL	G40	48.56000	35,000 ft	14	-
FIX	AWY-LO	4.06167	10,668 m		
TRO	G40	48.25120	35,000 ft	18	TROYES BARBEREY
VOR	AWY-LO	3.96314	10,668 m		
LUREN	B373	48.02580	35,000 ft	13	-
FIX	AWY-LO	3.91389	10,668 m		
AVLON	B373	47.56000	35,000 ft	28	-
FIX	AWY-LO	3.81333	10,668 m		
NEPAP	B373	46.93390	35,000 ft	37	-
FIX	AWY-LO	3.67944	10,668 m		
MOU	B373	46.70680	35,000 ft	13	MOULINS
VOR	AWY-LO	3.63167	10,668 m		
BAKNO	A27	46.50000	35,000 ft	13	-
FIX	AWY-LO	3.53139	10,668 m		
PESAN	A27	46.19920	35,000 ft	19	-
FIX	AWY-LO	3.38722	10,668 m		
CFA	A27	45.78750	35,000 ft	26	CLERMONT FERRAND AUVERGNE
VOR	AWY-LO	3.19219	10,668 m		
MALEB	UY27	45.43080	35,000 ft	21	-
FIX	AWY-HI	3.18139	10,668 m		
MOKDI	UY27	44.95690	35,000 ft	28	-
FIX	AWY-HI	3.16694	10,668 m		
MEN	UY27	44.60840	35,000 ft	20	MENDE
VOR	AWY-HI	3.16242	10,668 m		
BRUSC	A27	43.74750	35,000 ft	52	-
FIX	AWY-LO	3.02333	10,668 m		
SIJAN	A27	43.19750	35,000 ft	33	-
FIX	AWY-LO	2.93694	10,668 m		
PPG	UY27	42.75050	35,000 ft	27	PERPIGNAN RIVESALTES
VOR	AWY-HI	2.86714	10,668 m		
ALBER	UP84	42.45150	35,000 ft	18	-
FIX	AWY-HI	2.83211	10,668 m		
GIR	UP84	41.93130	30,600 ft	31	GERONA (GIRONA)

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	2.77186	9,327 m		
NENDA	UP84	41.68430	27,400 ft	14	-
FIX	AWY-HI	2.75133	8,352 m		
KUREG	UP84	40.89930	17,300 ft	47	-
FIX	AWY-HI	2.71883	5,273 m		
LEPA	-	39.55170	0 ft	80	Palma de Mallorca
APT	-	2.73889	0 m		

## EDLV

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 1

Elevation: 105 ft / 32 m  
Location: 51.602400 6.142130  
Magnetic Var: 2.501 E

## METAR

EDLV 160850Z 20012KT 180V240 9999M R27/P2000N FEW026 BKN031 16/11 Q1006

## TAF

TAF EDLV 160500Z 1606/1706 20011KT 9999 BKN030 TEMPO 1606/1608 BKN012 TEMPO 1609/1615 20015G25KT SHRA BKN020TCU P

## Frequencies

REC - 124.45 MHz - ATIS  
APP - 128.50 MHz - LANGEN RADAR  
TWR - 129.40 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	7,982 ft	92.12	ASPHALT	0 ft	902 ft
	45 m	2,433 m	89.61		0 m	275 m
27	148 ft	7,982 ft	272.14	ASPHALT	0 ft	902 ft
	45 m	2,433 m	269.64		0 m	275 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	LOC-ILS	INIW	110.70 MHz	18 nm	272.13	-	105 ft
				33 km	269.63		105 m
27	GS	INIW	110.70 MHz	10 nm	272.13	3.00	105 ft
				19 km	269.63		105 m

## LEPA

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 2

Elevation: 24 ft / 7 m  
Location: 39.551700 2.738890  
Magnetic Var: 1.688 E

## METAR

LEPA 160900Z 05007KT 340V110 9999 FEW018 SCT027 25/18 Q1014 BECMG 22010KT

## TAF

TAF TAF LEPA 160500Z 1606/1706 06009KT 9999 FEW020 TX28/1612Z TN18/1606Z BECMG 1609/1611 22010KT PROB30 TEMPO 161

## Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.79		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.81		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.77		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.79		69 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.78		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.81		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.78		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.78		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.81		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.78		24 m