

LFRS

Nantes_Atlantique


LGAV

Athens Intl Airport Elefterios Venizel

2024/05/09 0658Z

LFRS LUGEN **UM616** BEBIX **UP860** BALSI **UY11** KODOK ATRUP RUTOM ARA NEMES LGAV

1308.19 nm / 2422.76 km



Notes

Requested: LFRS LUGEN UM616 DIDRU UM616 BEBIX UP860 BALSI UY11 KUMIN UM730 KODOK UT305 ATRUP UZ805 RUTOM UN604 ARA
Unmatched points: UM730 UT305 UZ805 UN604

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFRS	-	47.15604	0 ft	-	Nantes_Atlantique
APT	-	-1.61119	0 m	-	
LUGEN	-	46.58333	0 ft	46	-
FIX	-	-0.86111	0 m	-	-
TUPAR	UM616	46.42917	0 ft	12	-
FIX	AWY-HI	-0.66278	0 m	-	-
DIDRU	UM616	46.18167	0 ft	32	-
FIX	AWY-HI	0.03111	0 m	-	-
BEBIX	UM616	45.94917	0 ft	58	-
FIX	AWY-HI	1.39972	0 m	-	-
ADAKO	UP860	45.97528	0 ft	29	-
FIX	AWY-HI	2.09694	0 m	-	-
VALKU	UP860	45.99806	0 ft	30	-
FIX	AWY-HI	2.81806	0 m	-	-
ADEKA	UP860	45.94167	0 ft	15	-
FIX	AWY-HI	3.18000	0 m	-	-
TIS	UP860	45.88183	0 ft	16	THIERS VOR-DME
VOR	AWY-HI	3.55358	0 m	-	
BELEP	UP860	45.79167	0 ft	24	-
FIX	AWY-HI	4.13167	0 m	-	-
MADOT	UP860	45.73000	0 ft	16	-
FIX	AWY-HI	4.51389	0 m	-	-
MEBAK	UP860	45.70806	0 ft	5	-
FIX	AWY-HI	4.64889	0 m	-	-
RUSIT	UP860	45.66806	0 ft	10	-
FIX	AWY-HI	4.89056	0 m	-	-
GIPNO	UP860	45.56000	0 ft	27	-
FIX	AWY-HI	5.52917	0 m	-	-
BALSI	UP860	45.47750	0 ft	18	-
FIX	AWY-HI	5.96083	0 m	-	-
ROBEX	UY11	45.11500	0 ft	34	-
FIX	AWY-HI	6.59389	0 m	-	-
BLONA	UY11	45.00861	0 ft	10	-
FIX	AWY-HI	6.77722	0 m	-	-
TOSMI	UY11	44.99389	0 ft	8	-
FIX	AWY-HI	6.98222	0 m	-	-
LAPRI	UY11	44.98028	0 ft	7	-
FIX	AWY-HI	7.16000	0 m	-	-
KUMIN	UY11	44.96611	0 ft	8	-
FIX	AWY-HI	7.34861	0 m	-	-
KODOK	UY11	44.94250	0 ft	13	-
FIX	AWY-HI	7.66972	0 m	-	-
ATRUP	-	42.34885	0 ft	300	-
FIX	-	13.59342	0 m	-	-
RUTOM	-	38.51833	0 ft	337	-
FIX	-	19.00000	0 m	-	-
ARA	-	38.10972	0 ft	116	ARAXOS VOR-DME
VOR	-	21.42528	0 m	-	
NEMES	-	37.70639	0 ft	59	-
FIX	-	22.58083	0 m	-	-
LGAV	-	37.93636	0 ft	66	Athens Intl Airport Elefterios Venizel
APT	-	23.94447	0 m	-	

LFRS

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 89 ft / 27 m
Location: 47.153200 -1.610720
Magnetic Var: 0.345 E

METAR

LFRS 090630Z AUTO 06007KT CAVOK 11/09 Q1026 NOSIG

TAF

TAF LFRS 090500Z 0906/1012 06008KT CAVOK

Frequencies

REC - 126.92 MHz - NANTES ATIS
APP - 124.42 MHz - NANTES APPROACH WEST
GND - 121.65 MHz - NANTES GROUND
APP - 124.25 MHz - NANTES APPROACH EAST
TWR - 118.65 MHz - NANTES TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	147 ft	9,519 ft	27.33	ASPHALT	0 ft	0 ft
	45 m	2,901 m	26.99		0 m	0 m
21	147 ft	9,519 ft	207.35	ASPHALT	696 ft	0 ft
	45 m	2,901 m	207.00		212 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	NT	109.90 MHz	27 nm	-	-	89 ft
				50 km	-		89 m
03	LOC-ILS	NT	109.90 MHz	18 nm	27.35	-	89 ft
				33 km	27.00		89 m
03	GS	NT	109.90 MHz	10 nm	27.35	3.00	89 ft
				19 km	27.00		89 m

LGAV

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 308 ft / 94 m
Location: 37.936700 23.944500
Magnetic Var: 5.107 E

METAR

LGAV 090620Z VRB03KT 9999 FEW025 20/08 Q1012 NOSIG

TAF

TAF TAF LGAV 090500Z 0906/1006 VRB05KT 9999 FEW020 BKN060 BECMG 1003/1005 01015KT PROB40 TEMPO 0912/1005 5000 RA F

Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.77		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.78		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.75		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.77		300 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.42		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.87		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.41		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.40		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.93		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.96		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.96		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.93		282 m