

LICJ

Palermo Punta Raisi


EIDW

Dublin International Airport

2024/05/15 2048Z

LICJ GIANO L12 ELB L50 BANKO A1 SIROD UH10 DJL UM729 TRO UT423 SOSUN UM733 SUBIP UM8 WAFFU M605
SFD UL18 VAPID N859 CPT UL9 KENET UN14 OKTAD Q60 LANON EIDW

1236.39 nm / 2289.79 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LICJ	-	38.17750	0 ft	-	Palermo Punta Raisi
APT	-	13.09720	0 m	-	
GIANO	-	38.86920	18,400 ft	51	-
FIX	-	12.44750	5,608 m	-	-
RONAB	L12	39.86970	35,000 ft	65	-
FIX	AWY-HI	11.89110	10,668 m	-	-
RUVIP	L12	40.06060	35,000 ft	12	-
FIX	AWY-HI	11.79560	10,668 m	-	-
BETOT	L12	40.38580	35,000 ft	20	-
FIX	AWY-HI	11.63170	10,668 m	-	-
POKAV	L12	40.83970	35,000 ft	29	-
FIX	AWY-HI	11.39970	10,668 m	-	-
TINTO	L12	41.47810	35,000 ft	41	-
FIX	AWY-HI	11.06780	10,668 m	-	-
VELAD	L12	42.05170	35,000 ft	37	-
FIX	AWY-HI	10.76360	10,668 m	-	-
ELB	L12	42.73070	35,000 ft	43	ELBA
VOR	AWY-HI	10.39570	10,668 m	-	
BAKRO	L50	43.18810	35,000 ft	35	-
FIX	AWY-HI	9.88750	10,668 m	-	-
KONER	L50	43.50470	35,000 ft	24	-
FIX	AWY-HI	9.53000	10,668 m	-	-
TIDKA	L50	43.80000	35,000 ft	23	-
FIX	AWY-HI	9.19194	10,668 m	-	-
UNITA	L50	43.94440	35,000 ft	11	-
FIX	AWY-HI	9.02500	10,668 m	-	-
IXITO	L50	44.13470	35,000 ft	14	-
FIX	AWY-HI	8.80361	10,668 m	-	-
ANAKI	L50	44.20110	35,000 ft	5	-
FIX	AWY-HI	8.72556	10,668 m	-	-
LAGEN	L50	44.39420	35,000 ft	15	-
FIX	AWY-HI	8.49806	10,668 m	-	-
NEDED	L50	44.69390	35,000 ft	23	-
FIX	AWY-HI	8.14056	10,668 m	-	-
TOP	L50	44.92540	35,000 ft	18	TORINO
VOR	AWY-HI	7.86167	10,668 m	-	
TUPUP	L50	45.22140	35,000 ft	21	-
FIX	AWY-HI	7.59778	10,668 m	-	-
ADISO	L50	45.55920	35,000 ft	24	-
FIX	AWY-HI	7.29333	10,668 m	-	-
KUKEV	L50	45.65280	35,000 ft	6	-
FIX	AWY-HI	7.20806	10,668 m	-	-
BANKO	L50	45.82000	35,000 ft	11	-
FIX	AWY-HI	7.05472	10,668 m	-	-
SPR29	A1	46.06360	35,000 ft	17	-
FIX	AWY-LO	6.82806	10,668 m	-	-
SPR20	A1	46.18940	35,000 ft	8	-
FIX	AWY-LO	6.71083	10,668 m	-	-
TMA32	A1	46.27330	35,000 ft	5	-
FIX	AWY-LO	6.63250	10,668 m	-	-
SPR02	A1	46.44070	35,000 ft	11	-
FIX	AWY-LO	6.47450	10,668 m	-	-
SPR	A1	46.46870	35,000 ft	2	ST PREX

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-LO	6.44806	10,668 m		
SPR14	A1	46.62390	35,000 ft	14	-
FIX	AWY-LO	6.19083	10,668 m		
DINOX	A1	46.66670	35,000 ft	3	-
FIX	AWY-LO	6.11972	10,668 m		
SIROD	A1	46.72690	35,000 ft	5	-
FIX	AWY-LO	6.01944	10,668 m		
DJL	UH10	47.27080	35,000 ft	49	DIJON LONGVIC
VOR	AWY-HI	5.09733	10,668 m		
AKONO	UM729	47.71560	35,000 ft	33	-
FIX	AWY-HI	4.58950	10,668 m		
BOLLY	UM729	48.09190	35,000 ft	28	-
FIX	AWY-HI	4.15111	10,668 m		
TRO	UM729	48.25120	35,000 ft	12	TROYES BARBEREY
VOR	AWY-HI	3.96314	10,668 m		
CLM	UT423	48.84460	35,000 ft	51	COULOMMIERS
VOR	AWY-HI	3.01386	10,668 m		
SOSUN	UT423	49.98500	35,000 ft	90	-
FIX	AWY-HI	1.51778	10,668 m		
SUBIP	UM733	50.44560	35,000 ft	36	-
FIX	AWY-HI	0.88500	10,668 m		
ELDAX	UM8	50.48840	35,000 ft	9	-
FIX	AWY-HI	0.65845	10,668 m		
WAFFU	UM8	50.58250	35,000 ft	13	-
FIX	AWY-HI	0.34972	10,668 m		
SFD	M605	50.76070	35,000 ft	13	SEAFORD
VOR	AWY-LO	0.12191	10,668 m		
MID	UL18	51.05400	35,000 ft	33	MIDHURST
VOR	AWY-HI	-0.62500	10,668 m		
VAPID	UL18	51.25390	35,000 ft	19	-
FIX	AWY-HI	-1.04500	10,668 m		
CPT	N859	51.49160	35,000 ft	15	COMPTON
VOR	AWY-LO	-1.21969	10,668 m		
KENET	UL9	51.52060	35,000 ft	8	-
FIX	AWY-HI	-1.45500	10,668 m		
UGNUS	UN14	51.70890	35,000 ft	27	-
FIX	AWY-HI	-2.13972	10,668 m		
OKTAD	UN14	51.81780	35,000 ft	16	-
FIX	AWY-HI	-2.54611	10,668 m		
TALGA	Q60	51.95830	30,200 ft	27	-
FIX	AWY-HI	-3.24556	9,205 m		
LANON	Q60	52.43110	19,400 ft	50	-
FIX	AWY-HI	-4.37250	5,913 m		
EIDW	-	53.42490	0 ft	90	Dublin International Airport
APT	-	-6.26305	0 m		

LICJ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 63 ft / 19 m
Location: 38.177500 13.097200
Magnetic Var: 3.575 E

METAR

LICJ 152020Z 04009KT CAVOK 20/18 Q1007

TAF

TAF LICJ 151700Z 1518/1618 VRB05KT 9999 FEW016 BECMG 1609/1611 30012KT

Frequencies

GND - 121.62 MHz - RAISI GROUND
APP - 120.20 MHz - PALERMO APPROACH
REC - 123.87 MHz - ATIS

TWR - 119.05 MHz - RAISI TOWER
APP - 118.65 MHz - PALERMO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	6,791 ft	23.79	ASPHALT	0 ft	0 ft
	45 m	2,070 m	20.22		0 m	0 m
20	148 ft	6,791 ft	203.80	ASPHALT	0 ft	0 ft
	45 m	2,070 m	200.22		0 m	0 m
07	197 ft	10,922 ft	66.82	ASPHALT	404 ft	577 ft
	60 m	3,329 m	63.25		123 m	176 m
25	197 ft	10,922 ft	246.84	ASPHALT	669 ft	302 ft
	60 m	3,329 m	243.27		204 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	ITO	110.55 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
25	DME	RAI	109.50 MHz	18 nm	-	-	65 ft
				33 km	-		65 m
20	LOC-ILS	ITO	110.55 MHz	18 nm	203.92	-	64 ft
				33 km	200.34		64 m
25	LOC-ILS	RAI	109.50 MHz	18 nm	246.80	-	64 ft
				33 km	243.22		64 m
20	GS	ITO	110.55 MHz	10 nm	203.92	3.00	64 ft
				19 km	200.34		64 m
25	GS	RAI	109.50 MHz	10 nm	246.80	3.00	64 ft
				19 km	243.22		64 m

EIDW

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 240 ft / 73 m
Location: 53.424900 -6.263080
Magnetic Var: 1.973 W

METAR

EIDW 152030Z 05005KT 030V110 8000 FEW008 11/10 Q1006 NOSIG

TAF

TAF EIDW 151700Z 1518/1618 09007KT 9999 FEW012 SCT045 BECMG 1519/1521 02005KT PROB30 TEMPO 1602/1607 VRB03KT 0400

Frequencies

REC - 124.52 MHz - ATIS	TWR - 118.60 MHz - DUBLIN TOWER
GND - 118.75 MHz - DUBLIN GROUND	GND - 121.80 MHz - DUBLIN GROUND
CLD - 121.87 MHz - CLEARANCE DELIVERY	APP - 133.27 MHz - DUBLIN APPROACH
APP - 121.10 MHz - DUBLIN APPROACH	APP - 119.92 MHz - DUBLIN APPROACH
APP - 119.55 MHz - DUBLIN APPROACH	REC - 118.50 MHz - DUBLIN INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	148 ft	8,660 ft	95.26	ASPHALT	0 ft	0 ft
	45 m	2,640 m	97.23		0 m	0 m
28L	148 ft	8,660 ft	275.29	ASPHALT	0 ft	0 ft
	45 m	2,640 m	277.26		0 m	0 m
16	190 ft	6,805 ft	156.64	ASPHALT	0 ft	0 ft
	58 m	2,074 m	158.61		0 m	0 m
34	190 ft	6,805 ft	336.65	ASPHALT	0 ft	0 ft
	58 m	2,074 m	338.62		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAC	111.50 MHz	18 nm	-	-	200 ft
				33 km	-		200 m
10R	LOC-ILS	IDE	108.90 MHz	18 nm	95.26	-	242 ft
				33 km	97.23		242 m
16	LOC-ILS	IAC	111.50 MHz	18 nm	156.64	-	242 ft
				33 km	158.61		242 m
28L	LOC-ILS	IDW	111.35 MHz	18 nm	275.26	-	242 ft
				33 km	277.23		242 m
10R	GS	IDE	108.90 MHz	10 nm	95.26	3.00	242 ft
				19 km	97.23		242 m
16	GS	IAC	111.50 MHz	10 nm	156.64	3.00	242 ft
				19 km	158.61		242 m
28L	GS	IDW	111.35 MHz	10 nm	275.26	3.00	242 ft
				19 km	277.23		242 m