LECO
A Coruna


-

LELC
Murcia San Javier

2024/03/29 0504Z

LECO BARKO **UN733** CJN **UL150** NANDO **A31** SOFIA LELC

496.11 nm / 918.80 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LECO APT	-	43.30226 -8.37709	0 ft 0 m	-	A Coruna
BARKO FIX	-	42.20061 -6.94460	31,600 ft 9,632 m	91	-
GASBA FIX	UN733 AWY-HI	41.94783 -6.44596	35,000 ft 10,668 m	26	-
ZMR VOR	UN733 AWY-HI	41.53018 -5.63970	35,000 ft 10,668 m	43	ZAMORA VOR-DME
ZANKO FIX	UN733 AWY-HI	41.28795 -4.96459	35,000 ft 10,668 m	33	-
DISKO FIX	UN733 AWY-HI	41.01524 -4.22324	35,000 ft 10,668 m	37	-
INDEG FIX	UN733 AWY-HI	40.85346 -3.79227	35,000 ft 10,668 m	21	-
MAGIN FIX	UN733 AWY-HI	40.76702 -3.56462	35,000 ft 10,668 m	11	-
HORTA FIX	UN733 AWY-HI	40.66046 -3.28634	35,000 ft 10,668 m	14	-
MITUM FIX	UN733 AWY-HI	40.64563 -3.24780	35,000 ft 10,668 m	1	-
LIPOR FIX	UN733 AWY-HI	40.49105 -2.84811	35,000 ft 10,668 m	20	-
CJN VOR	UN733 AWY-HI	40.37196 -2.54461	35,000 ft 10,668 m	15	CASTEJON VOR-DME
VILLA FIX	UL150 AWY-HI	40.23294 -2.41045	35,000 ft 10,668 m	10	-
NANDO FIX	UL150 AWY-HI	39.98885 -2.17456	31,800 ft 9,693 m	18	-
MOTIL FIX	A31 AWY-LO	39.53879 -1.74519	23,500 ft 7,163 m	33	-
SOFIA FIX	A31 AWY-LO	39.27351 -1.49547	19,400 ft 5,913 m	19	-
LELC APT	-	37.78026 -0.81226	0 ft 0 m	95	Murcia San Javier

LECO

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 330 ft / 101 m
Location: 43.300700 -8.378350
Magnetic Var: 1.551 W

METAR

LECO 290430Z 15006KT 130V190 9999 FEW040 06/05 Q0992 NOSIG

TAF

TAF LECO 290200Z 2903/3003 21009KT 9999 SCT045 TX13/2915Z TN03/3003Z PROB40 TEMPO 2904/2913 3000 RA BKN012 PROB40

Frequencies

GND - 121.70 MHz - A CORUNA GROUND
TWR - 118.30 MHz - A CORUNA TOWER
APP - 120.20 MHz - SANTIAGO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft 45 m	7,671 ft 2,338 m	30.83 32.38	ASPHALT	0 ft 0 m	95 ft 29 m
21	148 ft 45 m	7,671 ft 2,338 m	210.84 212.39	ASPHALT	482 ft 147 m	203 ft 62 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	LCO	109.90 MHz	18 nm 33 km	- -	-	293 ft 293 m
21	LOC-ILS	LCO	109.90 MHz	18 nm 33 km	210.84 212.39	-	330 ft 330 m
21	GS	LCO	109.90 MHz	10 nm 19 km	210.84 212.39	3.00	330 ft 330 m

LELC

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 29 ft / 9 m
Location: 37.775000 -0.812500
Magnetic Var: 0.806 E

METAR

LELC 290430Z AUTO 22006KT CAVOK 16/13 Q1002

TAF

TAF LELC 282300Z 2900/2924 25007KT 9999 FEW040 TX24/2913Z TN13/2907Z BECMG 2907/2909 19014KT PROB30 TEMPO 2911/29

Frequencies

APP - 130.30 MHz - SAN JAVIER APPROACH
APP - 125.02 MHz - SAN JAVIER APPROACH
TWR - 139.30 MHz - TOWER
TWR - 257.80 MHz - TOWER
GND - 278.57 MHz - GMC MIL

APP - 398.32 MHz - SAN JAVIER APPROACH
TWR - 124.42 MHz - TOWER CIV
TWR - 143.67 MHz - TOWER
GND - 121.60 MHz - GMC
TWR - 125.02 MHz - TOWER BACK-UP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft 45 m	7,611 ft 2,320 m	45.64 44.84	ASPHALT	0 ft 0 m	600 ft 183 m
23L	148 ft 45 m	7,611 ft 2,320 m	225.66 224.85	ASPHALT	0 ft 0 m	617 ft 188 m
05L	148 ft 45 m	5,173 ft 1,577 m	45.63 44.83	ASPHALT	0 ft 0 m	646 ft 197 m
23R	148 ft 45 m	5,173 ft 1,577 m	225.64 224.83	ASPHALT	0 ft 0 m	748 ft 228 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	LOC-ILS	ISJ	110.50 MHz	18 nm 33 km	46.65 45.84	-	11 ft 11 m
23L	LOC-ILS	ISR	109.30 MHz	18 nm 33 km	226.65 225.84	-	11 ft 11 m