


2024/05/05 0812Z

KLAX EHF **J5** FMG **J7** REO **J537** YYC BIRKO **Q882** CACHO **J517** YMM **J519** ZF **J477** CB **BR84** LT 8300N0-5800W
8300N0-5700W 8300N0-5600W 8300N0-5500W 8300N0-5400W 8300N0-5300W 8300N0-5200W 8300N0-5100W
8300N0-5000W 8300N0-4900W 8300N0-4800W 8300N0-4700W 8300N0-4600W 8300N0-4500W 8300N0-4400W
8300N0-4300W 8300N0-4200W 8300N0-4100W 8300N0-4000W 8300N0-3900W 8300N0-3800W 8300N0-3700W
8300N0-3600W 8300N0-3500W 8300N0-3400W 8300N0-3300W 8300N0-3200W 8300N0-3100W 8300N0-3000W
8300N0-2900W 8300N0-2800W 8300N0-2700W 8300N0-2600W 8300N0-2500W 8300N0-2400W 8300N0-2300W
8300N0-2200W 8300N0-2100W 8300N0-2000W 8300N0-1900W 8300N0-1800W 8300N0-1700W 8300N0-1600W
8300N0-1500W 8300N0-1400W 8300N0-1300W 8300N0-1200W 8300N0-1100W 8300N0-1000W 8300N0-900W
8300N0-800W 8300N0-700W 8300N0-600W 8300N0-500W 8300N0-400W 8300N0-300W 8300N0-200W 8300N0-100W
8300N0000E 8300N0100E 8300N0200E 8300N0300E 8200N01200E 8200N01300E 8200N01400E 8200N01500E
8200N01600E 8100N02300E 8000N02900E AGATA **A841** GIMON **G108** SONEP RINOV **B954** MZ **W161** KUMEN **B117**
DIKIN **B105** KZN **A368** URL **A122** ATR **A357** AKT **A240** KRS KRS **B377** PUTMA **G667** NSR **N39** OBRIX **T215** PURKI
W32 YZD YZD **W32** BND BND **M324** MOBET OMDB

7636.12 nm / 14142.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 290kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLAX	-	33.94320	0 ft	-	Los Angeles Intl
APT	-	-118.40800	0 m		
EHF	-	35.48460	35,000 ft	98	SHAFTER (BAKERSFIELD)
VOR	-	-119.09700	10,668 m		
PINNI	J5	36.79780	35,000 ft	79	-
FIX	AWY-HI	-119.27200	10,668 m		
TIOGA	J5	37.93290	35,000 ft	68	-
FIX	AWY-HI	-119.42800	10,668 m		
SONNY	J5	38.33570	35,000 ft	24	-
FIX	AWY-HI	-119.48500	10,668 m		
TILTS	J5	38.63470	35,000 ft	18	-
FIX	AWY-HI	-119.52700	10,668 m		
FMG	J5	39.53130	35,000 ft	54	MUSTANG (RENO)
VOR	AWY-HI	-119.65600	10,668 m		
GASSI	J7	40.57170	35,000 ft	68	-
FIX	AWY-HI	-119.06800	10,668 m		
REO	J7	42.59050	35,000 ft	132	ROME
VOR	AWY-HI	-117.86800	10,668 m		
MLP	J537	47.45690	35,000 ft	307	MULLAN PASS
VOR	AWY-HI	-115.64600	10,668 m		
ONEAL	J537	49.00000	35,000 ft	96	-
FIX	AWY-HI	-114.93500	10,668 m		
HAYDN	J537	50.46690	35,000 ft	92	-
FIX	AWY-HI	-114.21500	10,668 m		
YYC	J537	51.11500	35,000 ft	40	CALGARY
VOR	AWY-HI	-113.88200	10,668 m		
BIRKO	-	51.47580	35,000 ft	31	-
FIX	-	-113.26400	10,668 m		
DUDNI	Q882	52.23670	35,000 ft	47	-
FIX	AWY-HI	-112.94500	10,668 m		
IGVUX	Q882	52.77030	35,000 ft	33	-
FIX	AWY-HI	-112.71300	10,668 m		
CACHO	Q882	54.90400	35,000 ft	128	-
FIX	AWY-HI	-112.57000	10,668 m		
LETRM	J517	55.89610	35,000 ft	65	-
FIX	AWY-HI	-111.76400	10,668 m		
YMM	J517	56.64720	35,000 ft	49	FORT MCMURRAY
VOR	AWY-HI	-111.12200	10,668 m		
YSM	J519	60.02010	35,000 ft	204	FORT SMITH
VOR	AWY-HI	-111.96900	10,668 m		
ZF	J519	62.41090	35,000 ft	160	YELLOWKNIFE
NDB	AWY-HI	-114.43400	10,668 m		
BOTER	J477	63.75560	35,000 ft	90	-
FIX	AWY-HI	-112.96000	10,668 m		
CB	J477	69.11480	35,000 ft	373	CAMBRIDGE
NDB	AWY-HI	-105.01600	10,668 m		
RB	BR84	74.74710	35,000 ft	385	RESOLUTE
NDB	AWY-LO	-94.99500	10,668 m		
YEU	BR84	79.99080	35,000 ft	335	EUREKA
NDB	AWY-LO	-85.89830	10,668 m		
LT	BR84	82.52580	35,000 ft	261	ALERT
NDB	AWY-LO	-62.21140	10,668 m		
8300N0-5800W	-	83.00000	35,000 ft	42	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-58.00000	10,668 m		
8300N0-5700W	-	83.00000	35,000 ft	7	-
LATLON	-	-57.00000	10,668 m		
8300N0-5600W	-	83.00000	35,000 ft	7	-
LATLON	-	-56.00000	10,668 m		
8300N0-5500W	-	83.00000	35,000 ft	7	-
LATLON	-	-55.00000	10,668 m		
8300N0-5400W	-	83.00000	35,000 ft	7	-
LATLON	-	-54.00000	10,668 m		
8300N0-5300W	-	83.00000	35,000 ft	7	-
LATLON	-	-53.00000	10,668 m		
8300N0-5200W	-	83.00000	35,000 ft	7	-
LATLON	-	-52.00000	10,668 m		
8300N0-5100W	-	83.00000	35,000 ft	7	-
LATLON	-	-51.00000	10,668 m		
8300N0-5000W	-	83.00000	35,000 ft	7	-
LATLON	-	-50.00000	10,668 m		
8300N0-4900W	-	83.00000	35,000 ft	7	-
LATLON	-	-49.00000	10,668 m		
8300N0-4800W	-	83.00000	35,000 ft	7	-
LATLON	-	-48.00000	10,668 m		
8300N0-4700W	-	83.00000	35,000 ft	7	-
LATLON	-	-47.00000	10,668 m		
8300N0-4600W	-	83.00000	35,000 ft	7	-
LATLON	-	-46.00000	10,668 m		
8300N0-4500W	-	83.00000	35,000 ft	7	-
LATLON	-	-45.00000	10,668 m		
8300N0-4400W	-	83.00000	35,000 ft	7	-
LATLON	-	-44.00000	10,668 m		
8300N0-4300W	-	83.00000	35,000 ft	7	-
LATLON	-	-43.00000	10,668 m		
8300N0-4200W	-	83.00000	35,000 ft	7	-
LATLON	-	-42.00000	10,668 m		
8300N0-4100W	-	83.00000	35,000 ft	7	-
LATLON	-	-41.00000	10,668 m		
8300N0-4000W	-	83.00000	35,000 ft	7	-
LATLON	-	-40.00000	10,668 m		
8300N0-3900W	-	83.00000	35,000 ft	7	-
LATLON	-	-39.00000	10,668 m		
8300N0-3800W	-	83.00000	35,000 ft	7	-
LATLON	-	-38.00000	10,668 m		
8300N0-3700W	-	83.00000	35,000 ft	7	-
LATLON	-	-37.00000	10,668 m		
8300N0-3600W	-	83.00000	35,000 ft	7	-
LATLON	-	-36.00000	10,668 m		
8300N0-3500W	-	83.00000	35,000 ft	7	-
LATLON	-	-35.00000	10,668 m		
8300N0-3400W	-	83.00000	35,000 ft	7	-
LATLON	-	-34.00000	10,668 m		
8300N0-3300W	-	83.00000	35,000 ft	7	-
LATLON	-	-33.00000	10,668 m		
8300N0-3200W	-	83.00000	35,000 ft	7	-
LATLON	-	-32.00000	10,668 m		
8300N0-3100W	-	83.00000	35,000 ft	7	-
LATLON	-	-31.00000	10,668 m		
8300N0-3000W	-	83.00000	35,000 ft	7	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-30.00000	10,668 m		
8300N0-2900W	-	83.00000	35,000 ft	7	-
LATLON	-	-29.00000	10,668 m		
8300N0-2800W	-	83.00000	35,000 ft	7	-
LATLON	-	-28.00000	10,668 m		
8300N0-2700W	-	83.00000	35,000 ft	7	-
LATLON	-	-27.00000	10,668 m		
8300N0-2600W	-	83.00000	35,000 ft	7	-
LATLON	-	-26.00000	10,668 m		
8300N0-2500W	-	83.00000	35,000 ft	7	-
LATLON	-	-25.00000	10,668 m		
8300N0-2400W	-	83.00000	35,000 ft	7	-
LATLON	-	-24.00000	10,668 m		
8300N0-2300W	-	83.00000	35,000 ft	7	-
LATLON	-	-23.00000	10,668 m		
8300N0-2200W	-	83.00000	35,000 ft	7	-
LATLON	-	-22.00000	10,668 m		
8300N0-2100W	-	83.00000	35,000 ft	7	-
LATLON	-	-21.00000	10,668 m		
8300N0-2000W	-	83.00000	35,000 ft	7	-
LATLON	-	-20.00000	10,668 m		
8300N0-1900W	-	83.00000	35,000 ft	7	-
LATLON	-	-19.00000	10,668 m		
8300N0-1800W	-	83.00000	35,000 ft	7	-
LATLON	-	-18.00000	10,668 m		
8300N0-1700W	-	83.00000	35,000 ft	7	-
LATLON	-	-17.00000	10,668 m		
8300N0-1600W	-	83.00000	35,000 ft	7	-
LATLON	-	-16.00000	10,668 m		
8300N0-1500W	-	83.00000	35,000 ft	7	-
LATLON	-	-15.00000	10,668 m		
8300N0-1400W	-	83.00000	35,000 ft	7	-
LATLON	-	-14.00000	10,668 m		
8300N0-1300W	-	83.00000	35,000 ft	7	-
LATLON	-	-13.00000	10,668 m		
8300N0-1200W	-	83.00000	35,000 ft	7	-
LATLON	-	-12.00000	10,668 m		
8300N0-1100W	-	83.00000	35,000 ft	7	-
LATLON	-	-11.00000	10,668 m		
8300N0-1000W	-	83.00000	35,000 ft	7	-
LATLON	-	-10.00000	10,668 m		
8300N0-900W	-	83.00000	35,000 ft	7	-
LATLON	-	-9.00000	10,668 m		
8300N0-800W	-	83.00000	35,000 ft	7	-
LATLON	-	-8.00000	10,668 m		
8300N0-700W	-	83.00000	35,000 ft	7	-
LATLON	-	-7.00000	10,668 m		
8300N0-600W	-	83.00000	35,000 ft	7	-
LATLON	-	-6.00000	10,668 m		
8300N0-500W	-	83.00000	35,000 ft	7	-
LATLON	-	-5.00000	10,668 m		
8300N0-400W	-	83.00000	35,000 ft	7	-
LATLON	-	-4.00000	10,668 m		
8300N0-300W	-	83.00000	35,000 ft	7	-
LATLON	-	-3.00000	10,668 m		
8300N0-200W	-	83.00000	35,000 ft	7	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-2.00000	10,668 m		
8300N0-100W	-	83.00000	35,000 ft	7	-
LATLON	-	-1.00000	10,668 m		
8300N0000E	-	83.00000	35,000 ft	7	-
LATLON	-	0.00000	10,668 m		
8300N0100E	-	83.00000	35,000 ft	7	-
LATLON	-	1.00000	10,668 m		
8300N0200E	-	83.00000	35,000 ft	7	-
LATLON	-	2.00000	10,668 m		
8300N0300E	-	83.00000	35,000 ft	7	-
LATLON	-	3.00000	10,668 m		
8200N01200E	-	82.00000	35,000 ft	92	-
LATLON	-	12.00000	10,668 m		
8200N01300E	-	82.00000	35,000 ft	8	-
LATLON	-	13.00000	10,668 m		
8200N01400E	-	82.00000	35,000 ft	8	-
LATLON	-	14.00000	10,668 m		
8200N01500E	-	82.00000	35,000 ft	8	-
LATLON	-	15.00000	10,668 m		
8200N01600E	-	82.00000	35,000 ft	8	-
LATLON	-	16.00000	10,668 m		
8100N02300E	-	81.00000	35,000 ft	86	-
LATLON	-	23.00000	10,668 m		
8000N02900E	-	80.00000	35,000 ft	84	-
LATLON	-	29.00000	10,668 m		
AGATA	-	78.00000	35,000 ft	138	-
FIX	-	35.00000	10,668 m		
ROTLA	A841	77.55360	35,000 ft	30	-
FIX	AWY-HI	36.16110	10,668 m		
PIBOL	A841	74.82140	35,000 ft	182	-
FIX	AWY-HI	41.75690	10,668 m		
TILGA	A841	73.77250	35,000 ft	68	-
FIX	AWY-HI	43.42970	10,668 m		
GIMON	A841	71.51690	35,000 ft	145	-
FIX	AWY-HI	46.38000	10,668 m		
SONEP	G108	70.31690	35,000 ft	86	-
FIX	AWY-HI	48.78530	10,668 m		
RINOV	-	68.78530	35,000 ft	92	-
FIX	-	49.31390	10,668 m		
ANEPA	B954	67.40530	35,000 ft	101	-
FIX	AWY-HI	46.70220	10,668 m		
DELIL	B954	66.65030	35,000 ft	54	-
FIX	AWY-HI	45.42390	10,668 m		
MZ	B954	65.86690	35,000 ft	55	MEZEN
NDB	AWY-HI	44.19720	10,668 m		
PINOD	W161	64.71690	35,000 ft	71	-
FIX	AWY-HI	43.41420	10,668 m		
KUMEN	W161	64.28330	35,000 ft	28	-
FIX	AWY-HI	42.96420	10,668 m		
TELGU	B117	63.40440	35,000 ft	64	-
FIX	AWY-HI	44.36470	10,668 m		
ERMOS	B117	63.24640	35,000 ft	11	-
FIX	AWY-HI	44.60580	10,668 m		
GERDA	B117	62.95280	35,000 ft	21	-
FIX	AWY-HI	45.04610	10,668 m		
AMDEK	B117	62.56250	35,000 ft	28	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	45.61560	10,668 m		
DIBIN	B117	62.01920	35,000 ft	38	-
FIX	AWY-HI	46.38030	10,668 m		
PESIB	B117	61.41860	35,000 ft	42	-
FIX	AWY-HI	47.18970	10,668 m		
ODOMI	B117	61.30860	35,000 ft	7	-
FIX	AWY-HI	47.33440	10,668 m		
RETKI	B117	60.83060	35,000 ft	33	-
FIX	AWY-HI	47.94890	10,668 m		
UNKES	B117	60.32330	35,000 ft	35	-
FIX	AWY-HI	48.57830	10,668 m		
OLMED	B117	59.03360	35,000 ft	88	-
FIX	AWY-HI	50.01610	10,668 m		
DIKIN	B117	58.57470	35,000 ft	31	-
FIX	AWY-HI	50.49920	10,668 m		
DINTU	B105	58.15390	35,000 ft	25	-
FIX	AWY-HI	50.32890	10,668 m		
NURKA	B105	56.76110	35,000 ft	85	-
FIX	AWY-HI	49.82080	10,668 m		
PINOL	B105	56.12830	35,000 ft	39	-
FIX	AWY-HI	49.50690	10,668 m		
KZN	B105	55.60560	35,000 ft	32	KAZAN
VOR	AWY-HI	49.27240	10,668 m		
LENRU	A368	55.12560	35,000 ft	32	-
FIX	AWY-HI	49.70250	10,668 m		
RD	A368	54.88330	35,000 ft	16	BAZARNYYE
NDB	AWY-HI	49.91500	10,668 m		
DANDU	A368	54.75000	35,000 ft	8	-
FIX	AWY-HI	49.94830	10,668 m		
RILKI	A368	54.37330	35,000 ft	22	-
FIX	AWY-HI	50.03330	10,668 m		
GINUK	A368	54.23330	35,000 ft	8	-
FIX	AWY-HI	50.06500	10,668 m		
MOF	A368	53.51010	35,000 ft	43	SAMARA
VOR	AWY-HI	50.17720	10,668 m		
URUKA	A368	53.26670	35,000 ft	17	-
FIX	AWY-HI	50.43170	10,668 m		
GITEK	A368	52.56670	35,000 ft	45	-
FIX	AWY-HI	49.98170	10,668 m		
PENIR	A368	52.11170	35,000 ft	33	-
FIX	AWY-HI	50.50060	10,668 m		
GUTAN	A368	51.67330	35,000 ft	31	-
FIX	AWY-HI	50.98670	10,668 m		
OGAPI	A368	51.44670	35,000 ft	16	-
FIX	AWY-HI	51.22670	10,668 m		
URL	A368	51.14870	35,000 ft	21	URALSK
VOR	AWY-HI	51.54380	10,668 m		
DOKUS	A122	50.42750	35,000 ft	43	-
FIX	AWY-HI	51.59110	10,668 m		
BAGIR	A122	49.02530	35,000 ft	84	-
FIX	AWY-HI	51.68500	10,668 m		
OLAPU	A122	47.86280	35,000 ft	69	-
FIX	AWY-HI	51.75860	10,668 m		
ATR	A122	47.14390	35,000 ft	43	ATYRAU
VOR	AWY-HI	51.80150	10,668 m		
NIKNA	A357	46.43250	35,000 ft	43	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	51.64390	10,668 m		
KOLIB	A357	45.67970	35,000 ft	45	-
FIX	AWY-HI	51.48000	10,668 m		
PIRIM	A357	44.80220	35,000 ft	53	-
FIX	AWY-HI	51.29470	10,668 m		
AKT	A357	43.85870	35,000 ft	57	AKTAU
VOR	AWY-HI	51.10070	10,668 m		
LUMUR	A240	43.11080	35,000 ft	48	-
FIX	AWY-HI	51.49810	10,668 m		
ADEDA	A240	42.57720	35,000 ft	34	-
FIX	AWY-HI	51.77440	10,668 m		
DEKUR	A240	42.37970	35,000 ft	12	-
FIX	AWY-HI	51.87530	10,668 m		
KERUL	A240	41.85780	35,000 ft	33	-
FIX	AWY-HI	52.13920	10,668 m		
TABAB	A240	40.90330	35,000 ft	61	-
FIX	AWY-HI	52.60830	10,668 m		
KRS	A240	40.08500	35,000 ft	52	TURKMENBASHI VOR-DME
DME	AWY-HI	53.00000	10,668 m		
KRS	-	40.04030	35,000 ft	2	TURKMENBASHI
VOR	-	53.01220	10,668 m		
DURDY	B377	39.73500	35,000 ft	20	-
FIX	AWY-HI	52.83670	10,668 m		
NENIS	B377	39.29170	35,000 ft	28	-
FIX	AWY-HI	52.63670	10,668 m		
PUTMA	B377	37.80000	35,000 ft	95	-
FIX	AWY-HI	51.96000	10,668 m		
NSR	G667	36.65330	35,000 ft	72	NOSHAHR
NDB	AWY-HI	51.50470	10,668 m		
DEMBA	N39	35.92500	35,000 ft	45	-
FIX	AWY-HI	51.79470	10,668 m		
ELEDI	N39	35.02670	35,000 ft	55	-
FIX	AWY-HI	52.06560	10,668 m		
OBRIX	N39	34.76110	35,000 ft	16	-
FIX	AWY-HI	52.14440	10,668 m		
RERET	T215	33.56000	35,000 ft	96	-
FIX	AWY-HI	53.44750	10,668 m		
KAVEK	T215	33.38030	35,000 ft	14	-
FIX	AWY-HI	53.63720	10,668 m		
PURKI	T215	33.19440	35,000 ft	19	-
FIX	AWY-HI	53.94920	10,668 m		
ALNER	W32	32.85610	35,000 ft	20	-
FIX	AWY-HI	54.02170	10,668 m		
BONOL	W32	32.37890	35,000 ft	29	-
FIX	AWY-HI	54.12280	10,668 m		
YZD	W32	31.89770	35,000 ft	30	YAZD
VOR	AWY-HI	54.28270	10,668 m		
YZD	-	31.88530	35,000 ft	1	YAZD SHAHID SADOOGHI TACAN
DME	-	54.30080	10,668 m		
GADPU	W32	31.45250	35,000 ft	28	-
FIX	AWY-HI	54.55060	10,668 m		
DESLA	W32	30.76060	35,000 ft	46	-
FIX	AWY-HI	54.96220	10,668 m		
DAVUT	W32	30.03720	35,000 ft	48	-
FIX	AWY-HI	55.38360	10,668 m		
SRJ	W32	29.55620	35,000 ft	32	SIRJAN

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	55.66030	10,668 m		
SOLAK	W32	28.86560	35,000 ft	42	-
FIX	AWY-HI	55.87080	10,668 m		
ASMUK	W32	28.16440	35,000 ft	43	-
FIX	AWY-HI	56.08140	10,668 m		
BND	W32	27.21700	35,000 ft	59	BANDAR ABBASS TACAN
DME	AWY-HI	56.38110	10,668 m		
BND	-	27.19710	35,000 ft	1	BANDAR ABBAS
VOR	-	56.36670	10,668 m		
MOBET	M324	26.73500	30,500 ft	30	-
FIX	AWY-HI	56.15220	9,296 m		
OMDB	-	25.25110	0 ft	98	Dubai Intl
APT	-	55.37110	0 m		

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.442 E

METAR

KLAX 050753Z 25007KT 5SM -RA BR SCT006 BKN011 OVC023 13/13 A2991 RMK A02 RAB20 SLP127 P0001 T01330128 401830133

TAF

KLAX 050554Z 0506/0612 25010KT P6SM VCSH BKN015 OVC040 FM051000 28015KT P6SM SCT025 BKN040 FM051800 28020G30KT P6

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.51		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.53		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.53		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.50		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.52		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.52		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.352 E

METAR

OMDB 050800Z 33007KT 280V060 CAVOK 36/15 Q1009 NOSIG

TAF

TAF OMDB 050500Z 0506/0612 07005KT 8000 NSC BECMG 0506/0508 30010KT BECMG 0515/0517 12005KT PROB30 0600/0604 4000

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m