


2024/05/14 1518Z

LTBA PAZAR **UW702** INB **UW90** SIN **UN644** ADEKI **UR315** BEKIR UBBB

972.61 nm / 1801.28 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 280kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LTBA	-	40.97914	0 ft	-	Istanbul Ataturk
APT	-	28.81283	0 m		
PAZAR	-	41.29889	19,300 ft	57	-
FIX	-	29.99944	5,883 m		
GUMRU	UW702	41.54889	35,000 ft	62	-
FIX	AWY-HI	31.34944	10,668 m		
HAKAN	UW702	41.72333	35,000 ft	43	-
FIX	AWY-HI	32.29833	10,668 m		
MIMTO	UW702	41.84694	35,000 ft	34	-
FIX	AWY-HI	33.04667	10,668 m		
INB	UW702	41.95139	35,000 ft	30	INEBOLU VOR-DME
VOR	AWY-HI	33.70611	10,668 m		
SIN	UW90	42.02222	35,000 ft	61	SINOP NDB
NDB	AWY-HI	35.07667	10,668 m		
KARDE	UN644	41.90389	35,000 ft	88	-
FIX	AWY-HI	37.04528	10,668 m		
ROLIN	UN644	41.79917	35,000 ft	161	-
FIX	AWY-HI	40.65639	10,668 m		
ODILI	UN644	41.72139	35,000 ft	64	-
FIX	AWY-HI	42.09444	10,668 m		
TETRO	UN644	41.67250	35,000 ft	34	-
FIX	AWY-HI	42.85972	10,668 m		
LAGAS	UN644	41.57194	35,000 ft	61	-
FIX	AWY-HI	44.23139	10,668 m		
ADEKI	UN644	41.29667	33,800 ft	114	-
FIX	AWY-HI	46.74889	10,302 m		
BEKIR	UR315	41.05833	21,400 ft	53	-
FIX	AWY-HI	47.88833	6,523 m		
UBBB	-	40.47000	0 ft	104	HEYDAR ALIYEV
APT	-	50.05208	0 m		

LTBA

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 163 ft / 50 m
Location: 40.976100 28.814200
Magnetic Var: 6.067 E

METAR

LTBA 141450Z 11005KT 060V170 CAVOK 17/07 Q1017 RMK RWY23 13007KT 090V160

TAF

TAF LTBA 141040Z 1412/1512 05009KT 9999 SCT035 BECMG 1412/1414 CAVOK

Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL	REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.02 MHz - YESILKOY TOWER	TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER	TWR - 118.37 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER	TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER	TWR - 121.97 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER	TWR - 125.30 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER	TWR - 126.05 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH	APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 122.57 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 124.45 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft 60 m	8,513 ft 2,595 m	58.45 52.38	ASPHALT	492 ft 150 m	207 ft 63 m
23	197 ft 60 m	8,513 ft 2,595 m	238.47 232.40	ASPHALT	0 ft 0 m	197 ft 60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm 33 km	- -	-	82 ft 82 m
23	DME	IATA	111.90 MHz	18 nm 33 km	- -	-	163 ft 163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm 33 km	58.46 52.39	-	163 ft 163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm 33 km	238.46 232.39	-	163 ft 163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.39		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.39		163 m

UBBB

Region: AZERBAIJAN
Timezone: ASIA/BAKU
Runways: 2

Elevation: 6 ft / 2 m
Location: 40.472100 50.049400
Magnetic Var: 6.671 E

METAR

UBBB 141500Z 35016KT 9999 FEW014 SCT034 14/10 Q1014 NOSIG

TAF

TAF UBBB 141048Z 1412/1512 34016KT 9999 SCT015 BKN030 TX15/1412Z TN12/1501Z TEMPO 1412/1418 36012KT TEMPO 1418/1512 36012KT

Frequencies

REC - 126.80 MHz - BAKU ATIS
TWR - 119.20 MHz - BAKU TOWER
APP - 128.00 MHz - BAKU RADAR

GND - 121.70 MHz - BAKU GROUND
APP - 129.30 MHz - BAKU APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	167 ft	10,509 ft	179.35	ASPHALT	0 ft	256 ft
	51 m	3,203 m	172.68		0 m	78 m
35	167 ft	10,509 ft	359.36	ASPHALT	486 ft	217 ft
	51 m	3,203 m	352.68		148 m	66 m
16	197 ft	13,136 ft	166.52	ASPHALT	0 ft	289 ft
	60 m	4,004 m	159.85		0 m	88 m
34	197 ft	13,136 ft	346.52	ASPHALT	0 ft	295 ft
	60 m	4,004 m	339.85		0 m	90 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IBI	109.50 MHz	18 nm	166.53	-	6 ft
				33 km	159.86		6 m
17	LOC-ILS	IBU	110.50 MHz	18 nm	179.35	-	6 ft
				33 km	172.68		6 m
34	LOC-ILS	IBN	111.70 MHz	18 nm	346.53	-	6 ft
				33 km	339.86		6 m
35	LOC-ILS	IBA	109.30 MHz	18 nm	359.35	-	6 ft
				33 km	352.68		6 m
16	GS	IBI	109.50 MHz	10 nm	166.53	3.00	6 ft
				19 km	159.86		6 m
17	GS	IBU	110.50 MHz	10 nm	179.35	3.00	6 ft
				19 km	172.68		6 m
34	GS	IBN	111.70 MHz	10 nm	346.53	3.00	6 ft
				19 km	339.86		6 m
35	GS	IBA	109.30 MHz	10 nm	359.35	3.00	6 ft
				19 km	352.68		6 m