


2024/05/09 0638Z

UK00 ODS **M856** DIGAM **UM856** BAG **UA28** NEKES LCLK

708.48 nm / 1312.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UK00	-	46.43234	0 ft	-	ODESA INTL
APT	-	30.67142	0 m		
ODS	-	46.42999	0 ft	0	ODESA VOR-DME
VOR	-	30.67030	0 m		
PERED	M856	45.92748	11,100 ft	31	-
FIX	AWY-LO	30.86143	3,383 m		
ULGOT	M856	45.69970	15,200 ft	14	-
FIX	AWY-LO	30.95172	4,633 m		
DIGAM	M856	45.25803	25,000 ft	27	-
FIX	AWY-LO	31.11006	7,620 m		
LAROM	UM856	44.30969	35,000 ft	58	-
FIX	AWY-HI	31.44176	10,668 m		
ROMOK	UM856	43.47301	35,000 ft	51	-
FIX	AWY-HI	31.72678	10,668 m		
RAKUR	UM856	42.80000	35,000 ft	41	-
FIX	AWY-HI	31.94833	10,668 m		
HAKAN	UM856	41.72333	35,000 ft	66	-
FIX	AWY-HI	32.29833	10,668 m		
BAG	UM856	40.06953	35,000 ft	102	BAGLUM VOR-DME
VOR	AWY-HI	32.81039	10,668 m		
TELVO	UA28	39.37222	35,000 ft	42	-
FIX	AWY-HI	32.92222	10,668 m		
OBRUK	UA28	38.02389	35,000 ft	81	-
FIX	AWY-HI	33.11889	10,668 m		
MUT	UA28	36.86417	27,500 ft	70	MUT VOR-DME
VOR	AWY-HI	33.29222	8,382 m		
NEKES	UA28	36.15361	28,500 ft	42	-
FIX	AWY-HI	33.28472	8,687 m		
LCLK	-	34.87512	0 ft	78	Larnaca
APT	-	33.62483	0 m		

UK00

Region: UKRAINE
Timezone: EUROPE/KIEV
Runways: 1

Elevation: 171 ft / 52 m
Location: 46.426700 30.676400
Magnetic Var: 7.352 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 124.80 MHz - ATIS
TWR - 125.50 MHz -
APP - 127.70 MHz - RADAR

GND - 121.80 MHz -
APP - 120.90 MHz - RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	184 ft	9,207 ft	163.41	ASPHALT	0 ft	0 ft
	56 m	2,806 m	156.06		0 m	0 m
34	184 ft	9,207 ft	343.42	ASPHALT	0 ft	0 ft
	56 m	2,806 m	336.06		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IOD	108.30 MHz	18 nm	161.85	-	172 ft
				33 km	154.50		172 m
34	LOC-ILS	IOE	110.30 MHz	18 nm	345.03	-	172 ft
				33 km	337.68		172 m
16	GS	IOD	108.30 MHz	10 nm	163.81	3.00	172 ft
				19 km	156.46		172 m
34	GS	IOE	110.30 MHz	10 nm	343.81	3.00	172 ft
				19 km	336.46		172 m

LCLK

Region: CYPRUS
Timezone: ASIA/NICOSIA
Runways: 1

Elevation: 11 ft / 3 m
Location: 34.873800 33.624000
Magnetic Var: 5.546 E

METAR

LCLK 090600Z 02009KT CAVOK 22/14 Q1013 NOSIG

TAF

TAF TAF LCLK 090530Z 0906/1006 01008KT CAVOK BECMG 0906/0909 10012KT BECMG 0915/0918 35007KT

Frequencies

REC - 126.55 MHz - LARNACA ATIS	CLD - 120.57 MHz - LARNACA CLEARANCE DELIVERY
GND - 119.40 MHz - LARNACA GROUND	GND - 121.90 MHz - LARNACA GROUND
TWR - 121.20 MHz - LARNACA TOWER	TWR - 130.20 MHz - LARNACA TOWER
APP - 130.20 MHz - LARNACA APPROACH	APP - 121.20 MHz - LARNACA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	9,832 ft	45.08	ASPHALT	0 ft	0 ft
	45 m	2,997 m	39.53		0 m	0 m
22	148 ft	9,832 ft	225.09	ASPHALT	627 ft	0 ft
	45 m	2,997 m	219.55		191 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	ILC	110.30 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
22	LOC-ILS	ILC	110.30 MHz	18 nm	225.09	-	11 ft
				33 km	219.54		11 m
22	GS	ILC	110.30 MHz	10 nm	225.09	2.75	11 ft
				19 km	219.54		11 m