

LFL

Lyon Saint Exupery


LFBP

Pau Pyrenees

2024/05/03 0544Z

LFL MOKDI **UN869** AGN LFBP

274.89 nm / 509.09 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 310ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFLL APT	-	45.72580 5.09073	0 ft 0 m	-	Lyon Saint Exupery
MOKDI FIX	-	44.95690 3.16694	300 ft 91 m	93	-
OLRAK FIX	UN869 AWY-HI	44.78440 2.83722	300 ft 91 m	17	-
ROMAK FIX	UN869 AWY-HI	44.63000 2.48889	300 ft 91 m	17	-
NASEP FIX	UN869 AWY-HI	44.51500 2.23222	300 ft 91 m	12	-
NARAK FIX	UN869 AWY-HI	44.29530 1.74889	300 ft 91 m	24	-
AGN VOR	UN869 AWY-HI	43.88800 0.87286	300 ft 91 m	45	AGEN
LFBP APT	-	43.38110 -0.42075	0 ft 0 m	63	Pau Pyrenees

LFL

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 817 ft / 249 m
Location: 45.725800 5.090730
Magnetic Var: 2.256 E

METAR

LFL 030530Z 14005KT 9999 FEW004 BKN063 09/09 Q1017 NOSIG

TAF

TAF LFL 022300Z 0300/0406 VRB03KT 9999 SCT025 BKN040 PROB40 TEMPO 0303/0307 0700 BCFG PROB30 TEMPO 0314/0319 VRB

Frequencies

REC - 126.17 MHz - SAINT EXUPERY ATIS	CLD - 121.65 MHz - SAINT EXUPERY DELIVERY
GND - 121.82 MHz - SAINT EXUPERY GROUND	TWR - 120.45 MHz - SAINT EXUPERY TOWER
APP - 120.22 MHz - LYON APPROACH	APP - 125.42 MHz - LYON APPROACH
APP - 125.80 MHz - LYON APPROACH	APP - 133.15 MHz - LYON APPROACH
APP - 136.07 MHz - LYON APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	145 ft	13,135 ft	175.14	ASPHALT	0 ft	190 ft
	44 m	4,003 m	172.89		0 m	58 m
35L	145 ft	13,135 ft	355.14	ASPHALT	0 ft	184 ft
	44 m	4,003 m	352.89		0 m	56 m
17L	148 ft	8,766 ft	175.14	ASPHALT	0 ft	59 ft
	45 m	2,672 m	172.89		0 m	18 m
35R	148 ft	8,766 ft	355.14	ASPHALT	0 ft	62 ft
	45 m	2,672 m	352.89		0 m	19 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	LSS	109.10 MHz	18 nm	-	-	775 ft
				33 km	-		775 m
35L	DME	SAN	110.75 MHz	18 nm	-	-	810 ft
				33 km	-		810 m
35R	DME	LSN	111.50 MHz	18 nm	-	-	812 ft
				33 km	-		812 m
17L	LOC-ILS	LSS	109.10 MHz	18 nm	175.14	-	818 ft
				33 km	172.88		818 m
35L	LOC-ILS	SAN	110.75 MHz	18 nm	355.15	-	818 ft
				33 km	352.89		818 m
35R	LOC-ILS	LSN	111.50 MHz	18 nm	355.14	-	818 ft
				33 km	352.88		818 m
17L	GS	LSS	109.10 MHz	10 nm	175.14	3.00	818 ft
				19 km	172.88		818 m
35L	GS	SAN	110.75 MHz	10 nm	355.15	3.00	818 ft
				19 km	352.89		818 m
35R	GS	LSN	111.50 MHz	10 nm	355.14	3.00	818 ft
				19 km	352.88		818 m

LFBP

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 616 ft / 188 m
Location: 43.381100 -0.420774
Magnetic Var: 0.869 E

METAR

LFBP 030530Z AUTO VRB01KT 9999 SCT100/// OVC160/// 07/05 Q1017 NOSIG

TAF

TAF LFBP 022300Z 0300/0324 VRB03KT 9999 FEW080 TEMPO 0301/0306 BKN070 BECMG 0310/0312 28010KT TEMPO 0311/0314 BKN

Frequencies

REC - 128.47 MHz - PAU ATIS
TWR - 124.15 MHz - PAU TOWER
APP - 121.17 MHz - PAU APPROACH

GND - 121.75 MHz - PAU GROUND
APP - 128.80 MHz - PAU APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	8,174 ft	125.89	ASPHALT	0 ft	0 ft
	45 m	2,492 m	125.03		0 m	0 m
31	148 ft	8,174 ft	305.91	ASPHALT	0 ft	0 ft
	45 m	2,492 m	305.04		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	DME	PU	110.10 MHz	18 nm	-	-	608 ft
				33 km	-		608 m
31	LOC-ILS	PYR	110.10 MHz	18 nm	305.91	-	616 ft
				33 km	305.04		616 m
31	GS	PYR	110.10 MHz	10 nm	306.91	3.00	616 ft
				19 km	306.04		616 m