

LFPO

Paris Orly


MMUN

Cancun International

2024/05/13 1822Z

LFPO GALBO **UN491** MOSIS **N491** TAKAS 4900N0-900W 4900N0-1000W 4900N0-1100W GUNSO 4900N0-1200W
4900N0-1300W 4900N0-1400W 4900N0-1500W 4900N0-1600W 4900N0-1700W 4900N0-1800W 4900N0-1900W
4900N0-2000W 4900N0-2100W 4900N0-2200W 4900N0-2300W 4900N0-2400W 4900N0-2500W 4900N0-2600W
4800N0-2800W 4800N0-2900W 4800N0-3000W 4800N0-3100W 4800N0-3200W 4800N0-3300W 4800N0-3400W
4700N0-3600W 4700N0-3700W 4700N0-3800W 4700N0-3900W 47/40 4600N0-4200W 4600N0-4300W 4600N0-4400W
4500N0-4600W 4500N0-4700W 4500N0-4800W 45/50 RAFIN BOBTU **M203** LSIER **L453** ALOBI **M204** SUMRS **A699**
PBI **J79** EYW FIS **G765** MAXIM **UG765** NUKAN MMUN

4567.91 nm / 8459.77 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 37000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72630	0 ft	-	Paris Orly
APT	-	2.36701	0 m	-	
GALBO	-	48.83810	37,000 ft	103	-
FIX	-	-0.25000	11,278 m	-	-
EKRAS	UN491	48.89940	37,000 ft	49	-
FIX	AWY-HI	-1.49917	11,278 m	-	-
UPALO	UN491	48.91030	37,000 ft	9	-
FIX	AWY-HI	-1.75194	11,278 m	-	-
BASIK	UN491	48.95360	37,000 ft	47	-
FIX	AWY-HI	-2.95111	11,278 m	-	-
BETUV	UN491	48.95440	37,000 ft	6	-
FIX	AWY-HI	-3.12222	11,278 m	-	-
RUSIB	UN491	48.97690	37,000 ft	27	-
FIX	AWY-HI	-3.80861	11,278 m	-	-
NERLA	UN491	48.99310	37,000 ft	32	-
FIX	AWY-HI	-4.63194	11,278 m	-	-
ERPOM	UN491	49.00180	37,000 ft	24	-
FIX	AWY-HI	-5.24092	11,278 m	-	-
DEKOR	UN491	49.00720	37,000 ft	27	-
FIX	AWY-HI	-5.93306	11,278 m	-	-
MOSIS	UN491	49.00720	37,000 ft	50	-
FIX	AWY-HI	-7.21472	11,278 m	-	-
ALUTA	N491	49.00530	37,000 ft	11	-
FIX	AWY-HI	-7.49806	11,278 m	-	-
TAKAS	N491	49.00000	37,000 ft	19	-
FIX	AWY-HI	-8.00000	11,278 m	-	-
4900N0-900W	-	49.00000	37,000 ft	39	-
LATLON	-	-9.00000	11,278 m	-	-
4900N0-1000W	-	49.00000	37,000 ft	39	-
LATLON	-	-10.00000	11,278 m	-	-
4900N0-1100W	-	49.00000	37,000 ft	39	-
LATLON	-	-11.00000	11,278 m	-	-
GUNSO	-	49.05280	37,000 ft	30	-
FIX	-	-11.76830	11,278 m	-	-
4900N0-1200W	-	49.00000	37,000 ft	9	-
LATLON	-	-12.00000	11,278 m	-	-
4900N0-1300W	-	49.00000	37,000 ft	39	-
LATLON	-	-13.00000	11,278 m	-	-
4900N0-1400W	-	49.00000	37,000 ft	39	-
LATLON	-	-14.00000	11,278 m	-	-
4900N0-1500W	-	49.00000	37,000 ft	39	-
LATLON	-	-15.00000	11,278 m	-	-
4900N0-1600W	-	49.00000	37,000 ft	39	-
LATLON	-	-16.00000	11,278 m	-	-
4900N0-1700W	-	49.00000	37,000 ft	39	-
LATLON	-	-17.00000	11,278 m	-	-
4900N0-1800W	-	49.00000	37,000 ft	39	-
LATLON	-	-18.00000	11,278 m	-	-
4900N0-1900W	-	49.00000	37,000 ft	39	-
LATLON	-	-19.00000	11,278 m	-	-
4900N0-2000W	-	49.00000	37,000 ft	39	-
LATLON	-	-20.00000	11,278 m	-	-
4900N0-2100W	-	49.00000	37,000 ft	39	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-21.00000	11,278 m		
4900N0-2200W	-	49.00000	37,000 ft	39	-
LATLON	-	-22.00000	11,278 m		
4900N0-2300W	-	49.00000	37,000 ft	39	-
LATLON	-	-23.00000	11,278 m		
4900N0-2400W	-	49.00000	37,000 ft	39	-
LATLON	-	-24.00000	11,278 m		
4900N0-2500W	-	49.00000	37,000 ft	39	-
LATLON	-	-25.00000	11,278 m		
4900N0-2600W	-	49.00000	37,000 ft	39	-
LATLON	-	-26.00000	11,278 m		
4800N0-2800W	-	48.00000	37,000 ft	99	-
LATLON	-	-28.00000	11,278 m		
4800N0-2900W	-	48.00000	37,000 ft	40	-
LATLON	-	-29.00000	11,278 m		
4800N0-3000W	-	48.00000	37,000 ft	40	-
LATLON	-	-30.00000	11,278 m		
4800N0-3100W	-	48.00000	37,000 ft	40	-
LATLON	-	-31.00000	11,278 m		
4800N0-3200W	-	48.00000	37,000 ft	40	-
LATLON	-	-32.00000	11,278 m		
4800N0-3300W	-	48.00000	37,000 ft	40	-
LATLON	-	-33.00000	11,278 m		
4800N0-3400W	-	48.00000	37,000 ft	40	-
LATLON	-	-34.00000	11,278 m		
4700N0-3600W	-	47.00000	37,000 ft	100	-
LATLON	-	-36.00000	11,278 m		
4700N0-3700W	-	47.00000	37,000 ft	40	-
LATLON	-	-37.00000	11,278 m		
4700N0-3800W	-	47.00000	37,000 ft	40	-
LATLON	-	-38.00000	11,278 m		
4700N0-3900W	-	47.00000	37,000 ft	40	-
LATLON	-	-39.00000	11,278 m		
47/40	-	47.00000	37,000 ft	40	-
LATLON	-	-40.00000	11,278 m		
4600N0-4200W	-	46.00000	37,000 ft	102	-
LATLON	-	-42.00000	11,278 m		
4600N0-4300W	-	46.00000	37,000 ft	41	-
LATLON	-	-43.00000	11,278 m		
4600N0-4400W	-	46.00000	37,000 ft	41	-
LATLON	-	-44.00000	11,278 m		
4500N0-4600W	-	45.00000	37,000 ft	103	-
LATLON	-	-46.00000	11,278 m		
4500N0-4700W	-	45.00000	37,000 ft	42	-
LATLON	-	-47.00000	11,278 m		
4500N0-4800W	-	45.00000	37,000 ft	42	-
LATLON	-	-48.00000	11,278 m		
45/50	-	45.00000	37,000 ft	84	-
LATLON	-	-50.00000	11,278 m		
RAFIN	-	44.88330	37,000 ft	77	-
FIX	-	-51.80470	11,278 m		
BOBTU	-	44.11720	37,000 ft	63	-
FIX	-	-52.82220	11,278 m		
SELIM	M203	38.50000	37,000 ft	557	-
FIX	AWY-HI	-62.66890	11,278 m		
PERDO	M203	33.68720	37,000 ft	498	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-71.03700	11,278 m		
LSIER	M203	33.02800	37,000 ft	64	-
FIX	AWY-HI	-72.04180	11,278 m		
ALOBI	L453	32.04540	37,000 ft	60	-
FIX	AWY-HI	-71.78000	11,278 m		
FLUPS	M204	30.57670	37,000 ft	142	-
FIX	AWY-HI	-73.95680	11,278 m		
SUMRS	M204	28.71170	37,000 ft	176	-
FIX	AWY-HI	-76.55850	11,278 m		
LOUIZ	A699	28.47280	37,000 ft	27	-
FIX	AWY-HI	-77.00000	11,278 m		
HOOKY	A699	28.21430	37,000 ft	29	-
FIX	AWY-HI	-77.47290	11,278 m		
NUCAR	A699	28.12600	37,000 ft	9	-
FIX	AWY-HI	-77.63300	11,278 m		
STIFF	A699	27.60520	37,000 ft	62	-
FIX	AWY-HI	-78.64610	11,278 m		
RAMJT	A699	27.52040	37,000 ft	8	-
FIX	AWY-HI	-78.78000	11,278 m		
PERMT	A699	27.41420	37,000 ft	10	-
FIX	AWY-HI	-78.94730	11,278 m		
AMNDA	A699	27.10000	37,000 ft	32	-
FIX	AWY-HI	-79.43640	11,278 m		
SLIDZ	A699	26.92360	37,000 ft	18	-
FIX	AWY-HI	-79.70850	11,278 m		
PBI	A699	26.68010	37,000 ft	24	PALM BEACH
VOR	AWY-HI	-80.08650	11,278 m		
DHP	J79	25.80000	37,000 ft	54	DOLPHIN (MIAMI)
VOR	AWY-HI	-80.34900	11,278 m		
DVALL	J79	25.51470	37,000 ft	39	-
FIX	AWY-HI	-80.99900	11,278 m		
CARNU	J79	25.13840	37,000 ft	28	-
FIX	AWY-HI	-81.32560	11,278 m		
EYW	J79	24.58590	37,000 ft	42	KEY WEST
VOR	AWY-HI	-81.80050	11,278 m		
FIS	-	24.54830	37,000 ft	2	FISH
NDB	-	-81.78640	11,278 m		
MAXIM	G765	24.00000	37,000 ft	51	-
FIX	AWY-HI	-82.51880	11,278 m		
ANALI	UG765	22.69560	37,000 ft	122	-
FIX	AWY-HI	-84.21830	11,278 m		
NUKAN	UG765	21.49280	14,800 ft	111	-
FIX	AWY-HI	-85.73810	4,511 m		
MMUN	-	21.04210	0 ft	69	Cancun International
APT	-	-86.87360	0 m		

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.451 E

METAR

LFPO 131800Z AUTO 14007KT CAVOK 22/13 Q1006 NOSIG

TAF

TAF LFPO 131700Z 1318/1424 15008KT 9999 SCT045 PROB30 TEMPO 1320/1324 -SHRA SCT050TCU TEMPO 1403/1412 22010KT -RA

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m

MMUN

Region: MEXICO
Timezone: AMERICA/CANCUN
Runways: 2

Elevation: 22 ft / 7 m
Location: 21.042100 -86.873500
Magnetic Var: 2.721 W

METAR

MMUN 131748Z 16023KT 7SM SCT015 BKN250 32/25 A2984 RMK SLP107 57009 959 8/108

TAF

TAF MMUN 131722Z 1318/1418 13015KT P6SM BKN015 TX33/1319Z TN28/1413Z TEMPO 1321/1401 6SM -RA BKN015CB FM140300 12

Frequencies

REC - 127.70 MHz - ATIS	REC - 122.30 MHz - CANCUN INFO
GND - 121.00 MHz - CANCUN GROUND	GND - 121.70 MHz - CANCUN GROUND
TWR - 118.10 MHz - CANCUN TOWER	TWR - 118.60 MHz - CANCUN TOWER
CLD - 122.10 MHz - CLEARANCE DELIVERY	APP - 124.70 MHz - CANCUN APPROACH
APP - 123.20 MHz - CANCUN ARRIVAL	DEP - 124.20 MHz - CANCUN DEPARTURE
DEP - 123.50 MHz - CANCUN DEPARTURE	GND - 130.50 MHz - GENERAL AVIATION RAMP CONTROL
APP - 125.20 MHz - MERIDA CONTROL	APP - 125.80 MHz - MERIDA CONTROL
APP - 128.00 MHz - MERIDA CONTROL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	190 ft	11,550 ft	123.85	ASPHALT	0 ft	476 ft
	58 m	3,520 m	126.57		0 m	145 m
30L	190 ft	11,550 ft	303.86	ASPHALT	0 ft	443 ft
	58 m	3,520 m	306.58		0 m	135 m
12L	148 ft	9,189 ft	123.84	ASPHALT	0 ft	72 ft
	45 m	2,801 m	126.56		0 m	22 m
30R	148 ft	9,189 ft	303.84	ASPHALT	0 ft	98 ft
	45 m	2,801 m	306.56		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	INCP	110.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12R	DME	ICUN	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12L	LOC-ILS	INCP	110.70 MHz	18 nm	123.84	-	21 ft
				33 km	126.56		21 m
12R	LOC-ILS	ICUN	111.10 MHz	18 nm	123.85	-	21 ft
				33 km	126.57		21 m
12L	GS	INCP	110.70 MHz	10 nm	123.84	3.00	21 ft
				19 km	126.56		21 m
12R	GS	ICUN	111.10 MHz	10 nm	123.85	3.00	21 ft
				19 km	126.57		21 m