


2024/05/16 0841Z

KSBA CEANO J126 GOALI KSFO

227.95 nm / 422.17 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 27000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSBA APT	-	34.42600 -119.84100	0 ft 0 m	-	Santa Barbara Mun
CEANO FIX	-	35.36950 -120.48800	23,200 ft 7,071 m	65	-
ROBIE FIX	J126 AWY-HI	35.98150 -121.00900	25,300 ft 7,711 m	44	-
GOALI FIX	J126 AWY-HI	36.45950 -121.42400	17,800 ft 5,425 m	35	-
KSFO APT	-	37.61850 -122.37500	0 ft 0 m	83	San Francisco Intl

## KSBA

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 3

Elevation: 13 ft / 4 m  
Location: 34.426000 -119.841000  
Magnetic Var: 11.803 E

## METAR

KSBA 160753Z 26003KT 10SM OVC022 14/13 A2995 RMK A02 SLP141 T01390128 401610122 \$

## TAF

KSBA 160558Z 1606/1706 VRB03KT P6SM OVC022 FM161000 VRB03KT 6SM BR OVC015 FM161800 18006KT P6SM OVC022 FM162100 2

## Frequencies

REC - 132.65 MHz - KSBA ATIS  
CLD - 132.90 MHz - SANTA BARBARA CLD  
TWR - 119.70 MHz - SANTA BARBARA TWR  
DEP - 120.55 MHz - SANTA BARBARA DEP  
COM - 119.70 MHz - SANTA BARBARA CTAF  
GND - 121.70 MHz - SANTA BARBARA GND  
APP - 120.55 MHz - SANTA BARBARA APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	151 ft	6,037 ft	88.58	CONCRETE	0 ft	151 ft
	46 m	1,840 m	76.78		0 m	46 m
25	151 ft	6,037 ft	268.59	CONCRETE	0 ft	991 ft
	46 m	1,840 m	256.79		0 m	302 m
15R	98 ft	4,197 ft	165.70	ASPHALT	0 ft	0 ft
	30 m	1,279 m	153.89		0 m	0 m
33L	98 ft	4,197 ft	345.70	ASPHALT	0 ft	0 ft
	30 m	1,279 m	333.90		0 m	0 m
15L	75 ft	4,192 ft	165.73	ASPHALT	0 ft	0 ft
	23 m	1,278 m	153.93		0 m	0 m
33R	75 ft	4,192 ft	345.74	ASPHALT	0 ft	0 ft
	23 m	1,278 m	333.93		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISBA	110.30 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
07	LOC-ILS	ISBA	110.30 MHz	18 nm	88.59	-	13 ft
				33 km	76.79		13 m
07	GS	ISBA	110.30 MHz	10 nm	88.59	3.00	13 ft
				19 km	76.79		13 m

# KSFO

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 4

Elevation: 13 ft / 4 m  
Location: 37.618500 -122.375000  
Magnetic Var: 12.842 E

## METAR

KSFO 160756Z 24003KT 10SM FEW006 13/10 A2993 RMK AO2 SLP133 T01330100 402000117 \$

## TAF

TAF KSFO 160520Z 1606/1712 26009KT P6SM FEW004 FM160900 25009KT P6SM BKN010 FM161100 22008KT P6SM OVC010 FM161600

## Frequencies

REC - 113.70 MHz - D-ATIS  
REC - 118.85 MHz - D-ATIS  
CLD - 118.20 MHz -  
SAN FRANCISCO CLEARANCE DELIVERY  
TWR - 120.50 MHz - SAN FRANCISCO TOWER  
APP - 128.32 MHz - NORCAL APPROACH  
APP - 133.95 MHz - NORCAL APPROACH  
DEP - 135.10 MHz - NORCAL DEPARTURE

REC - 115.80 MHz - D-ATIS  
COM - 122.95 MHz - UNICOM  
GND - 121.80 MHz - SAN FRANCISCO GROUND  
APP - 134.50 MHz - NORCAL APPROACH  
APP - 128.57 MHz - NORCAL APPROACH  
DEP - 120.90 MHz - NORCAL DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	200 ft	11,859 ft	117.90	ASPHALT	0 ft	876 ft
	61 m	3,615 m	105.06		0 m	267 m
28R	200 ft	11,859 ft	297.92	ASPHALT	302 ft	318 ft
	61 m	3,615 m	285.08		92 m	97 m
10R	200 ft	11,371 ft	117.90	ASPHALT	0 ft	748 ft
	61 m	3,466 m	105.06		0 m	228 m
28L	200 ft	11,371 ft	297.92	ASPHALT	305 ft	322 ft
	61 m	3,466 m	285.08		93 m	98 m
01R	200 ft	8,665 ft	27.71	ASPHALT	564 ft	404 ft
	61 m	2,641 m	14.87		172 m	123 m
19L	200 ft	8,665 ft	207.72	ASPHALT	0 ft	443 ft
	61 m	2,641 m	194.88		0 m	135 m
01L	200 ft	7,664 ft	27.71	ASPHALT	643 ft	469 ft
	61 m	2,336 m	14.87		196 m	143 m
19R	200 ft	7,664 ft	207.72	ASPHALT	0 ft	446 ft
	61 m	2,336 m	194.88		0 m	136 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19L	DME	ISIA	108.90 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28L	DME	ISFO	109.55 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
28R	DME	IGWQ	111.70 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28R	DME	IFNP	110.75 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
19L	LOC-ILS	ISIA	108.90 MHz	18 nm	207.72	-	13 ft
				33 km	194.88		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28L	LOC-ILS	ISFO	109.55 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
28R	LOC-ILS	IGWQ	111.70 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
19L	GS	ISIA	108.90 MHz	10 nm	207.72	3.00	13 ft
				19 km	194.88		13 m
28L	GS	ISFO	109.55 MHz	10 nm	297.91	2.85	13 ft
				19 km	285.07		13 m
28R	GS	IGWQ	111.70 MHz	10 nm	297.91	3.00	13 ft
				19 km	285.07		13 m