LIPE
BOLOGNA


-

LICJ
PALERMO

2024/03/29 1025Z

LIPE VALEN **Z805** IXUSI **UZ805** BOL **UN737** ROTUN **UM727** CORAD LICJ

393.05 nm / 727.93 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPE APT	-	44.53545 11.28866	0 ft 0 m	-	BOLOGNA
VALEN FIX	-	43.93722 11.53306	13,300 ft 4,054 m	37	-
BUKIN FIX	Z805 AWY-LO	43.67694 11.63667	19,100 ft 5,822 m	16	-
IXUSI FIX	Z805 AWY-LO	43.43861 11.73083	19,500 ft 5,944 m	14	-
BOL VOR	UZ805 AWY-HI	42.61833 12.04861	35,000 ft 10,668 m	51	BOLSENA VORTAC
OST VOR	UN737 AWY-HI	41.80388 12.23750	35,000 ft 10,668 m	49	OSTIA VOR-DME
ROTUN FIX	UN737 AWY-HI	40.88333 12.30556	35,000 ft 10,668 m	55	-
CORAD FIX	UM727 AWY-HI	39.75694 12.38528	21,500 ft 6,553 m	67	-
LICJ APT	-	38.17738 13.09704	0 ft 0 m	100	PALERMO

LIPE

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 123 ft / 37 m
Location: 44.535600 11.288300
Magnetic Var: 3.619 E

METAR

LIPE 290950Z VRB02KT CAVOK 15/13 Q1012

TAF

TAF LIPE 290500Z 2906/3006 VRB05KT 0500 FG SCT050 BECMG 2906/2908 19013KT 7000 TEMPO 2908/2914 19015G25KT BECMG 29

Frequencies

REC - 134.87 MHz - ATIS
TWR - 120.80 MHz - BOLOGNA TOWER
APP - 129.90 MHz - BOLOGNA APPROACH

GND - 129.92 MHz - BOLOGNA GROUND
APP - 120.10 MHz - BOLOGNA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft 45 m	9,206 ft 2,806 m	116.79 113.17	ASPHALT	1,017 ft 310 m	243 ft 74 m
30	148 ft 45 m	9,206 ft 2,806 m	296.81 293.19	ASPHALT	1,188 ft 362 m	180 ft 55 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BLN	108.90 MHz	18 nm 33 km	- -	-	131 ft 131 m
30	DME	IBBP	109.75 MHz	18 nm 33 km	- -	-	123 ft 123 m
12	LOC-ILS	BLN	108.90 MHz	18 nm 33 km	116.81 113.19	-	123 ft 123 m
30	LOC-ILS	IBBP	109.75 MHz	18 nm 33 km	296.66 293.04	-	123 ft 123 m
12	GS	BLN	108.90 MHz	10 nm 19 km	117.59 113.97	3.00	120 ft 120 m
30	GS	IBBP	109.75 MHz	10 nm 19 km	297.75 294.13	3.50	123 ft 123 m

LICJ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 63 ft / 19 m
Location: 38.177500 13.097200
Magnetic Var: 3.563 E

METAR

LICJ 290950Z 20018KT 6000 SCT025 25/04 Q1015

TAF

TAF LICJ 290500Z 2906/3006 18016KT CAVOK TEMPO 2906/2914 18020G33KT BECMG 2922/2924 18022G35KT

Frequencies

GND - 121.62 MHz - RAISI GROUND
APP - 120.20 MHz - PALERMO APPROACH
REC - 123.87 MHz - ATIS

TWR - 119.05 MHz - RAISI TOWER
APP - 118.65 MHz - PALERMO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft 45 m	6,791 ft 2,070 m	23.79 20.23	ASPHALT	0 ft 0 m	0 ft 0 m
20	148 ft 45 m	6,791 ft 2,070 m	203.80 200.24	ASPHALT	0 ft 0 m	0 ft 0 m
07	197 ft 60 m	10,922 ft 3,329 m	66.82 63.26	ASPHALT	404 ft 123 m	577 ft 176 m
25	197 ft 60 m	10,922 ft 3,329 m	246.84 243.28	ASPHALT	669 ft 204 m	302 ft 92 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	ITO	110.55 MHz	18 nm 33 km	- -	-	38 ft 38 m
25	DME	RAI	109.50 MHz	18 nm 33 km	- -	-	65 ft 65 m
20	LOC-ILS	ITO	110.55 MHz	18 nm 33 km	203.92 200.36	-	64 ft 64 m
25	LOC-ILS	RAI	109.50 MHz	18 nm 33 km	246.80 243.24	-	64 ft 64 m
20	GS	ITO	110.55 MHz	10 nm 19 km	203.92 200.36	3.00	64 ft 64 m
25	GS	RAI	109.50 MHz	10 nm 19 km	246.80 243.24	3.00	64 ft 64 m