

SBNT

Augusto Severo


GLRB

MONROVIA ROBERTS INTL

2024/05/15 0708Z

SBNT 500S03500W 300S03000W 100S02500W 200N02000W 400N01500W GLRB

1684.00 nm / 3118.76 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBNT	-	-5.91175	0 ft	-	Augusto Severo
APT	-	-35.24771	0 m	-	
500S03500W	-	-5.00000	19,200 ft	56	-
LATLON	-	-35.00000	5,852 m	-	-
300S03000W	-	-3.00000	35,000 ft	322	-
LATLON	-	-30.00000	10,668 m	-	-
100S02500W	-	-1.00000	35,000 ft	323	-
LATLON	-	-25.00000	10,668 m	-	-
200N02000W	-	2.00000	35,000 ft	350	-
LATLON	-	-20.00000	10,668 m	-	-
400N01500W	-	4.00000	35,000 ft	323	-
LATLON	-	-15.00000	10,668 m	-	-
GLRB	-	6.23379	0 ft	308	MONROVIA ROBERTS INTL
APT	-	-10.36231	0 m	-	

SBNT

Region: BRAZIL
Timezone: AMERICA/FORTALEZA
Runways: 3

Elevation: 171 ft / 52 m
Location: -5.911710 -35.247700
Magnetic Var: 21.114 W

METAR

SBNT 150600Z 19004KT 150V220 9999 SCT023 26/24 Q1010

TAF

TAF SBNT 150449Z 1506/1518 18005KT 9999 SCT020 TN26/1509Z TX31/1515Z BECMG 1510/1512 13010KT RMK PFV

Frequencies

REC - 132.65 MHz - NATAL ATIS
TWR - 118.70 MHz - NATAL TOWER
APP - 119.65 MHz - NATAL APPROACH

GND - 121.90 MHz - NATAL GROUND
APP - 119.30 MHz - NATAL APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	148 ft	8,545 ft	141.11	ASPHALT	0 ft	279 ft
	45 m	2,604 m	162.23		0 m	85 m
34R	148 ft	8,545 ft	321.11	ASPHALT	0 ft	197 ft
	45 m	2,604 m	342.22		0 m	60 m
12	148 ft	5,993 ft	99.04	ASPHALT	0 ft	0 ft
	45 m	1,827 m	120.16		0 m	0 m
30	148 ft	5,993 ft	279.04	ASPHALT	0 ft	0 ft
	45 m	1,827 m	300.15		0 m	0 m
16R	148 ft	5,924 ft	141.20	ASPHALT	0 ft	0 ft
	45 m	1,806 m	162.31		0 m	0 m
34L	148 ft	5,924 ft	321.20	ASPHALT	0 ft	1,335 ft
	45 m	1,806 m	342.31		0 m	407 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	INT	109.30 MHz	18 nm	-	-	169 ft
				33 km	-		169 m
16L	LOC-ILS	INT	109.30 MHz	18 nm	141.11	-	170 ft
				33 km	162.22		170 m
16L	GS	INT	109.30 MHz	10 nm	141.11	3.00	170 ft
				19 km	162.22		170 m

GLRB

Region: LIBERIA
Timezone: AFRICA/MONROVIA
Runways: 1

Elevation: 29 ft / 9 m
Location: 6.233790 -10.362300
Magnetic Var: 6.000 W

METAR

GLRB 150630Z 00000KT 9999 BKN011 FEW022CB 24/23 Q1010 NOSIG RMK CB/SE-SW

TAF

TAF TAF GLRB 150500Z 1506/1606 22011KT 9999 BKN020 FEW026CB BECMG 1506/1508 00000KT 8000 -RA BKN012 FEW022CB TEMP

Frequencies

GND - 121.90 MHz - ROBERTS GND
APP - 124.50 MHz - ROBERTS APP

TWR - 118.30 MHz - ROBERTS TWR
COM - 131.40 MHz - ROBERTS UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	150 ft	11,029 ft	30.94	ASPHALT	0 ft	0 ft
	46 m	3,362 m	36.94		0 m	0 m
22	150 ft	11,029 ft	210.94	ASPHALT	1,201 ft	0 ft
	46 m	3,362 m	216.94		366 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	SK	110.30 MHz	18 nm	30.94	-	29 ft
				33 km	36.94		29 m
04	GS	SK	110.30 MHz	10 nm	30.94	2.99	29 ft
				19 km	36.94		29 m