

LIRF

Roma Fiumicino Leonardo Da Vinci


LFML

Marseille/provence

2024/05/05 0118Z

LIRF MJ LFML

325.77 nm / 603.32 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIRF	-	41.79932	0 ft	-	-
APT	-	12.23212	0 m	-	-
MJ	-	43.43832	0 ft	325	MARSEILLE NDB
NDB	-	5.21748	0 m	-	-
LFML	-	43.44093	0 ft	0	-
APT	-	5.20362	0 m	-	-

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.664 E

METAR

LIRF 050050Z 03003KT CAVOK 10/09 Q1017 NOSIG

TAF

TAF LIRF 042300Z 0500/0606 VRB05KT CAVOK BECMG 0509/0511 24010KT BECMG 0518/0520 VRB05KT

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL	REC - 126.12 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.72 MHz - FIUME APRON	GND - 121.67 MHz - FIUME GROUND
GND - 121.90 MHz - FIUME GROUND	GND - 122.12 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER	TWR - 123.72 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	APP - 127.95 MHz - ROMA ARRIVAL
APP - 125.50 MHz - ROMA ARRIVAL	APP - 119.20 MHz - ROMA DIRECT
APP - 131.25 MHz - ROMA DIRECT	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.02		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.03		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.01		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.03		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.01		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.03		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.03		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.01		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.03		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.01		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.03		13 m

LFML

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 69 ft / 21 m
Location: 43.435800 5.213430
Magnetic Var: 2.281 E

METAR

LFML 050100Z AUTO 02003KT 350V050 CAVOK 15/08 Q1016 NOSIG

TAF

TAF LFML 042000Z 0421/0603 VRB03KT CAVOK TX22/0514Z TN11/0505Z PROB30 TEMPO 0503/0507 3000 BR BKN005 BECMG 0512/0

Frequencies

TWR - 125.35 MHz - PROVENCE ATIS	GND - 121.72 MHz - PROVENCE PREFLIGHT
GND - 121.90 MHz - PROVENCE GROUND	TWR - 133.10 MHz - PROVENCE TOWER
TWR - 123.72 MHz - PROVENCE TOWER	APP - 120.20 MHz - PROVENCE APPROACH
TWR - 120.87 MHz - PROVENCE APPROACH	APP - 121.42 MHz - PROVENCE APPROACH
APP - 124.35 MHz - PROVENCE APPROACH	APP - 127.72 MHz - PROVENCE APPROACH
TWR - 129.47 MHz - PROVENCE APPROACH	APP - 132.30 MHz - PROVENCE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13L	148 ft	11,485 ft	134.05	ASPHALT	1,122 ft	295 ft
	45 m	3,501 m	131.77		342 m	90 m
31R	148 ft	11,485 ft	314.07	ASPHALT	2,165 ft	331 ft
	45 m	3,501 m	311.79		660 m	101 m
13R	148 ft	7,783 ft	134.89	ASPHALT	0 ft	197 ft
	45 m	2,372 m	132.61		0 m	60 m
31L	148 ft	7,783 ft	314.91	ASPHALT	348 ft	194 ft
	45 m	2,372 m	312.63		106 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	ML	110.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13R	DME	MCE	108.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
31R	DME	MPV	111.15 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13L	LOC-ILS	ML	110.30 MHz	18 nm	134.05	-	74 ft
				33 km	131.77		74 m
13R	LOC-ILS	MCE	108.30 MHz	18 nm	134.90	-	74 ft
				33 km	132.62		74 m
31R	LOC-ILS	MPV	111.15 MHz	18 nm	314.05	-	74 ft
				33 km	311.77		74 m
13L	GS	ML	110.30 MHz	10 nm	134.05	3.00	10 ft
				19 km	131.77		10 m
13R	GS	MCE	108.30 MHz	10 nm	134.90	3.00	74 ft
				19 km	132.62		74 m
31R	GS	MPV	111.15 MHz	10 nm	314.05	4.00	10 ft
				19 km	311.77		10 m