


2024/05/15 1943Z

LFPO OKEPI **R28** MOU **UL178** LESPI **A3** MTL **UY30** GILON **A3** STP **UM128** VAREK **UM623** PELOS **M731** OSMAR DTTA

814.79 nm / 1508.99 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 40000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72630	0 ft	-	Paris Orly
APT	-	2.36701	0 m		
OKEPI	-	47.14530	36,800 ft	103	-
FIX	-	3.36500	11,217 m		
MOU	R28	46.70680	40,000 ft	28	MOULINS
VOR	AWY-LO	3.63167	12,192 m		
OMANI	UL178	46.45720	40,000 ft	16	-
FIX	AWY-HI	3.76806	12,192 m		
LESPI	UL178	46.11350	40,000 ft	22	-
FIX	AWY-HI	3.95778	12,192 m		
BELVU	A3	45.95250	40,000 ft	10	-
FIX	AWY-LO	4.04500	12,192 m		
ONZON	A3	45.83500	40,000 ft	7	-
FIX	AWY-LO	4.10833	12,192 m		
BELEP	A3	45.79160	40,000 ft	2	-
FIX	AWY-LO	4.13161	12,192 m		
MURRO	A3	45.33290	40,000 ft	29	-
FIX	AWY-LO	4.37556	12,192 m		
AMIKO	A3	45.12810	40,000 ft	13	-
FIX	AWY-LO	4.48306	12,192 m		
MTL	A3	44.55490	40,000 ft	36	MONTELMAR ANCONE
VOR	AWY-LO	4.77986	12,192 m		
XATEL	UY30	44.27030	40,000 ft	24	-
FIX	AWY-HI	5.17861	12,192 m		
TUPOX	UY30	43.97580	40,000 ft	20	-
FIX	AWY-HI	5.40306	12,192 m		
RUBEB	UY30	43.75420	40,000 ft	15	-
FIX	AWY-HI	5.57000	12,192 m		
BATEX	UY30	43.66970	40,000 ft	8	-
FIX	AWY-HI	5.71972	12,192 m		
UGLET	UY30	43.58110	40,000 ft	8	-
FIX	AWY-HI	5.87528	12,192 m		
GILON	UY30	43.44420	40,000 ft	13	-
FIX	AWY-HI	6.11500	12,192 m		
LUC	A3	43.38280	40,000 ft	7	LE LUC LE CANNET
VOR	AWY-LO	6.25592	12,192 m		
RUBIT	A3	43.22220	40,000 ft	11	-
FIX	AWY-LO	6.41222	12,192 m		
STP	A3	43.21950	40,000 ft	8	SAINT TROPEZ
VOR	AWY-LO	6.60181	12,192 m		
VAREK	UM128	42.31310	40,000 ft	81	-
FIX	AWY-HI	7.98056	12,192 m		
LOKDU	UM623	41.98060	40,000 ft	20	-
FIX	AWY-HI	8.03278	12,192 m		
AMPES	UM623	41.41030	40,000 ft	34	-
FIX	AWY-HI	8.12083	12,192 m		
PELOS	UM623	41.16190	40,000 ft	15	-
FIX	AWY-HI	8.16139	12,192 m		
MALAV	M731	40.84580	40,000 ft	20	-
FIX	AWY-LO	8.34556	12,192 m		
ARSIK	M731	40.64560	40,000 ft	13	-
FIX	AWY-HI	8.46139	12,192 m		
TEKSA	M731	40.00440	40,000 ft	41	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	8.77194	12,192 m		
LUNAM	M731	39.62330	38,100 ft	24	-
FIX	AWY-HI	8.95361	11,613 m		
OSMAR	M731	38.25470	18,600 ft	90	-
FIX	AWY-HI	9.78722	5,669 m		
DTTA	-	36.85130	0 ft	86	Tunis-Carthage
APT	-	10.23000	0 m		

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.452 E

METAR

LFPO 151930Z AUTO 15006KT 120V180 9999 BKN040/// BKN052/// BKN080/// ///CB 14/12 Q1006 TEMPO 4000 -SHRA

TAF

TAF LFPO 151700Z 1518/1624 19008KT 9999 SCT035 TEMPO 1518/1521 14010G20KT 4000 SHRA SCT040CB PROB30 TEMPO 1519/15

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m

DTTA

Region: TUNISIA
Timezone: AFRICA/TUNIS
Runways: 2

Elevation: 20 ft / 6 m
Location: 36.851300 10.230000
Magnetic Var: 3.020 E

METAR

DTTA 151930Z 34012KT 8000 FEW023 21/15 Q1006

TAF

TAF DTTA 151700Z 1518/1618 35016KT 8000 SCT023 BECMG 1519/1521 VRB03KT BECMG 1606/1608 34008KT 9999 FEW020

Frequencies

REC - 118.67 MHz - TUNIS ATIS
TWR - 118.10 MHz - TUNIS TWR

GND - 121.90 MHz - TUNIS GND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	10,509 ft	12.29	ASPHALT	0 ft	190 ft
	45 m	3,203 m	9.27		0 m	58 m
19	148 ft	10,509 ft	192.29	ASPHALT	0 ft	184 ft
	45 m	3,203 m	189.27		0 m	56 m
11	148 ft	9,360 ft	112.55	ASPHALT	0 ft	197 ft
	45 m	2,853 m	109.53		0 m	60 m
29	148 ft	9,360 ft	292.57	ASPHALT	682 ft	535 ft
	45 m	2,853 m	289.55		208 m	163 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	TBL	111.10 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
29	DME	TKE	108.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
01	LOC-ILS	TBL	111.10 MHz	18 nm	12.29	-	20 ft
				33 km	9.27		20 m
19	LOC-ILS	TSI	110.30 MHz	18 nm	192.29	-	20 ft
				33 km	189.27		20 m
29	LOC-ILS	TKE	108.50 MHz	18 nm	292.56	-	20 ft
				33 km	289.54		20 m
01	GS	TBL	111.10 MHz	10 nm	12.29	3.00	20 ft
				19 km	9.27		20 m
19	GS	TSI	110.30 MHz	10 nm	192.29	3.00	20 ft
				19 km	189.27		20 m
29	GS	TKE	108.50 MHz	10 nm	292.56	3.00	20 ft
				19 km	289.54		20 m