


2024/05/07 1120Z

OMDB KANIP LABRI EGROK MEKNA EGVAN DEMKI NAMVA TOPSO KUROV VELIK HAI DEDSO ERDAX KIVEL DAPAB
BOTEM SUHIL AMPEX AXINA IMKOT UTRON UDLET PRA FSIA

1835.05 nm / 3398.51 km



Notes

Decoded

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.26213	0 ft	-	-
APT	-	55.34757	0 m		
KANIP	-	24.17778	0 ft	65	-
FIX	-	55.34500	0 m		
LABRI	-	24.06222	0 ft	17	-
FIX	-	55.64500	0 m		
EGROK	-	23.88139	0 ft	23	-
FIX	-	56.02389	0 m		
MEKNA	-	23.55250	0 ft	20	-
FIX	-	56.13750	0 m		
EGVAN	-	23.02417	0 ft	33	-
FIX	-	56.31861	0 m		
DEMKI	-	22.82806	0 ft	12	-
FIX	-	56.38556	0 m		
NAMVA	-	22.55250	0 ft	16	-
FIX	-	56.37306	0 m		
TOPSO	-	21.94806	0 ft	36	-
FIX	-	56.34528	0 m		
KUROV	-	21.27417	0 ft	40	-
FIX	-	56.31472	0 m		
VELIK	-	20.55611	0 ft	43	-
FIX	-	56.28222	0 m		
HAI	-	19.97031	0 ft	35	HAIMA VOR-DME
VOR	-	56.28084	0 m		
DEDSO	-	18.96972	0 ft	61	-
FIX	-	56.01139	0 m		
ERDAX	-	17.98417	0 ft	61	-
FIX	-	55.74944	0 m		
KIVEL	-	16.88500	0 ft	66	-
FIX	-	55.60917	0 m		
DAPAB	-	15.18750	0 ft	102	-
FIX	-	55.39833	0 m		
BOTEM	-	13.90361	0 ft	77	-
FIX	-	55.23833	0 m		
SUHIL	-	12.00000	0 ft	115	-
FIX	-	55.00000	0 m		
AMPEX	-	8.16667	0 ft	230	-
FIX	-	55.00000	0 m		
AXINA	-	6.83000	0 ft	80	-
FIX	-	55.00000	0 m		
IMKOT	-	5.39667	0 ft	86	-
FIX	-	55.00000	0 m		
UTRON	-	2.00000	0 ft	204	-
FIX	-	55.24833	0 m		
UDLET	-	-0.96500	0 ft	178	-
FIX	-	55.46333	0 m		
PRA	-	-4.30737	0 ft	201	PRASLIN VOR-DME
VOR	-	55.70707	0 m		
FSIA	-	-4.66663	0 ft	24	-
APT	-	55.51080	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.352 E

METAR

OMDB 071100Z 32013KT CAVOK 36/23 Q1006 NOSIG

TAF

TAF OMDB 070500Z 0706/0812 19008KT CAVOK BECMG 0707/0709 32014KT BECMG 0716/0718 12005KT BECMG 0807/0809 34015KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

FSIA

Region: SEYCHELLES
Timezone: UNKNOWN
Runways: 1

Elevation: 8 ft / 2 m
Location: -4.674370 55.521800
Magnetic Var: 4.855 W

METAR

FSIA 071100Z 16008KT 120V210 9999 FEW019CB SCT022 29/25 Q1009 RESHRA NOSIG

TAF

TAF FSIA 070503Z 0706/0806 15010KT 9999 SCT021 PROB40 TEMPO 0710/0716 8000 SHRA FEW016CB BKN018

Frequencies

APP - 119.70 MHz - SEYCHELLES APPROACH
TWR - 118.90 MHz - SEYCHELLES TOWER
GND - 121.90 MHz - SEYCHELLES GROUND

APP - 118.30 MHz - SEYCHELLES APPROACH
TWR - 118.30 MHz - SEYCHELLES TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	151 ft	9,809 ft	125.05	CONCRETE	984 ft	302 ft
	46 m	2,990 m	129.91		300 m	92 m
31	151 ft	9,809 ft	305.05	CONCRETE	984 ft	115 ft
	46 m	2,990 m	309.90		300 m	35 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	DME	SIA	110.30 MHz	18 nm	-	-	10 ft
				33 km	-		10 m
31	LOC-ILS	SIA	110.30 MHz	18 nm	305.21	-	10 ft
				33 km	310.07		10 m
31	GS	SIA	110.30 MHz	10 nm	305.36	3.00	10 ft
				19 km	310.21		10 m