


2024/05/10 0719Z

OIMM SBZ **A647** RAPKI OIII

408.09 nm / 755.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OIMM	-	36.23520	0 ft	-	MASHHAD INTL
APT	-	59.64110	0 m		
SBZ	-	36.16970	35,000 ft	100	SABZEVAR
VOR	-	57.57080	10,668 m		
ULANO	A647	35.82690	35,000 ft	125	-
FIX	AWY-HI	55.01440	10,668 m		
ODKAT	A647	35.78060	35,000 ft	15	-
FIX	AWY-HI	54.69610	10,668 m		
MIRUR	A647	35.70580	30,200 ft	24	-
FIX	AWY-HI	54.19420	9,205 m		
RAPKI	A647	35.59830	22,800 ft	34	-
FIX	AWY-HI	53.49720	6,949 m		
OIII	-	35.69260	0 ft	106	Teheran Mehrabad Intl
APT	-	51.31740	0 m		

OIMM

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 2

Elevation: 3,263 ft / 995 m
Location: 36.235200 59.641100
Magnetic Var: 4.694 E

METAR

OIMM 100700Z 13004KT 9999 BKN025 SCT100 15/10 Q1020 A3015

TAF

TAF TAF OIMM 100550Z 1006/1112 12008KT 7000 FEW015 FEW035CB BKN100 PROB40 TEMPO 1006/1009 4000 TSRA BR SCT015 SCT0

Frequencies

REC - 126.40 MHz - ATIS
TWR - 121.70 MHz -
APP - 127.30 MHz -
TWR - 121.90 MHz -
TWR - 118.10 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft	12,851 ft	133.72	ASPHALT	0 ft	758 ft
	45 m	3,917 m	129.03		0 m	231 m
31L	148 ft	12,851 ft	313.74	ASPHALT	0 ft	994 ft
	45 m	3,917 m	309.05		0 m	303 m
13L	148 ft	12,495 ft	133.73	ASPHALT	0 ft	1,017 ft
	45 m	3,809 m	129.04		0 m	310 m
31R	148 ft	12,495 ft	313.75	ASPHALT	0 ft	1,001 ft
	45 m	3,809 m	309.06		0 m	305 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31R	DME	IMSD	109.90 MHz	18 nm	-	-	3,258 ft
				33 km	-		3,258 m
31R	LOC-ILS	IMSD	109.90 MHz	18 nm	313.74	-	3,263 ft
				33 km	309.05		3,263 m
31R	GS	IMSD	109.90 MHz	10 nm	313.74	3.00	3,263 ft
				19 km	309.05		3,263 m

OIII

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 3

Elevation: 3,963 ft / 1,208 m
Location: 35.692600 51.317500
Magnetic Var: 5.106 E

METAR

OIII 100700Z 22004KT 9999 FEW040 19/02 Q1020 A3014 NOSIG

TAF

TAF OIII 100550Z 1006/1112 18006KT 8000 NSC PROB40 TEMPO 1006/1009 18016KT BECMG 1009/1010 24008KT TEMPO 1010/1011 18016KT

Frequencies

REC - 128.00 MHz - ATIS	TWR - 118.10 MHz - MEHRABAD TOWER
TWR - 124.45 MHz - MEHRABAD TOWER	GND - 121.70 MHz - MEHRABAD GROUND
GND - 121.90 MHz - MEHRABAD GROUND	CLD - 121.85 MHz - MEHRABAD CLEARANCE DELIVERY
APP - 119.70 MHz - MEHRABAD APPROACH	APP - 125.10 MHz - MEHRABAD APPROACH
APP - 119.70 MHz - MEHRABAD RADAR	APP - 125.10 MHz - MEHRABAD RADAR
DEP - 125.10 MHz - MEHRABAD RADAR	DEP - 119.70 MHz - MEHRABAD RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	131 ft	1,589 ft	88.24	CONCRETE	16 ft	75 ft
	40 m	484 m	83.13		5 m	23 m
27	131 ft	1,589 ft	268.24	CONCRETE	16 ft	194 ft
	40 m	484 m	263.13		5 m	59 m
11L	148 ft	13,087 ft	109.70	CONCRETE	0 ft	0 ft
	45 m	3,989 m	104.60		0 m	0 m
29R	148 ft	13,087 ft	289.73	CONCRETE	0 ft	0 ft
	45 m	3,989 m	284.62		0 m	0 m
11R	197 ft	13,379 ft	109.74	ASPHALT	0 ft	1,191 ft
	60 m	4,078 m	104.63		0 m	363 m
29L	197 ft	13,379 ft	289.76	ASPHALT	144 ft	141 ft
	60 m	4,078 m	284.66		44 m	43 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29L	DME	ITHL	109.90 MHz	18 nm	-	-	3,804 ft
				33 km	-		3,804 m
29L	LOC-ILS	ITHL	109.90 MHz	18 nm	289.75	-	3,963 ft
				33 km	284.64		3,963 m
29L	GS	ITHL	109.90 MHz	10 nm	289.75	3.30	3,963 ft
				19 km	284.64		3,963 m