

# EHAM

Amsterdam Schiphol


# TNCM

Princess Juliana Intl

2024/06/03 2214Z

EHAM XAMAN **UL980** LAM **UL179** CPT **UM197** GAPLI 4900N0-1000W TAMEL 4800N0-1200W 4800N0-1300W  
4800N0-1400W 4800N0-1500W 4800N0-1600W 4800N0-1700W 4800N0-1800W 4700N0-2000W 4600N0-2200W  
4600N0-2300W 4500N0-2500W 4400N0-2700W 4300N0-2900W 4200N0-3100W LUKAL 4100N0-3300W KOLIT  
4000N0-3500W 4000N0-3600W 4000N0-3700W 3900N0-3900W 3800N0-4100W 3700N0-4300W 3500N0-4500W  
3400N0-4600W 3300N0-4800W 3200N0-4900W 3100N0-5000W 2900N0-5200W 2800N0-5300W 2700N0-5400W  
2500N0-5600W 2400N0-5700W 2300N0-5800W RKDIA **A516** NEYDU TNCM

3818.29 nm / 7071.47 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM	-	52.30810	0 ft	-	Amsterdam Schiphol
APT	-	4.76417	0 m		
XAMAN	-	51.78470	35,300 ft	98	-
FIX	-	2.22417	10,759 m		
LOGAN	UL980	51.74760	36,000 ft	22	-
FIX	AWY-HI	1.61183	10,973 m		
TRIPO	UL980	51.71310	36,000 ft	19	-
FIX	AWY-HI	1.08278	10,973 m		
SABER	UL980	51.70380	36,000 ft	4	-
FIX	AWY-HI	0.94950	10,973 m		
LIVSU	UL980	51.69690	36,000 ft	3	-
FIX	AWY-HI	0.84944	10,973 m		
MANGO	UL980	51.69280	36,000 ft	2	-
FIX	AWY-HI	0.79056	10,973 m		
BRASO	UL980	51.68530	36,000 ft	4	-
FIX	AWY-HI	0.68333	10,973 m		
WESUL	UL980	51.67080	36,000 ft	7	-
FIX	AWY-HI	0.48583	10,973 m		
LAM	UL980	51.64600	36,000 ft	12	LAMBOURNE
VOR	AWY-HI	0.15170	10,973 m		
CPT	UL179	51.49160	36,000 ft	52	COMPTON
VOR	AWY-HI	-1.21969	10,973 m		
GAPLI	UM197	50.00000	36,000 ft	272	-
FIX	AWY-HI	-8.00000	10,973 m		
4900N0-1000W	-	49.00000	36,000 ft	98	-
LATLON	-	-10.00000	10,973 m		
TAMEL	-	48.72860	36,000 ft	25	-
FIX	-	-10.49720	10,973 m		
4800N0-1200W	-	48.00000	36,000 ft	74	-
LATLON	-	-12.00000	10,973 m		
4800N0-1300W	-	48.00000	36,000 ft	40	-
LATLON	-	-13.00000	10,973 m		
4800N0-1400W	-	48.00000	36,000 ft	40	-
LATLON	-	-14.00000	10,973 m		
4800N0-1500W	-	48.00000	36,000 ft	40	-
LATLON	-	-15.00000	10,973 m		
4800N0-1600W	-	48.00000	36,000 ft	40	-
LATLON	-	-16.00000	10,973 m		
4800N0-1700W	-	48.00000	36,000 ft	40	-
LATLON	-	-17.00000	10,973 m		
4800N0-1800W	-	48.00000	36,000 ft	40	-
LATLON	-	-18.00000	10,973 m		
4700N0-2000W	-	47.00000	36,000 ft	100	-
LATLON	-	-20.00000	10,973 m		
4600N0-2200W	-	46.00000	36,000 ft	102	-
LATLON	-	-22.00000	10,973 m		
4600N0-2300W	-	46.00000	36,000 ft	41	-
LATLON	-	-23.00000	10,973 m		
4500N0-2500W	-	45.00000	36,000 ft	103	-
LATLON	-	-25.00000	10,973 m		
4400N0-2700W	-	44.00000	36,000 ft	104	-
LATLON	-	-27.00000	10,973 m		
4300N0-2900W	-	43.00000	36,000 ft	105	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-29.00000	10,973 m		
4200N0-3100W	-	42.00000	36,000 ft	106	-
LATLON	-	-31.00000	10,973 m		
LUKAL	-	41.25310	36,000 ft	75	-
FIX	-	-32.35580	10,973 m		
4100N0-3300W	-	41.00000	36,000 ft	32	-
LATLON	-	-33.00000	10,973 m		
KOLIT	-	40.54860	36,000 ft	32	-
FIX	-	-33.38920	10,973 m		
4000N0-3500W	-	40.00000	36,000 ft	80	-
LATLON	-	-35.00000	10,973 m		
4000N0-3600W	-	40.00000	36,000 ft	46	-
LATLON	-	-36.00000	10,973 m		
4000N0-3700W	-	40.00000	36,000 ft	46	-
LATLON	-	-37.00000	10,973 m		
3900N0-3900W	-	39.00000	36,000 ft	110	-
LATLON	-	-39.00000	10,973 m		
3800N0-4100W	-	38.00000	36,000 ft	111	-
LATLON	-	-41.00000	10,973 m		
3700N0-4300W	-	37.00000	36,000 ft	112	-
LATLON	-	-43.00000	10,973 m		
3500N0-4500W	-	35.00000	36,000 ft	154	-
LATLON	-	-45.00000	10,973 m		
3400N0-4600W	-	34.00000	36,000 ft	77	-
LATLON	-	-46.00000	10,973 m		
3300N0-4800W	-	33.00000	36,000 ft	116	-
LATLON	-	-48.00000	10,973 m		
3200N0-4900W	-	32.00000	36,000 ft	78	-
LATLON	-	-49.00000	10,973 m		
3100N0-5000W	-	31.00000	36,000 ft	78	-
LATLON	-	-50.00000	10,973 m		
2900N0-5200W	-	29.00000	36,000 ft	158	-
LATLON	-	-52.00000	10,973 m		
2800N0-5300W	-	28.00000	36,000 ft	79	-
LATLON	-	-53.00000	10,973 m		
2700N0-5400W	-	27.00000	36,000 ft	80	-
LATLON	-	-54.00000	10,973 m		
2500N0-5600W	-	25.00000	36,000 ft	161	-
LATLON	-	-56.00000	10,973 m		
2400N0-5700W	-	24.00000	36,000 ft	81	-
LATLON	-	-57.00000	10,973 m		
2300N0-5800W	-	23.00000	36,000 ft	81	-
LATLON	-	-58.00000	10,973 m		
RKDIA	-	21.00000	36,000 ft	163	-
FIX	-	-60.00000	10,973 m		
OBIKE	A516	19.34130	23,400 ft	140	-
FIX	AWY-HI	-61.76720	7,132 m		
NEYDU	A516	18.97260	16,700 ft	31	-
FIX	AWY-HI	-62.15250	5,090 m		
TNCM	-	18.04090	0 ft	78	Princess Juliana Intl
APT	-	-63.10890	0 m		

## EHAM

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 6

Elevation: -11 ft / -3 m  
Location: 52.308100 4.764170  
Magnetic Var: 2.052 E

## METAR

EHAM 032155Z 24005KT 9999 FEW030 14/13 Q1018 NOSIG

## TAF

TAF EHAM 031709Z 0318/0424 21006KT 9999 FEW018 SCT030 BECMG 0413/0416 24011KT PROB30 TEMPO 0416/0418 6000 SHRA SC

## Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.72		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.76		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.19		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.19		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.16		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.16		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.14		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.14		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.80		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.84		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.13		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.15		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.83	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.17	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.14	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.15	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.74	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.17	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.19	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.83	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.17	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.14	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.15	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.74	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.17	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.19	3.00	-11 ft -11 m