LFPG
Paris Charles De Gaulle


-

LPPR
Porto

2024/03/19 1146Z

LFPG CHW **UT188** ANG **UN741** TUROP **UN872** VES **UH80** FINAM LPPR

672.91 nm / 1246.23 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	–	49.00974 2.56262	0 ft 0 m	–	Paris Charles De Gaulle
CHW VOR	–	48.48000 0.98706	24,000 ft 7,315 m	70	CHARTRES La Loupe VOR-DME
ANG VOR	UT188 AWY-HI	47.53686 -0.85183	34,000 ft 10,363 m	93	ANGERS VOR
NTS VOR	UN741 AWY-HI	47.16086 -1.61296	34,000 ft 10,363 m	38	NANTES ATLANTIQUE VOR-DME
MOKOR FIX	UN741 AWY-HI	47.00694 -2.01389	34,000 ft 10,363 m	18	–
ERIGA FIX	UN741 AWY-HI	46.86000 -2.36306	34,000 ft 10,363 m	16	–
DEGIS FIX	UN741 AWY-HI	46.26000 -3.35444	34,000 ft 10,363 m	54	–
TUROP FIX	UN741 AWY-HI	46.03750 -3.71333	34,000 ft 10,363 m	20	–
ATLEN FIX	UN872 AWY-HI	44.50536 -4.94753	34,000 ft 10,363 m	105	–
VES VOR	UN872 AWY-HI	43.56459 -6.03067	34,000 ft 10,363 m	73	ASTURIAS VOR-DME
KAROL FIX	UH80 AWY-HI	42.82540 -6.91722	26,300 ft 8,016 m	58	–
FINAM FIX	UH80 AWY-HI	42.42217 -7.38859	24,500 ft 7,468 m	31	–
LPPR APT	–	41.24793 -8.68122	0 ft 0 m	91	Porto

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.476 E

METAR

LFPG 191130Z AUTO 25003KT 200V320 9999 FEW026 16/09 Q1019

TAF

UNKNOWN

Frequencies

REC - 128.32 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER
GND - 125.30 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 119.85 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE

REC - 127.12 MHz - ATIS
TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 123.60 MHz - DE GAULLE TOWER
GND - 121.90 MHz - DE GAULLE GROUND
GND - 121.70 MHz - DE GAULLE GROUND
APP - 118.15 MHz - DE GAULLE APPROACH
APP - 121.15 MHz - DE GAULLE APPROACH
APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft 45 m	13,713 ft 4,180 m	85.31 83.83	ASPHALT	0 ft 0 m	489 ft 149 m
26R	148 ft 45 m	13,713 ft 4,180 m	265.35 263.88	ASPHALT	1,877 ft 572 m	279 ft 85 m
09L	197 ft 60 m	8,866 ft 2,703 m	85.32 83.84	ASPHALT	0 ft 0 m	0 ft 0 m
27R	197 ft 60 m	8,866 ft 2,703 m	265.35 263.87	ASPHALT	0 ft 0 m	0 ft 0 m
08R	197 ft 60 m	8,833 ft 2,692 m	85.33 83.85	ASPHALT	0 ft 0 m	489 ft 149 m
26L	197 ft 60 m	8,833 ft 2,692 m	265.35 263.88	ASPHALT	0 ft 0 m	486 ft 148 m
09R	148 ft 45 m	13,746 ft 4,190 m	85.30 83.82	ASPHALT	0 ft 0 m	0 ft 0 m
27L	148 ft 45 m	13,746 ft 4,190 m	265.34 263.87	ASPHALT	1,959 ft 597 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm 33 km	- -	-	358 ft 358 m
09L	DME	PNE	109.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
09R	DME	CGE	110.10 MHz	18 nm 33 km	- -	-	392 ft 392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	– –	–	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	– –	–	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	– –	–	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.85	–	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.86	–	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.85	–	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.84	–	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.86	–	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.85	–	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.84	–	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.85	–	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.85	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.86	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.85	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.84	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.86	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.85	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.84	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.85	3.00	392 ft 392 m

LPPR

Region: PORTUGAL
Timezone: EUROPE/LISBON
Runways: 1

Elevation: 227 ft / 69 m
Location: 41.247900 -8.681220
Magnetic Var: 1.531 W

METAR

LPPR 191130Z 25006KT 200V300 7000 BKN006 14/13 Q1016

TAF

TAF LPPR 190500Z 1906/2006 VRB02KT 9999 FEW008 PROB40 TEMPO 1906/1909 1200 PRFG BKN002 BECMG 1909/1911 29008KT FEW

Frequencies

REC - 124.30 MHz - PORTO ATIS
APP - 121.10 MHz - PORTO APPROACH

TWR - 118.00 MHz - PORTO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft 45 m	11,428 ft 3,483 m	168.84 170.38	ASPHALT	978 ft 298 m	0 ft 0 m
35	148 ft 45 m	11,428 ft 3,483 m	348.85 350.38	ASPHALT	492 ft 150 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	PR	109.90 MHz	18 nm 33 km	- -	-	228 ft 228 m
17	LOC-ILS	PR	109.90 MHz	18 nm 33 km	168.87 170.40	-	228 ft 228 m
17	GS	PR	109.90 MHz	10 nm 19 km	169.77 171.30	2.72	228 ft 228 m