

# LFPG

Paris Charles De Gaulle


# LIEE

Cagliari Elmas

2024/05/11 0342Z

LFPG AVLON **UM976** ATN **UZ12** BULOL **UM733** BARSO **UM623** ALG LIEE

658.74 nm / 1219.99 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00974 2.56262	0 ft 0 m	-	Paris Charles De Gaulle
AVLON FIX	-	47.56000 3.81333	35,000 ft 10,668 m	100	-
ATN VOR	UM976 AWY-HI	46.80594 4.25914	35,000 ft 10,668 m	48	-
MOMIL FIX	UZ12 AWY-HI	46.54611 4.54667	35,000 ft 10,668 m	19	-
BULOL FIX	UZ12 AWY-HI	46.04583 5.09194	35,000 ft 10,668 m	37	-
GIPNO FIX	UM733 AWY-HI	45.56000 5.52917	35,000 ft 10,668 m	34	-
OKTET FIX	UM733 AWY-HI	44.48500 6.56944	35,000 ft 10,668 m	78	-
BARSO FIX	UM733 AWY-HI	44.14361 6.89028	35,000 ft 10,668 m	24	-
KOLON FIX	UM623 AWY-HI	43.72194 6.95333	35,000 ft 10,668 m	25	-
ROKNO FIX	UM623 AWY-HI	43.43722 7.24972	35,000 ft 10,668 m	21	-
EBORA FIX	UM623 AWY-HI	43.32778 7.36250	35,000 ft 10,668 m	8	-
OMARD FIX	UM623 AWY-HI	43.10472 7.59111	35,000 ft 10,668 m	16	-
VAREK FIX	UM623 AWY-HI	42.31306 7.98056	35,000 ft 10,668 m	50	-
OKTAV FIX	UM623 AWY-HI	41.28694 8.14194	27,900 ft 8,504 m	62	-
PELOS FIX	UM623 AWY-HI	41.16195 8.16139	25,300 ft 7,711 m	7	-
ALG VOR	UM623 AWY-HI	40.62806 8.24389	19,500 ft 5,944 m	32	ALGHERO VORTAC
LIEE APT	-	39.25147 9.05429	0 ft 0 m	90	Cagliari Elmas

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.496 E

## METAR

LFPG 110330Z 01009KT CAVOK 12/10 Q1019 NOSIG

## TAF

TAF LFPG 102300Z 1100/1206 06006KT CAVOK TX25/1115Z TN12/1104Z

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m

## LIEE

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 13 ft / 4 m  
Location: 39.251500 9.054300  
Magnetic Var: 2.945 E

## METAR

LIEE 110320Z 35005KT 9999 SCT003 12/11 Q1016

## TAF

TAF LIEE 102300Z 1100/1124 VRB05KT CAVOK BECMG 1109/1111 16013KT BECMG 1118/1120 VRB05KT

## Frequencies

REC - 127.05 MHz - ATIS	GND - 125.42 MHz - ELMAS GROUND
TWR - 120.60 MHz - ELMAS TOWER	TWR - 122.10 MHz - ELMAS TOWER
APP - 118.40 MHz - CAGLIARI APPROACH	APP - 118.75 MHz - CAGLIARI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	9,209 ft	138.10	ASPHALT	0 ft	0 ft
	45 m	2,807 m	135.15		0 m	0 m
32	148 ft	9,209 ft	318.11	ASPHALT	0 ft	0 ft
	45 m	2,807 m	315.17		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IEL	109.50 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
32	LOC-ILS	IEL	109.50 MHz	18 nm	318.10	-	13 ft
				33 km	315.15		13 m
32	GS	IEL	109.50 MHz	10 nm	318.10	3.00	13 ft
				19 km	315.15		13 m