

# VCBI

Bandaranaike International Airport


# VOMM

Chennai International Airport

2024/05/17 2052Z

VCBI CA **A465** AKMIL VOMM

349.66 nm / 647.58 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
VCBI	-	7.18125	0 ft	-	Bandaranaike International Airport	
APT	-	79.88380	0 m			
CA	-	8.00528	17,700 ft	49	-	
FIX	-	79.94220	5,395 m			
DABAR	A465	10.00000	35,000 ft	120	-	
FIX	AWY-HI	80.08170	10,668 m			
BEBOK	A465	10.72500	29,200 ft	43	-	
FIX	AWY-HI	80.09330	8,900 m			
AKMIL	A465	11.85970	14,600 ft	68	-	
FIX	AWY-HI	80.11530	4,450 m			
VOMM	-	12.99510	0 ft	68	Chennai International Airport	
APT	-	80.16900	0 m			

## VCBI

Region: SRI LANKA  
Timezone: ASIA/COLOMBO  
Runways: 1

Elevation: 30 ft / 9 m  
Location: 7.181250 79.883800  
Magnetic Var: 1.611 W

## METAR

VCBI 172010Z VRB01KT 8000 FEW018 26/25 Q1007 NOSIG

## TAF

TAF VCBI 171700Z 1718/1824 16006KT 9000 SCT017 FEW019CB TX32/1807Z TN24/1800Z PROB30 TEMPO 1722/1803 VRB10G25KT 6

## Frequencies

REC - 127.20 MHz - ATIS	GND - 121.90 MHz - COLOMBO GROUND
TWR - 118.70 MHz - COLOMBO TOWER	TWR - 123.80 MHz - COLOMBO TOWER
APP - 120.90 MHz - COLOMBO APPROACH	APP - 132.40 MHz - COLOMBO DIRECTOR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,001 ft	37.22	ASPHALT	0 ft	407 ft
	45 m	3,353 m	38.83		0 m	124 m
22	148 ft	11,001 ft	217.22	ASPHALT	0 ft	390 ft
	45 m	3,353 m	218.83		0 m	119 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IKW	109.90 MHz	18 nm	-	-	39 ft
				33 km	-		39 m
22	DME	IKA	110.30 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
04	LOC-ILS	IKW	109.90 MHz	18 nm	37.22	-	30 ft
				33 km	38.83		30 m
22	LOC-ILS	IKA	110.30 MHz	18 nm	217.22	-	30 ft
				33 km	218.83		30 m
04	GS	IKW	109.90 MHz	10 nm	37.22	3.00	30 ft
				19 km	38.83		30 m
22	GS	IKA	110.30 MHz	10 nm	217.22	3.00	30 ft
				19 km	218.83		30 m

## VOMM

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 2

Elevation: 51 ft / 16 m  
Location: 12.995100 80.169000  
Magnetic Var: 0.777 W

## METAR

VOMM 172030Z 29003KT 6000 SCT020 BKN100 29/26 Q1006 NOSIG

## TAF

TAF VOMM 171700Z 1718/1824 27005KT 5000 HZ SCT020 BKN100 PROB30 TEMPO 1718/1724 3000 -RA/BR SCT012 BKN080 PROB40 T

## Frequencies

REC - 127.45 MHz - ATIS  
TWR - 118.10 MHz -  
APP - 124.45 MHz -  
GND - 121.90 MHz -  
APP - 127.90 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	12,013 ft	68.92	ASPHALT	0 ft	476 ft
	45 m	3,661 m	69.70		0 m	145 m
25	148 ft	12,013 ft	248.93	ASPHALT	0 ft	492 ft
	45 m	3,661 m	249.70		0 m	150 m
12	148 ft	10,604 ft	117.74	ASPHALT	2,556 ft	0 ft
	45 m	3,232 m	118.51		779 m	0 m
30	148 ft	10,604 ft	297.74	ASPHALT	1,135 ft	0 ft
	45 m	3,232 m	298.52		346 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	IMAS	110.30 MHz	18 nm	-	-	52 ft
				33 km	-		52 m
07	LOC-ILS	IMAS	110.30 MHz	18 nm	68.92	-	51 ft
				33 km	69.70		51 m
25	LOC-ILS	ICHN	109.70 MHz	18 nm	248.92	-	51 ft
				33 km	249.70		51 m
07	GS	IMAS	110.30 MHz	10 nm	68.92	3.00	51 ft
				19 km	69.70		51 m
25	GS	ICHN	109.70 MHz	10 nm	248.92	3.00	51 ft
				19 km	249.70		51 m