

# DNMM

Lagos Murtala Muhammed


# OEJN

Jeddah King Abdulaziz Intl

2024/05/07 0254Z

DNMM ERAMI **UH340** EDEKO **UJ332** JOS **UH223** MIU **UG660** FSR ALVOR 1700N03000E MRW **U1AW1** PSD **UG660** NABTA  
OEJN

2361.75 nm / 4373.96 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DNMM	-	6.57738	0 ft	-	Lagos Murtala Muhammed
APT	-	3.32135	0 m		
ERAMI	-	7.22500	23,700 ft	69	-
FIX	-	4.28500	7,224 m		
BISAP	UH340	8.39000	35,000 ft	147	-
FIX	AWY-HI	6.46000	10,668 m		
EDEKO	UH340	9.35422	35,000 ft	77	-
FIX	AWY-HI	7.31838	10,668 m		
JOS	UJ332	9.64219	35,000 ft	91	JOS VOR-DME
VOR	AWY-HI	8.84300	10,668 m		
POSIB	UH223	10.72345	35,000 ft	136	-
FIX	AWY-HI	10.87932	10,668 m		
MIU	UH223	11.88816	35,000 ft	149	MAIDUGURI VOR-DME
VOR	AWY-HI	13.11666	10,668 m		
KELAK	UG660	12.08833	35,000 ft	89	-
FIX	AWY-HI	14.63211	10,668 m		
FL	UG660	12.14169	35,000 ft	24	NDJAMENA VOR-DME
VOR	AWY-HI	15.03831	10,668 m		
GAPAN	UG660	12.62056	35,000 ft	149	-
FIX	AWY-HI	17.54611	10,668 m		
ETSAM	UG660	12.83278	35,000 ft	68	-
FIX	AWY-HI	18.70111	10,668 m		
ARBEG	UG660	13.23194	35,000 ft	134	-
FIX	AWY-HI	20.96111	10,668 m		
GNA	UG660	13.48331	35,000 ft	89	GENEINA NDB
NDB	AWY-HI	22.46362	10,668 m		
FSR	UG660	13.61047	35,000 ft	167	EL FASHIR VOR-DME
VOR	AWY-HI	25.32928	10,668 m		
ALVOR	-	16.10242	35,000 ft	216	-
FIX	-	28.03425	10,668 m		
1700N03000E	-	17.00000	35,000 ft	125	-
LATLON	-	30.00000	10,668 m		
MRW	-	18.44977	35,000 ft	135	MEROWE VOR-DME
VOR	-	31.81866	10,668 m		
PSD	U1AW1	19.40118	35,000 ft	313	PORT SUDAN VOR-DME
VOR	AWY-HI	37.24171	10,668 m		
BOGUM	UG660	20.11013	23,500 ft	62	-
FIX	AWY-HI	38.05086	7,163 m		
NABTA	UG660	20.55389	23,500 ft	31	-
FIX	AWY-HI	38.36278	7,163 m		
OEJN	-	21.68132	0 ft	80	Jeddah King Abdulaziz Intl
APT	-	39.15565	0 m		

## DNMM

Region: NIGERIA  
Timezone: AFRICA/LAGOS  
Runways: 2

Elevation: 133 ft / 41 m  
Location: 6.577380 3.321350  
Magnetic Var: 1.563 W

## METAR

DNMM 070200Z 33004KT 8000 TS FEW010 FEW020CB 26/25 Q1009 NOSIG

## TAF

TAF DNMM 062300Z 0700/0806 VRB02KT 9999 SCT011 BECMG 0708/0710 22010KT BKN013 TEMPO 0711/0717 TS SCT013 FEW020CB

## Frequencies

GND - 121.90 MHz -  
REC - 123.80 MHz - ATIS

TWR - 118.10 MHz -  
APP - 124.30 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18R	197 ft	12,807 ft	180.00	ASPHALT	0 ft	384 ft
	60 m	3,904 m	181.56		0 m	117 m
36L	197 ft	12,807 ft	0.00	ASPHALT	0 ft	387 ft
	60 m	3,904 m	1.56		0 m	118 m
18L	148 ft	9,014 ft	180.00	ASPHALT	0 ft	171 ft
	45 m	2,748 m	181.56		0 m	52 m
36R	148 ft	9,014 ft	0.00	ASPHALT	0 ft	187 ft
	45 m	2,748 m	1.56		0 m	57 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	DME	ILA	108.10 MHz	18 nm	-	-	135 ft
				33 km	-		135 m
18R	DME	ILB	109.30 MHz	18 nm	-	-	135 ft
				33 km	-		135 m
18L	LOC-ILS	ILA	110.30 MHz	18 nm	180.00	-	133 ft
				33 km	181.56		133 m
18R	LOC-ILS	ILB	108.10 MHz	18 nm	180.00	-	133 ft
				33 km	181.56		133 m
18L	GS	ILA	110.30 MHz	10 nm	180.00	3.00	133 ft
				19 km	181.56		133 m
18R	GS	ILB	108.10 MHz	10 nm	180.00	3.00	133 ft
				19 km	181.56		133 m

## OEJN

Region: SAUDI ARABIA  
Timezone: ASIA/RIYADH  
Runways: 3

Elevation: 49 ft / 15 m  
Location: 21.682800 39.155100  
Magnetic Var: 3.895 E

## METAR

OEJN 070200Z 33006KT CAVOK 25/15 Q1009 NOSIG

## TAF

TAF OEJN 062300Z 0700/0806 04005KT 7000 NSC BECMG 0706/0708 35013KT CAVOK BECMG 0718/0720 02007KT

## Frequencies

TWR - 118.20 MHz - JEDDAH TOWER  
GND - 121.90 MHz - JEDDAH GROUND  
REC - 126.20 MHz - JEDDAH ATIS  
APP - 119.10 MHz - JEDDAH APPROACH  
APP - 123.80 MHz - JEDDAH DIRECTOR

TWR - 124.30 MHz - JEDDAH TOWER  
GND - 121.60 MHz - JEDDAH GROUND  
DEP - 124.00 MHz - JEDDAH DEPARTURE  
APP - 124.00 MHz - JEDDAH APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	13,170 ft	159.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	156.00		0 m	121 m
34R	197 ft	13,170 ft	339.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	336.00		0 m	121 m
16C	197 ft	13,168 ft	159.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	155.98		0 m	122 m
34C	197 ft	13,168 ft	339.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	335.99		0 m	122 m
16R	194 ft	12,511 ft	159.87	ASPHALT	0 ft	394 ft
	59 m	3,813 m	155.97		0 m	120 m
34L	194 ft	12,511 ft	339.87	ASPHALT	0 ft	390 ft
	59 m	3,813 m	335.98		0 m	119 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16C	DME	IJDC	109.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	IDFJ	108.50 MHz	18 nm	-	-	27 ft
				33 km	-		27 m
16R	DME	IJDD	109.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
34C	DME	IJDW	109.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
34L	DME	IJDL	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
34R	DME	IEAL	108.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
16C	LOC-ILS	IJDC	109.70 MHz	18 nm	159.88	-	49 ft
				33 km	155.99		49 m
16L	LOC-ILS	IDFJ	108.50 MHz	18 nm	159.89	-	49 ft
				33 km	156.00		49 m
16R	LOC-ILS	IJDD	109.30 MHz	18 nm	159.87	-	49 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	155.98		49 m
34C	LOC-ILS	IJDW	109.50 MHz	18 nm	339.88	-	49 ft
				33 km	335.99		49 m
34L	LOC-ILS	IJDL	109.10 MHz	18 nm	339.87	-	49 ft
				33 km	335.98		49 m
34R	LOC-ILS	IEAL	108.30 MHz	18 nm	339.89	-	49 ft
				33 km	336.00		49 m
16C	GS	IJDC	109.70 MHz	10 nm	159.88	3.00	49 ft
				19 km	155.99		49 m
16L	GS	IDFJ	108.50 MHz	10 nm	159.89	3.00	49 ft
				19 km	156.00		49 m
16R	GS	IJDD	109.30 MHz	10 nm	159.87	3.00	49 ft
				19 km	155.98		49 m
34C	GS	IJDW	109.50 MHz	10 nm	339.88	3.00	49 ft
				19 km	335.99		49 m
34L	GS	IJDL	109.10 MHz	10 nm	339.87	3.00	49 ft
				19 km	335.98		49 m
34R	GS	IEAL	108.30 MHz	10 nm	339.89	3.00	49 ft
				19 km	336.00		49 m