

UUEE

Moscou Sheremetyevo


LCLK

Larnaca

2024/05/12 1227Z

UUEE DR **CRDR5** IN **G476** TIMOV **A97** NALEG **UA97** KHR **UM853** BUK **UL621** MUT **UA28** NEKES LCLK

1291.56 nm / 2391.97 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UUEE	-	55.97264	0 ft	-	Moscou Sheremetyevo
APT	-	37.41459	0 m		
DR	-	55.21111	16,300 ft	45	SKURYGINO NDB
NDB	-	37.36444	4,968 m		
IN	CRDR5	54.60889	28,200 ft	36	SUKHOTINO NDB
NDB	AWY-LO	37.32361	8,595 m		
GD	G476	53.57333	34,000 ft	62	MALOYE SKURATOVO NDB
NDB	AWY-HI	37.05500	10,363 m		
NOVMA	G476	52.96639	35,000 ft	36	-
FIX	AWY-HI	37.07972	10,668 m		
UBONA	G476	52.38972	35,000 ft	34	-
FIX	AWY-HI	37.10972	10,668 m		
KENOM	G476	52.32000	35,000 ft	4	-
FIX	AWY-HI	37.11500	10,668 m		
MALUT	G476	51.92639	35,000 ft	23	-
FIX	AWY-HI	37.13306	10,668 m		
TIMOV	G476	51.61667	35,000 ft	18	-
FIX	AWY-HI	37.15000	10,668 m		
ORTUM	A97	51.35306	20,700 ft	16	-
FIX	AWY-HI	37.01306	6,309 m		
UUOB	A97	50.64423	20,700 ft	45	BELGOROD
APT	AWY-HI	36.58999	6,309 m		
NALEG	A97	50.31333	20,700 ft	20	-
FIX	AWY-HI	36.48500	6,309 m		
KHR	UA97	49.92679	34,000 ft	24	KHARKIV VOR-DME
VOR	AWY-HI	36.28525	10,363 m		
NIKAD	UM853	48.99594	34,000 ft	57	-
FIX	AWY-HI	35.92028	10,363 m		
ABDAK	UM853	47.29896	34,000 ft	104	-
FIX	AWY-HI	35.29088	10,363 m		
NEBAB	UM853	46.31283	34,000 ft	60	-
FIX	AWY-HI	34.94424	10,363 m		
SOGTA	UM853	45.64420	34,000 ft	41	-
FIX	AWY-HI	34.71648	10,363 m		
AL	UM853	44.67473	34,000 ft	59	ALUSHTA NDB
NDB	AWY-HI	34.39678	10,363 m		
PIDIT	UM853	43.79416	34,000 ft	53	-
FIX	AWY-HI	34.25014	10,363 m		
DIPAS	UM853	43.72055	34,000 ft	4	-
FIX	AWY-HI	34.23791	10,363 m		
REBKO	UM853	43.24276	34,000 ft	28	-
FIX	AWY-HI	34.16043	10,363 m		
KUGOS	UM853	42.78056	34,000 ft	27	-
FIX	AWY-HI	34.08778	10,363 m		
INB	UM853	41.95139	34,000 ft	52	INEBOLU VOR-DME
VOR	AWY-HI	33.70611	10,363 m		
BUK	UM853	40.24167	34,000 ft	106	CUBUK NDB
NDB	AWY-HI	33.10472	10,363 m		
BUMOM	UL621	38.01444	35,000 ft	133	-
FIX	AWY-HI	33.22972	10,668 m		
MUT	UL621	36.86417	27,500 ft	69	MUT VOR-DME
VOR	AWY-HI	33.29222	8,382 m		
NEKES	UA28	36.15361	28,500 ft	42	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	33.28472	8,687 m		
LCLK	-	34.87512	0 ft	78	Larnaca
APT	-	33.62483	0 m		

UUEE

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 3

Elevation: 630 ft / 192 m
Location: 55.972500 37.413100
Magnetic Var: 11.978 E

METAR

UUEE 121200Z 36005MPS 330V030 9999 BKN040 05/M04 Q1018 R06R/CLRD62 R06C/CLRD62 NOSIG

TAF

TAF UUEE 121052Z 1212/1312 34005MPS 9999 BKN020 TX07/1212Z TN01/1303Z TEMPO 1212/1216 01008G14MPS

Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.00		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.05		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.05		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.09		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.05		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.10		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.02		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.07		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.07		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.02		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.02		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.02		630 m

LCLK

Region: CYPRUS
Timezone: ASIA/NICOSIA
Runways: 1

Elevation: 11 ft / 3 m
Location: 34.873800 33.624000
Magnetic Var: 5.547 E

METAR

LCLK 121200Z 22030KT 9999 FEW012 FEW040CB SCT050 24/16 Q1008 NOSIG

TAF

TAF LCLK 121130Z 1212/1312 22028G38KT 9999 SCT040 PROB30 TEMPO 1212/1215 FEW050CB BECMG 1215/1218 22015KT BECMG 1

Frequencies

REC - 126.55 MHz - LARNACA ATIS	CLD - 120.57 MHz - LARNACA CLEARANCE DELIVERY
GND - 119.40 MHz - LARNACA GROUND	GND - 121.90 MHz - LARNACA GROUND
TWR - 121.20 MHz - LARNACA TOWER	TWR - 130.20 MHz - LARNACA TOWER
APP - 130.20 MHz - LARNACA APPROACH	APP - 121.20 MHz - LARNACA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	9,832 ft	45.08	ASPHALT	0 ft	0 ft
	45 m	2,997 m	39.53		0 m	0 m
22	148 ft	9,832 ft	225.09	ASPHALT	627 ft	0 ft
	45 m	2,997 m	219.55		191 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	ILC	110.30 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
22	LOC-ILS	ILC	110.30 MHz	18 nm	225.09	-	11 ft
				33 km	219.54		11 m
22	GS	ILC	110.30 MHz	10 nm	225.09	2.75	11 ft
				19 km	219.54		11 m