

LIPZ

Venezia Tesserà


LIRN

Naples Capodichino

2024/05/10 1729Z

LIPZ LANLI ANC PES LIRN

294.12 nm / 544.71 km



Notes

Requested: LIPZ LANLI ANC PES LIRN

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ	-	45.50479	0 ft	-	Venezia Tesserà
APT	-	12.34969	0 m		
LANLI	-	43.95722	0 ft	99	-
FIX	-	13.18056	0 m		
ANC	-	43.58667	0 ft	25	ANCONA NDB
NDB	-	13.47222	0 m		
PES	-	42.43631	0 ft	75	PESCARA NDB
NDB	-	14.18347	0 m		
LIRN	-	40.88603	0 ft	93	Naples Capodichino
APT	-	14.29078	0 m		

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.905 E

METAR

LIPZ 101650Z 23004KT 200V260 CAVOK 22/11 Q1017 NOSIG

TAF

TAF LIPZ 101100Z 1012/1118 11012KT 9999 FEW050 BECMG 1016/1018 03007KT BECMG 1110/1112 16010KT

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.13		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.13		4 m

LIRN

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 292 ft / 89 m
Location: 40.886000 14.290800
Magnetic Var: 3.962 E

METAR

LIRN 101650Z 34007KT 310V020 9999 FEW040 BKN060 23/12 Q1014 NOSIG

TAF

TAF LIRN 101100Z 1012/1112 03007KT 9999 FEW040 BECMG 1012/1014 30010KT TEMPO 1013/1018 SHRA BECMG 1016/1018 03007

Frequencies

APP - 124.35 MHz - NAPOLI APPROACH
TWR - 118.50 MHz - NAPOLI TOWER
REC - 135.97 MHz - ATIS

APP - 120.95 MHz - NAPOLI APPROACH
GND - 121.90 MHz - NAPOLI GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,630 ft	58.04	ASPHALT	1,312 ft	217 ft
	45 m	2,630 m	54.08		400 m	66 m
24	148 ft	8,630 ft	238.05	ASPHALT	607 ft	230 ft
	45 m	2,630 m	234.09		185 m	70 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	NPC	110.15 MHz	25 nm	-	-	294 ft
				46 km	-		294 m
24	DME	INPL	109.50 MHz	25 nm	-	-	250 ft
				46 km	-		250 m
06	LOC-ILS	NPC	110.15 MHz	18 nm	58.08	-	292 ft
				33 km	54.12		292 m
24	LOC-ILS	INPL	109.50 MHz	18 nm	238.03	-	288 ft
				33 km	234.06		288 m
24	LOC-ILS	INP	109.50 MHz	18 nm	238.08	-	292 ft
				33 km	234.12		292 m
24	GS	INPL	109.50 MHz	10 nm	238.06	3.33	250 ft
				19 km	234.10		250 m
24	GS	INP	109.50 MHz	10 nm	238.08	3.33	292 ft
				19 km	234.12		292 m