

KCMH

Port Columbus International


KDCA

Ronald Reagan Airport

2024/06/06 0344Z

KCMH APE OTMAN KARYL LUISE BUCKO ESL KDCA

287.23 nm / 531.95 km



Notes

Requested: KCMH RW28L APE OTMAN KARYL LUISE BUCKO SHARR ESL KDCA

Unmatched points: RW28L

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KCMH	-	39.99690	0 ft	-	Port Columbus International
APT	-	-82.89220	0 m	-	
APE	-	40.15110	0 ft	16	APPLETON
VOR	-	-82.58830	0 m	-	
OTMAN	-	39.94700	0 ft	33	-
FIX	-	-81.90430	0 m	-	
KARYL	-	39.86630	0 ft	13	-
FIX	-	-81.63850	0 m	-	
LUISE	-	39.57430	0 ft	46	-
FIX	-	-80.69850	0 m	-	
BUCKO	-	39.29380	0 ft	43	-
FIX	-	-79.82500	0 m	-	
ESL	-	39.22550	0 ft	39	KESSEL
VOR	-	-78.98950	0 m	-	
KDCA	-	38.85140	0 ft	93	Ronald Reagan Airport
APT	-	-77.03770	0 m	-	

KCMH

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 815 ft / 248 m
Location: 39.996900 -82.892200
Magnetic Var: 7.464 W

METAR

KCMH 060251Z 23009KT 10SM -RA FEW027 BKN037 OVC055 23/22 A2963 RMK A02 LTG DSNT NE AND E AND SW SLP028 TSB0157E40 T

TAF

KCMH 060253Z 0603/0624 19011KT 5SM -SHRA OVC040 TEMPO 0603/0604 1SM TSRA BR OVC025CB FM060500 22005KT P6SM VCSH OV

Frequencies

REC - 124.60 MHz - PORT COLUMBUS ATIS	COM - 122.95 MHz - COLUMBUS UNICOM
GND - 121.90 MHz - COLUMBUS GROUND	TWR - 132.70 MHz - COLUMBUS TOWER
APP - 118.20 MHz - COLUMBUS APPROACH	APP - 119.15 MHz - COLUMBUS APPROACH
APP - 119.65 MHz - COLUMBUS APPROACH	APP - 125.95 MHz - COLUMBUS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	150 ft	10,089 ft	94.22	ASPHALT	0 ft	200 ft
	46 m	3,075 m	101.68		0 m	61 m
28L	150 ft	10,089 ft	274.24	ASPHALT	0 ft	200 ft
	46 m	3,075 m	281.71		0 m	61 m
10L	150 ft	7,982 ft	94.20	ASPHALT	0 ft	200 ft
	46 m	2,433 m	101.66		0 m	61 m
28R	150 ft	7,982 ft	274.22	ASPHALT	0 ft	200 ft
	46 m	2,433 m	281.68		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	DME	ICBP	109.10 MHz	18 nm	-	-	822 ft
				33 km	-		822 m
10R	DME	IAQI	108.70 MHz	18 nm	-	-	820 ft
				33 km	-		820 m
28L	DME	ICMH	108.70 MHz	18 nm	-	-	820 ft
				33 km	-		820 m
28R	DME	IONB	109.10 MHz	18 nm	-	-	822 ft
				33 km	-		822 m
10L	LOC-ILS	ICBP	109.10 MHz	18 nm	94.21	-	813 ft
				33 km	101.67		813 m
10R	LOC-ILS	IAQI	111.75 MHz	18 nm	94.23	-	813 ft
				33 km	101.69		813 m
28L	LOC-ILS	ICMH	111.75 MHz	18 nm	274.23	-	813 ft
				33 km	281.69		813 m
28R	LOC-ILS	IONB	109.10 MHz	18 nm	274.21	-	813 ft
				33 km	281.67		813 m
10L	GS	ICBP	109.10 MHz	10 nm	94.21	3.00	813 ft
				19 km	101.67		813 m
10R	GS	IAQI	111.75 MHz	10 nm	94.23	3.00	813 ft
				19 km	101.69		813 m
28L	GS	ICMH	111.75 MHz	10 nm	274.23	3.00	813 ft
				19 km	281.69		813 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28R	GS	IONB	109.10 MHz	10 nm	274.21	3.00	813 ft
				19 km	281.67		813 m

KDCA

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 15 ft / 5 m
Location: 38.851400 -77.037700
Magnetic Var: 10.880 W

METAR

KDCA 060252Z 19008KT 10SM BKN140 BKN160 OVC250 25/22 A2970 RMK A02 SLP058 T02500217 56004

TAF

KDCA 060302Z 0603/0706 17010KT P6SM VCSH FEW030 SCT120 BKN250 FM060600 19006KT P6SM OVC025 FM061400 21007KT P6SM

Frequencies

REC - 132.65 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 128.25 MHz - CLEARANCE DELIVERY	GND - 121.70 MHz - WASHINGTON GROUND
TWR - 119.10 MHz - WASHINGTON TOWER	TWR - 134.35 MHz - WASHINGTON TOWER
APP - 119.85 MHz - POTOMAC APPROACH	APP - 124.20 MHz - POTOMAC APPROACH
APP - 124.70 MHz - POTOMAC APPROACH	DEP - 118.95 MHz - POTOMAC DEPARTURE
DEP - 125.65 MHz - POTOMAC DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	151 ft	7,183 ft	355.53	ASPHALT	0 ft	200 ft
	46 m	2,190 m	6.41		0 m	61 m
19	151 ft	7,183 ft	175.53	ASPHALT	0 ft	197 ft
	46 m	2,190 m	186.41		0 m	60 m
15	151 ft	5,205 ft	142.76	ASPHALT	0 ft	413 ft
	46 m	1,587 m	153.64		0 m	126 m
33	151 ft	5,205 ft	322.77	ASPHALT	0 ft	180 ft
	46 m	1,587 m	333.65		0 m	55 m
04	151 ft	5,009 ft	25.45	ASPHALT	203 ft	0 ft
	46 m	1,527 m	36.33		62 m	0 m
22	151 ft	5,009 ft	205.46	ASPHALT	0 ft	381 ft
	46 m	1,527 m	216.34		0 m	116 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	IDCA	109.90 MHz	18 nm	-	-	15 ft
				33 km	-		15 m
19	DME	IVWH	108.50 MHz	18 nm	-	-	15 ft
				33 km	-		15 m
01	LOC-ILS	IDCA	109.90 MHz	18 nm	355.51	-	15 ft
				33 km	6.39		15 m
01	GS	IDCA	109.90 MHz	10 nm	355.51	3.00	15 ft
				19 km	6.39		15 m