

SBKP

Campinas Viracopos Intl


SBFL

Florianopolis International Airport

2024/05/03 1659Z

SBKP SEGNO **UM788** OBKUX SBFL

313.96 nm / 581.45 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
SBKP	-	-23.00740	0 ft	-	Campinas Viracopos Intl	
APT	-	-47.13450	0 m			
SEGNO	-	-24.71530	35,000 ft	107	-	
FIX	-	-47.71920	10,668 m			
SANBO	UM788	-25.53470	30,000 ft	66	-	
FIX	AWY-HI	-48.53080	9,144 m			
PAKOV	UM788	-25.85980	24,700 ft	24	-	
FIX	AWY-HI	-48.81930	7,529 m			
OBKUX	UM788	-26.06720	21,200 ft	16	-	
FIX	AWY-HI	-49.00530	6,462 m			
SBFL	-	-27.67060	0 ft	99	Florianopolis International Airport	
APT	-	-48.54710	0 m			

SBKP

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 1

Elevation: 2,169 ft / 661 m
Location: -23.007400 -47.134500
Magnetic Var: 22.008 W

METAR

SBKP 031600Z 32004KT 9999 SCT040 31/14 Q1015

TAF

TAF SBKP 030800Z 0312/0412 11005KT CAVOK TX32/0318Z TN19/0409Z BECMG 0312/0314 35005KT BECMG 0315/0318 33010KT BE

Frequencies

REC - 127.82 MHz - ATIS	COM - 122.80 MHz - CAMPINAS UNICOM
GND - 121.90 MHz - CAMPINAS GROUND	TWR - 118.25 MHz - CAMPINAS TOWER
APP - 119.25 MHz - SAO PAULO APPROACH	APP - 121.40 MHz - SAO PAULO APPROACH
APP - 132.10 MHz - SAO PAULO APPROACH	APP - 120.25 MHz - SAO PAULO APPROACH
APP - 135.75 MHz - SAO PAULO APPROACH	APP - 120.05 MHz - SAO PAULO APPROACH
APP - 119.80 MHz - SAO PAULO APPROACH	APP - 129.00 MHz - SAO PAULO APPROACH
APP - 119.60 MHz - SAO PAULO APPROACH	APP - 134.65 MHz - SAO PAULO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	10,666 ft	127.87	ASPHALT	0 ft	171 ft
	45 m	3,251 m	149.88		0 m	52 m
33	148 ft	10,666 ft	307.86	ASPHALT	315 ft	177 ft
	45 m	3,251 m	329.87		96 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	IKP	110.30 MHz	18 nm	127.87	-	2,170 ft
				33 km	149.88		2,170 m
15	GS	IJV	110.30 MHz	10 nm	127.87	3.00	2,170 ft
				19 km	149.88		2,170 m

SBFL

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 17 ft / 5 m
Location: -27.670300 -48.546800
Magnetic Var: 20.233 W

METAR

SBFL 031600Z 18007KT 130V210 9999 SCT030 BKN090 23/19 Q1013

TAF

TAF SBFL 030900Z 0312/0412 19018KT 8000 BKN010 TX23/0318Z TN22/0407Z BECMG 0314/0316 12012KT 6000 RA BKN012 BKN03

Frequencies

REC - 127.45 MHz - FLORIANOPOLIS ATIS	GND - 121.70 MHz - FLORIANOPOLIS GROUND
TWR - 118.70 MHz - FLORIANOPOLIS TOWER	TWR - 122.80 MHz - FLORIANOPOLIS TOWER
APP - 119.50 MHz - FLORIANOPOLIS APPROACH	APP - 119.65 MHz - FLORIANOPOLIS APPROACH
APP - 128.95 MHz - FLORIANOPOLIS APPROACH	APP - 129.45 MHz - FLORIANOPOLIS APPROACH
APP - 129.60 MHz - FLORIANOPOLIS APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	7,881 ft	121.30	ASPHALT	0 ft	0 ft
	45 m	2,402 m	141.54		0 m	0 m
32	148 ft	7,881 ft	301.29	ASPHALT	0 ft	0 ft
	45 m	2,402 m	321.53		0 m	0 m
03	148 ft	4,343 ft	11.46	CONCRETE	0 ft	591 ft
	45 m	1,324 m	31.70		0 m	180 m
21	148 ft	4,343 ft	191.46	CONCRETE	459 ft	0 ft
	45 m	1,324 m	211.69		140 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	IFL	110.30 MHz	18 nm	121.30	-	17 ft
				33 km	141.53		17 m
14	GS	IFL	110.30 MHz	10 nm	121.30	3.00	17 ft
				19 km	141.53		17 m