

LLBG

Tel Aviv Ben Gurion Airport


LLSD

Sde Dov Tel Aviv Airport

2024/05/02 2024Z

LLBG BGN LLSD

8.20 nm / 15.19 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LLBG	-	32.00980	0 ft	-	Tel Aviv Ben Gurion Airport
APT	-	34.88390	0 m		
BGN	-	32.01310	100 ft	0	BEN GURION (TEL AVIV)
VOR	-	34.87540	30 m		
LLSD	-	32.11470	0 ft	7	Sde Dov Tel Aviv Airport
APT	-	34.78230	0 m		

LLBG

Region: ISRAEL

Timezone: ASIA/JERUSALEM

Runways: 3

Elevation: 134 ft / 41 m

Location: 32.009900 34.884000

Magnetic Var: 5.207 E

METAR

LLBG 021950Z 22005KT 9999 FEW027 20/15 Q1010 NOSIG

TAF

TAF LLBG 021705Z 0218/0318 26008KT 9999 SCT025 BECMG 0219/0221 18008KT SCT020 PROB40 TEMPO 0221/0305 VRB04KT BKN0

Frequencies

REC - 132.50 MHz - ATIS

GND - 118.05 MHz - BEN GURION GROUND

TWR - 119.35 MHz - BEN GURION TOWER

TWR - 134.60 MHz - BEN GURION TOWER

DEP - 119.35 MHz - BEN GURION DEPARTURE

APP - 119.35 MHz - BEN GURION APPROACH

APP - 131.10 MHz - BEN GURION ARRIVAL

REC - 132.80 MHz - ATIS

GND - 129.20 MHz - BEN GURION GROUND

TWR - 132.10 MHz - BEN GURION TOWER

CLD - 118.30 MHz - CLEARANCE DELIVERY

DEP - 120.50 MHz - BEN GURION DEPARTURE

APP - 120.50 MHz - BEN GURION APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	197 ft	9,120 ft	28.62	ASPHALT	0 ft	810 ft
	60 m	2,780 m	23.41		0 m	247 m
21	197 ft	9,120 ft	208.62	ASPHALT	0 ft	955 ft
	60 m	2,780 m	203.42		0 m	291 m
08	148 ft	13,304 ft	79.76	ASPHALT	1,440 ft	971 ft
	45 m	4,055 m	74.55		439 m	296 m
26	148 ft	13,304 ft	259.78	ASPHALT	2,051 ft	180 ft
	45 m	4,055 m	254.58		625 m	55 m
12	148 ft	10,222 ft	121.50	ASPHALT	0 ft	968 ft
	45 m	3,116 m	116.29		0 m	295 m
30	148 ft	10,222 ft	301.51	ASPHALT	266 ft	761 ft
	45 m	3,116 m	296.30		81 m	232 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BG	110.30 MHz	18 nm	-	-	135 ft
				33 km	-		135 m
08	LOC-ILS	BC	110.90 MHz	18 nm	79.77	-	134 ft
				33 km	74.56		134 m
12	LOC-ILS	BG	110.30 MHz	18 nm	121.51	-	134 ft
				33 km	116.30		134 m
21	LOC-ILS	BN	109.70 MHz	18 nm	208.62	-	134 ft
				33 km	203.41		134 m
26	LOC-ILS	BA	108.70 MHz	18 nm	259.77	-	134 ft
				33 km	254.56		134 m
30	LOC-ILS	BD	111.90 MHz	18 nm	301.51	-	134 ft
				33 km	296.30		134 m
08	GS	BC	110.90 MHz	10 nm	79.77	3.00	134 ft
				19 km	74.56		134 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	BG	110.30 MHz	10 nm	121.51	3.00	134 ft
				19 km	116.30		134 m
21	GS	BN	109.70 MHz	10 nm	208.62	3.00	134 ft
				19 km	203.41		134 m
26	GS	BA	108.70 MHz	10 nm	259.77	3.00	134 ft
				19 km	254.56		134 m
30	GS	BD	111.90 MHz	10 nm	301.51	3.20	134 ft
				19 km	296.30		134 m