


2024/05/07 2253Z

EKCH GIMRU **UT503** MIC **UN850** PERIK **T851** HMM SUVOX ROTTEK EHEH

402.35 nm / 745.16 km



## Notes

Requested: EKCH NEXEN T503 GIMRU UT503 MIC UN850 PERIK T851 DENOL T851 HMM Z850 SUVOX Z850 SOBTU T883 ROTTEK EHEH  
Unmatched points: NEXEN T503 Z850 Z850 SOBTU T883

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EKCH	-	55.61291	0 ft	-	Kastrup
APT	-	12.64096	0 m	-	
GIMRU	-	54.56000	0 ft	77	-
FIX	-	11.31361	0 m	-	
MIC	UT503	54.30546	0 ft	18	MICHAELSDORF VOR
VOR	AWY-HI	11.00519	0 m	-	
AGATI	UN850	52.91167	0 ft	90	-
FIX	AWY-HI	10.02889	0 m	-	
PERIK	UN850	52.10639	0 ft	52	-
FIX	AWY-HI	9.49556	0 m	-	
PIROT	T851	52.05333	0 ft	10	-
FIX	AWY-HI	9.23694	0 m	-	
DENOL	T851	51.98333	0 ft	21	-
FIX	AWY-HI	8.67278	0 m	-	
HMM	T851	51.85687	0 ft	36	HAMM VOR-DME
VOR	AWY-LO	7.70829	0 m	-	
SUVOX	-	51.96917	0 ft	23	-
FIX	-	7.10806	0 m	-	
ROTEK	-	51.63110	0 ft	42	-
FIX	-	6.10331	0 m	-	
EHEH	-	51.45013	0 ft	29	Eindhoven
APT	-	5.37451	0 m	-	

## EKCH

Region: DENMARK / FAROE ISLANDS  
Timezone: EUROPE/COPENHAGEN  
Runways: 3

Elevation: 17 ft / 5 m  
Location: 55.617900 12.656000  
Magnetic Var: 4.670 E

## METAR

EKCH 072220Z AUTO 22003KT 9999 NCD 07/03 Q1025 NOSIG

## TAF

TAF EKCH 071703Z 0718/0818 VRB02KT CAVOK BECMG 0809/0812 19010KT

## Frequencies

REC - 122.75 MHz - KASTRUP ARRIVAL INFORMATION	REC - 122.85 MHz - KASTRUP DEPARTURE INFORMATION
CLD - 119.90 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - APRON
GND - 121.72 MHz - APRON	GND - 121.90 MHz - APRON
TWR - 118.10 MHz - TOWER (ARRIVAL)	TWR - 118.57 MHz - TOWER
TWR - 118.70 MHz - TOWER (VFR)	TWR - 119.35 MHz - TOWER (DEPARTURE)
APP - 120.20 MHz - FINAL	APP - 119.80 MHz - COPENHAGEN APPROACH
DEP - 120.25 MHz - DEPARTURE	DEP - 124.95 MHz - DEPARTURE
APP - 118.45 MHz - ARRIVAL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	148 ft	11,695 ft	41.13	ASPHALT	0 ft	0 ft
	45 m	3,565 m	36.46		0 m	0 m
22R	148 ft	11,695 ft	221.16	ASPHALT	1,870 ft	0 ft
	45 m	3,565 m	216.49		570 m	0 m
04R	148 ft	10,814 ft	41.14	ASPHALT	0 ft	0 ft
	45 m	3,296 m	36.47		0 m	0 m
22L	148 ft	10,814 ft	221.17	ASPHALT	0 ft	0 ft
	45 m	3,296 m	216.50		0 m	0 m
12	148 ft	10,046 ft	123.21	ASPHALT	2,306 ft	0 ft
	45 m	3,062 m	118.54		703 m	0 m
30	148 ft	10,046 ft	303.24	ASPHALT	886 ft	0 ft
	45 m	3,062 m	298.57		270 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	CH	110.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
12	DME	KA	109.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
22L	DME	OXS	109.50 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
22R	DME	KLK	110.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
30	DME	OY	108.90 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
04L	LOC-ILS	CH	110.50 MHz	18 nm	41.16	-	17 ft
				33 km	36.49		17 m
04R	LOC-ILS	NE	109.30 MHz	18 nm	41.18	-	17 ft
				33 km	36.51		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	KA	109.90 MHz	18 nm	123.25	-	17 ft
				33 km	118.58		17 m
22L	LOC-ILS	OXS	109.50 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
22R	LOC-ILS	KLK	110.90 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
30	LOC-ILS	OY	108.90 MHz	18 nm	303.23	-	17 ft
				33 km	298.56		17 m
04L	GS	CH	110.50 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
04R	GS	NE	109.30 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
12	GS	KA	109.90 MHz	10 nm	123.46	3.00	17 ft
				19 km	118.79		17 m
22L	GS	OXS	109.50 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
22R	GS	KLK	110.90 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
30	GS	OY	108.90 MHz	10 nm	303.46	3.00	17 ft
				19 km	298.79		17 m

## EHEH

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 1

Elevation: 144 ft / 44 m  
Location: 51.450000 5.374440  
Magnetic Var: 2.255 E

## METAR

EHEH 072225Z AUTO 34008KT 310V030 9999 NCD 12/09 Q1024 BLU

## TAF

TAF TAF EHEH 071715Z 0718/0824 36008KT CAVOK BECMG 0800/0802 FEW008 SCT012 BKN017 PROB30 TEMPO 0802/0805 3000 BR F

## Frequencies

REC - 126.02 MHz - INFORMATION	GND - 121.92 MHz - GROUND
TWR - 122.10 MHz - TOWER	TWR - 131.00 MHz - TOWER
APP - 123.10 MHz - RAPCON SOUTH	APP - 124.50 MHz - ARRIVAL
APP - 122.10 MHz - ARRIVAL	APP - 132.50 MHz - ARRIVAL

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,833 ft	34.92	ASPHALT	820 ft	0 ft
	45 m	2,997 m	32.67		250 m	0 m
21	148 ft	9,833 ft	214.94	ASPHALT	797 ft	0 ft
	45 m	2,997 m	212.68		243 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	EHZ	109.75 MHz	18 nm	-	-	74 ft
				33 km	-		74 m
21	DME	EHO	109.75 MHz	18 nm	-	-	74 ft
				33 km	-		74 m
03	LOC-ILS	EHZ	109.75 MHz	18 nm	34.94	-	74 ft
				33 km	32.68		74 m
21	LOC-ILS	EHO	109.75 MHz	18 nm	214.94	-	74 ft
				33 km	212.68		74 m
03	GS	EHZ	109.75 MHz	10 nm	34.94	3.00	74 ft
				19 km	32.68		74 m
21	GS	EHO	109.75 MHz	10 nm	214.94	3.00	74 ft
				19 km	212.68		74 m