


EKCH
Kastrup

EDDB
Berlin Schoenefeld

2024/05/10 2256Z

EKCH OKAGA **Z22** KOMOX EDDB

198.03 nm / 366.76 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EKCH	-	55.61291	0 ft	-	Kastrup
APT	-	12.64096	0 m		
OKAGA	-	54.50000	23,100 ft	67	-
FIX	-	12.95833	7,041 m		
KOMOX	Z22	53.54167	14,500 ft	57	-
FIX	AWY-HI	12.95833	4,420 m		
EDDB	-	52.37854	0 ft	72	Berlin Schoenefeld
APT	-	13.52063	0 m		

EKCH

Region: DENMARK / FAROE ISLANDS
Timezone: EUROPE/COPENHAGEN
Runways: 3

Elevation: 17 ft / 5 m
Location: 55.617900 12.656000
Magnetic Var: 4.671 E

METAR

EKCH 102220Z AUTO 00000KT 9999 NCD 10/07 Q1023 NOSIG

TAF

TAF EKCH 101722Z 1018/1118 VRB03KT CAVOK TEMPO 1100/1106 BKN012 BECMG 1114/1116 14010KT

Frequencies

REC - 122.75 MHz - KASTRUP ARRIVAL INFORMATION	REC - 122.85 MHz - KASTRUP DEPARTURE INFORMATION
CLD - 119.90 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - APRON
GND - 121.72 MHz - APRON	GND - 121.90 MHz - APRON
TWR - 118.10 MHz - TOWER (ARRIVAL)	TWR - 118.57 MHz - TOWER
TWR - 118.70 MHz - TOWER (VFR)	TWR - 119.35 MHz - TOWER (DEPARTURE)
APP - 120.20 MHz - FINAL	APP - 119.80 MHz - COPENHAGEN APPROACH
DEP - 120.25 MHz - DEPARTURE	DEP - 124.95 MHz - DEPARTURE
APP - 118.45 MHz - ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	148 ft	11,695 ft	41.13	ASPHALT	0 ft	0 ft
	45 m	3,565 m	36.46		0 m	0 m
22R	148 ft	11,695 ft	221.16	ASPHALT	1,870 ft	0 ft
	45 m	3,565 m	216.49		570 m	0 m
04R	148 ft	10,814 ft	41.14	ASPHALT	0 ft	0 ft
	45 m	3,296 m	36.47		0 m	0 m
22L	148 ft	10,814 ft	221.17	ASPHALT	0 ft	0 ft
	45 m	3,296 m	216.50		0 m	0 m
12	148 ft	10,046 ft	123.21	ASPHALT	2,306 ft	0 ft
	45 m	3,062 m	118.54		703 m	0 m
30	148 ft	10,046 ft	303.24	ASPHALT	886 ft	0 ft
	45 m	3,062 m	298.57		270 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	CH	110.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
12	DME	KA	109.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
22L	DME	OXS	109.50 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
22R	DME	KLK	110.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
30	DME	OY	108.90 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
04L	LOC-ILS	CH	110.50 MHz	18 nm	41.16	-	17 ft
				33 km	36.49		17 m
04R	LOC-ILS	NE	109.30 MHz	18 nm	41.18	-	17 ft
				33 km	36.50		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	KA	109.90 MHz	18 nm	123.25	-	17 ft
				33 km	118.57		17 m
22L	LOC-ILS	OXS	109.50 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
22R	LOC-ILS	KLK	110.90 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
30	LOC-ILS	OY	108.90 MHz	18 nm	303.23	-	17 ft
				33 km	298.56		17 m
04L	GS	CH	110.50 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
04R	GS	NE	109.30 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
12	GS	KA	109.90 MHz	10 nm	123.46	3.00	17 ft
				19 km	118.79		17 m
22L	GS	OXS	109.50 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
22R	GS	KLK	110.90 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
30	GS	OY	108.90 MHz	10 nm	303.46	3.00	17 ft
				19 km	298.79		17 m

EDDB

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 157 ft / 48 m
Location: 52.362300 13.500700
Magnetic Var: 4.655 E

METAR

EDDB 102220Z AUTO 05008KT CAVOK 14/11 Q1022 NOSIG

TAF

TAF EDDB 101700Z 1018/1118 33005KT CAVOK BECMG 1018/1021 VRB03KT BECMG 1108/1111 02007KT

Frequencies

REC - 123.77 MHz - ATIS	GND - 121.70 MHz - BERLIN GROUND E
GND - 129.50 MHz - BERLIN GROUND A	GND - 129.60 MHz - BERLIN APRON NORTH
GND - 121.85 MHz - BERLIN APRON SOUTH	TWR - 120.02 MHz - BERLIN TOWER NORTH
TWR - 118.80 MHz - BERLIN TOWER SOUTH	TWR - 118.85 MHz - BERLIN TOWER ALTERNATE
APP - 121.12 MHz - BERLIN DIRECTOR	APP - 136.10 MHz - BERLIN DIRECTOR
CLD - 121.60 MHz - BERLIN DELIVERY	APP - 119.62 MHz - BREMEN RADAR
APP - 120.62 MHz - BREMEN RADAR	APP - 126.42 MHz - BREMEN RADAR
APP - 119.50 MHz - BREMEN RADAR	APP - 134.42 MHz - BREMEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	197 ft	13,088 ft	68.74	CONCRETE	0 ft	0 ft
	60 m	3,989 m	64.09		0 m	0 m
25L	197 ft	13,088 ft	248.78	CONCRETE	0 ft	0 ft
	60 m	3,989 m	244.13		0 m	0 m
07L	148 ft	11,780 ft	68.75	ASPHALT	981 ft	0 ft
	45 m	3,591 m	64.09		299 m	0 m
25R	148 ft	11,780 ft	248.79	ASPHALT	981 ft	0 ft
	45 m	3,591 m	244.13		299 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	IBNE	110.70 MHz	18 nm	68.77	-	157 ft
				33 km	64.11		157 m
07R	LOC-ILS	IBSE	109.70 MHz	18 nm	68.77	-	157 ft
				33 km	64.11		157 m
25L	LOC-ILS	IBSW	109.50 MHz	18 nm	248.77	-	157 ft
				33 km	244.11		157 m
25R	LOC-ILS	IBNW	109.90 MHz	18 nm	248.77	-	157 ft
				33 km	244.11		157 m
07L	GS	IBNE	110.70 MHz	10 nm	68.77	3.00	157 ft
				19 km	64.11		157 m
07R	GS	IBSE	109.70 MHz	10 nm	68.77	3.00	157 ft
				19 km	64.11		157 m
25L	GS	IBSW	109.50 MHz	10 nm	248.77	3.00	157 ft
				19 km	244.11		157 m
25R	GS	IBNW	109.90 MHz	10 nm	248.77	3.00	157 ft
				19 km	244.11		157 m