

LFPG

Paris Charles De Gaulle


EDDN

Nurnberg

2024/05/13 2240Z

LFPG REM **TG2** MET25 SBN **W718** NEKOM EDDN

340.47 nm / 630.55 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00974 2.56262	0 ft 0 m	-	Paris Charles De Gaulle
REM VOR	-	49.31164 4.04536	21,700 ft 6,614 m	60	REIMS CHAMPAGNE VORTAC
MET VOR	TG2 AWY-HI	49.06694 6.12939	35,000 ft 10,668 m	83	-
MET25 FIX	TG2 AWY-HI	49.22000 6.72550	35,000 ft 10,668 m	25	-
SBN NDB	-	49.21885 7.11834	33,300 ft 10,150 m	15	SAARBRUCKEN NDB
ZWN VOR	W718 AWY-LO	49.22907 7.41789	10,000 ft 3,048 m	11	ZWEIBRUCKEN VOR-DME
LADAT FIX	W718 AWY-LO	49.26528 7.83944	10,000 ft 3,048 m	16	-
MANEM FIX	W718 AWY-LO	49.29458 8.19166	10,000 ft 3,048 m	13	-
NEKOM FIX	W718 AWY-LO	49.33673 8.73291	10,000 ft 3,048 m	21	-
EDDN APT	-	49.49874 11.07758	0 ft 0 m	92	Nurnberg

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.497 E

METAR

LFPG 132230Z 11009KT CAVOK 18/13 Q1004 NOSIG

TAF

TAF LFPG 131700Z 1318/1424 16010KT 9999 SCT040 TX21/1318Z TN13/1424Z PROB30 TEMPO 1319/1322 20010G20KT 3000 SHRA

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m

EDDN

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 1

Elevation: 1,043 ft / 318 m
Location: 49.498700 11.077600
Magnetic Var: 3.825 E

METAR

EDDN 132220Z AUTO 10006KT CAVOK 14/07 Q1011

TAF

TAF EDDN 131700Z 1318/1418 08005KT CAVOK BECMG 1407/1409 10010KT PROB40 TEMPO 1411/1416 10015KT

Frequencies

REC - 123.08 MHz - NUERNBERG ATIS
GND - 118.10 MHz - NUERNBERG GROUND
APP - 129.53 MHz - MUENCHEN RADAR

COM - 122.80 MHz - NUERNBERG UNICOM
TWR - 118.30 MHz - NUERNBERG TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	8,835 ft	98.58	ASPHALT	0 ft	102 ft
	45 m	2,693 m	94.76		0 m	31 m
28	148 ft	8,835 ft	278.61	ASPHALT	0 ft	108 ft
	45 m	2,693 m	274.79		0 m	33 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	INUE	109.55 MHz	18 nm	98.60	-	1,043 ft
				33 km	94.77		1,043 m
28	LOC-ILS	INUW	109.10 MHz	18 nm	278.60	-	1,043 ft
				33 km	274.77		1,043 m
10	GS	INUE	109.55 MHz	10 nm	98.60	3.00	1,043 ft
				19 km	94.77		1,043 m
28	GS	INUW	109.10 MHz	10 nm	278.60	3.00	1,043 ft
				19 km	274.77		1,043 m