

# WATT

Kupang El Tari


# WAPP

Ambon Pattimura

2024/05/21 0242Z

WATT KPG **W33** MUBRA **W42** DIL **Z12** BACAU **W55** BENTO WAPP

511.23 nm / 946.79 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WATT	-	-10.17150	0 ft	-	Kupang El Tari
APT	-	123.67100	0 m		
KPG	-	-10.16680	400 ft	1	KUPANG
VOR	-	123.69200	122 m		
MUBRA	W33	-8.56036	35,000 ft	127	-
FIX	AWY-HI	125.10800	10,668 m		
DIL	W42	-8.54394	35,000 ft	24	DILI
VOR	AWY-HI	125.52800	10,668 m		
BACAU	Z12	-8.48500	35,000 ft	51	-
FIX	AWY-HI	126.40000	10,668 m		
VALGO	W55	-8.05991	35,000 ft	27	-
FIX	AWY-HI	126.58100	10,668 m		
BENTO	W55	-5.23831	20,000 ft	183	-
FIX	AWY-HI	127.77600	6,096 m		
WAPP	-	-3.71030	0 ft	93	Ambon Pattimura
APT	-	128.09000	0 m		

## WATT

Region: INDONESIA  
Timezone: ASIA/MAKASSAR  
Runways: 1

Elevation: 333 ft / 101 m  
Location: -10.171500 123.671000  
Magnetic Var: 0.892 E

## METAR

WATT 210200Z 11020KT 9999 FEW018 32/25 Q1012 NOSIG

## TAF

TAF WATT 202300Z 2100/2124 13012KT 9999 SCT018 TEMPO 2101/2105 10015G25KT

## Frequencies

TWR - 118.30 MHz - EL TARI TOWER

APP - 120.55 MHz - KUPANG APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	8,210 ft	76.50	ASPHALT	0 ft	0 ft
	45 m	2,502 m	75.61		0 m	0 m
25	148 ft	8,210 ft	256.50	ASPHALT	0 ft	0 ft
	45 m	2,502 m	255.61		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	IKPG	110.50 MHz	18 nm	256.50	-	333 ft
				33 km	255.61		333 m
25	GS	IKPG	110.50 MHz	10 nm	256.50	3.06	333 ft
				19 km	255.61		333 m

## WAPP

Region: INDONESIA  
Timezone: ASIA/JAYAPURA  
Runways: 1

Elevation: 33 ft / 10 m  
Location: -3.710300 128.090000  
Magnetic Var: 0.510 E

## METAR

WAPP 210200Z 02004KT 330V070 9000 SCT016 28/24 Q1010 RERA NOSIG

## TAF

UNKNOWN

## Frequencies

REC - 125.40 MHz - ATIS  
APP - 121.00 MHz - AMBON APPROACH

TWR - 122.20 MHz - PATTIMURA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	8,223 ft	44.85	ASPHALT	0 ft	197 ft
	45 m	2,506 m	44.34		0 m	60 m
22	148 ft	8,223 ft	224.85	ASPHALT	0 ft	197 ft
	45 m	2,506 m	224.34		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	IAMN	111.10 MHz	18 nm	44.85	-	33 ft
				33 km	44.34		33 m
04	GS	IAMN	111.10 MHz	10 nm	44.85	3.00	33 ft
				19 km	44.34		33 m