


2024/05/10 2029Z

LDDU SPL **UL607** ZDA **UL611** PUL LIPZ

311.23 nm / 576.39 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LDDU	-	42.56284	0 ft	-	DUBROVNIK
APT	-	18.26450	0 m		
SPL	-	43.49658	34,000 ft	102	SPLIT VOR-DME
VOR	-	16.30472	10,363 m		
ZDA	UL607	44.09532	32,000 ft	54	ZADAR VOR-DME
VOR	AWY-HI	15.36421	9,754 m		
PUL	UL611	44.89237	28,500 ft	78	PULA VOR-DME
VOR	AWY-HI	13.91813	8,687 m		
LIPZ	-	45.50479	0 ft	75	Venezia Tesserà
APT	-	12.34969	0 m		

LDDU

Region: CROATIA
Timezone: EUROPE/ZAGREB
Runways: 1

Elevation: 525 ft / 160 m
Location: 42.562700 18.264900
Magnetic Var: 4.771 E

METAR

LDDU 102000Z 04023G35KT 340V080 CAVOK 20/05 Q1014 NOSIG

TAF

TAF LDDU 101725Z 1018/1118 04012KT 9999 FEW050 TX22/1112Z TN18/1103Z PROB40 TEMPO 1020/1105 02018G30KT BECMG 1107

Frequencies

APP - 123.60 MHz - DUBROVNIK RADAR
TWR - 125.40 MHz - DUBROVNIK TOWER

TWR - 129.50 MHz - DUBROVNIK TOWER
REC - 118.42 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	10,608 ft	118.29	ASPHALT	243 ft	305 ft
	45 m	3,233 m	113.52		74 m	93 m
29	148 ft	10,608 ft	298.32	ASPHALT	0 ft	230 ft
	45 m	3,233 m	293.55		0 m	70 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IDU	110.10 MHz	18 nm	118.31	-	525 ft
				33 km	113.54		525 m
11	GS	IDU	110.10 MHz	10 nm	118.31	3.00	525 ft
				19 km	113.54		525 m

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.905 E

METAR

LIPZ 101950Z 28004KT CAVOK 20/09 Q1018 NOSIG

TAF

TAF LIPZ 101700Z 1018/1124 03007KT 9999 FEW050 BECMG 1110/1112 16010KT BECMG 1118/1120 VRB05KT

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.13		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.13		4 m