

LSZA

Lugano


LIPZ

Venice Marco Polo

2024/05/25 0914Z

LSZA NESTI LIPZ

147.19 nm / 272.60 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSZA	-	46.00430	0 ft	-	Lugano
APT	-	8.91058	0 m		
NESTI	-	45.80390	17,700 ft	64	-
FIX	-	10.42690	5,395 m		
LIPZ	-	45.50480	0 ft	82	Venice Marco Polo
APT	-	12.34970	0 m		

LSZA

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 915 ft / 279 m
Location: 46.004300 8.910580
Magnetic Var: 3.179 E

METAR

LSZA 250850Z 20005KT 9999 FEW010 SCT034 BKN095 14/11 Q1018

TAF

UNKNOWN

Frequencies

REC - 121.17 MHz - ATIS
TWR - 119.70 MHz -
TWR - 122.55 MHz -
GND - 121.77 MHz -
TWR - 120.25 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	98 ft 30 m	4,415 ft 1,346 m	18.79 15.61	CONCRETE	358 ft 109 m	16 ft 5 m
19	98 ft 30 m	4,415 ft 1,346 m	198.79 195.61	CONCRETE	673 ft 205 m	0 ft 0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	ILU	111.50 MHz	18 nm 33 km	- -	-	928 ft 928 m
01	LOC-ILS	ILU	108.90 MHz	18 nm 33 km	18.79 15.61	-	915 ft 915 m
01	GS	ILU	108.90 MHz	10 nm 19 km	18.79 15.61	6.00	915 ft 915 m

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.910 E

METAR

LIPZ 250850Z 05006KT 360V090 9999 FEW050 21/14 Q1016 NOSIG

TAF

TAF LIPZ 250500Z 2506/2612 03010KT 9999 SCT020 TEMPO 2506/2509 RA BECMG 2512/2514 VRB06KT TEMPO 2512/2518 4000 SH

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.13		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.13		4 m