EGFF
Cardiff


-

LOWI
Innsbruck Kranebitten

2024/03/28 1114Z

EGFF INLAK **UL607** KOK **UM150** TGO **UL607** AMEMI LOWI

640.75 nm / 1186.66 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGFF APT	–	51.39656 -3.34320	0 ft 0 m	–	Cardiff
INLAK FIX	–	51.47806 -1.52417	23,300 ft 7,102 m	68	–
KONAN FIX	UL607 AWY-HI	51.13083 2.00000	35,000 ft 10,668 m	133	–
KOK VOR	UL607 AWY-HI	51.09472 2.65167	35,000 ft 10,668 m	24	KOKSY VORTAC
DIK NDB	UM150 AWY-HI	49.86139 6.12972	35,000 ft 10,668 m	152	DIEKIRCH NDB
PITES FIX	UM150 AWY-HI	49.72861 6.51944	35,000 ft 10,668 m	17	–
KRH VOR	UM150 AWY-HI	48.99294 8.58424	31,600 ft 9,632 m	92	KARLSRUHE VOR-DME
LAMGO FIX	UM150 AWY-HI	48.88583 8.77917	29,500 ft 8,992 m	10	–
TGO VOR	UM150 AWY-HI	48.61841 9.25921	25,200 ft 7,681 m	24	TANGO VORTAC
AMEMI FIX	UL607 AWY-HI	47.89472 10.16722	25,000 ft 7,620 m	56	–
LOWI APT	–	47.26023 11.34397	0 ft 0 m	61	Innsbruck Kranebitten

EGFF

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 220 ft / 67 m
Location: 51.396600 -3.343320
Magnetic Var: 0.631 W

METAR

EGFF 281050Z 13020KT 6000 -SHRA SCT008 BKN012 OVC027 06/05 Q0970 RERA

TAF

TAF AMD EGFF 280846Z 2808/2906 11015KT 9999 BKN020 BECMG 2808/2810 15015G25KT TEMPO 2808/2809 6000 SHRA BKN012 TEM

Frequencies

REC - 119.50 MHz - CARDIFF APPROACH
REC - 132.48 MHz - CARDIFF INFORMATION

TWR - 133.10 MHz - CARDIFF TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft 45 m	7,701 ft 2,347 m	116.82 117.45	ASPHALT	712 ft 217 m	0 ft 0 m
30	148 ft 45 m	7,701 ft 2,347 m	296.84 297.47	ASPHALT	489 ft 149 m	98 ft 30 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	ICDF	110.70 MHz	18 nm 33 km	- -	-	281 ft 281 m
30	DME	ICWA	110.70 MHz	18 nm 33 km	- -	-	220 ft 220 m
12	LOC-ILS	ICDF	110.70 MHz	18 nm 33 km	116.83 117.46	-	220 ft 220 m
30	LOC-ILS	ICWA	110.70 MHz	18 nm 33 km	296.83 297.46	-	220 ft 220 m
12	GS	ICDF	110.70 MHz	10 nm 19 km	116.83 117.46	3.00	220 ft 220 m
30	GS	ICWA	110.70 MHz	10 nm 19 km	296.83 297.46	3.00	220 ft 220 m

LOWI

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 3

Elevation: 1,907 ft / 581 m
Location: 47.260800 11.341500
Magnetic Var: 3.766 E

METAR

LOWI 281050Z 14018G32KT 100V200 9999 FEW060 SCT100 11/M00 Q0994 WS ALL RWY NOSIG

TAF

TAF LOWI 280515Z 2806/2906 27008KT 9999 FEW050 BKN090 TX15/2812Z TN02/2902Z TEMPO 2809/2813 10015G30KT TEMPO 2812

Frequencies

APP - 119.27 MHz - INNSBRUCK RADAR
REC - 126.02 MHz - INNSBRUCK INFORMATION

TWR - 120.10 MHz - INNSBRUCK TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft 45 m	6,548 ft 1,996 m	80.95 77.18	ASPHALT	335 ft 102 m	0 ft 0 m
26	148 ft 45 m	6,548 ft 1,996 m	260.96 257.20	ASPHALT	0 ft 0 m	0 ft 0 m
08C	125 ft 38 m	3,671 ft 1,119 m	81.00 77.23	GRASS	0 ft 0 m	0 ft 0 m
26C	125 ft 38 m	3,671 ft 1,119 m	261.01 257.25	GRASS	0 ft 0 m	0 ft 0 m
08L	164 ft 50 m	1,149 ft 350 m	81.11 77.34	GRASS	0 ft 0 m	0 ft 0 m
26R	164 ft 50 m	1,149 ft 350 m	261.11 257.35	GRASS	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	DME	OEJ	109.70 MHz	30 nm 56 km	- -	-	1,906 ft 1,906 m
26	DME	OEV	111.10 MHz	27 nm 50 km	- -	-	1,911 ft 1,911 m
26	LOC-ILS	OEV	111.10 MHz	18 nm 33 km	260.96 257.19	-	1,907 ft 1,907 m
26	GS	OEV	111.10 MHz	10 nm 19 km	260.96 257.19	3.77	1,907 ft 1,907 m