

# DFFD

OUAGADOUGOU


# DIAP

Abidjan Felix Houphouet Boigny Intl

2024/05/09 2218Z

DFFD TUMUT **UG859** AD DIAP

449.30 nm / 832.10 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 470kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
DFFD	-	12.35219	0 ft	-	OUAGADOUGOU	
APT	-	-1.51161	0 m			
TUMUT	-	11.00000	30,600 ft	85	-	
FIX	-	-1.97833	9,327 m			
BUGBU	UG859	10.20139	34,000 ft	50	-	
FIX	AWY-HI	-2.25000	10,363 m			
AMSAT	UG859	9.00000	34,000 ft	76	-	
FIX	AWY-HI	-2.66417	10,363 m			
MOLAB	UG859	7.65833	32,500 ft	84	-	
FIX	AWY-HI	-3.11917	9,906 m			
AD	UG859	5.27719	24,500 ft	150	ABIDJAN VOR-DME	
VOR	AWY-HI	-3.91931	7,468 m			
DIAP	-	5.26139	0 ft	1	Abidjan Felix Houphouet Boigny Intl	
APT	-	-3.92630	0 m			

## DFFD

Region: BURKINA FASO

Timezone: AFRICA/OUAGADOUGOU

Runways: 1

Elevation: 1,037 ft / 316 m

Location: 12.353100 -1.512380

Magnetic Var: 1.689 W

## METAR

DFFD 092100Z 22003KT CAVOK 32/24 Q1008 NOSIG

## TAF

TAF DFFD 091700Z 0918/1024 24008KT CAVOK PROB30 TEMPO 0919/0924 TS FEW026 FEW040CB

## Frequencies

TWR - 120.30 MHz - AG VOICE OUAGA RDO

TWR - 118.10 MHz - OUAGA TWR

APP - 118.10 MHz - OUAGA APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	9,852 ft	33.20	CONCRETE	0 ft	66 ft
	45 m	3,003 m	34.89		0 m	20 m
22	148 ft	9,852 ft	213.20	CONCRETE	0 ft	0 ft
	45 m	3,003 m	214.89		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	OG	110.10 MHz	18 nm	33.20	-	1,037 ft
				33 km	34.89		1,037 m
04	GS	OG	110.10 MHz	10 nm	33.20	3.00	1,037 ft
				19 km	34.89		1,037 m

## DIAP

Region: CÔTE D'IVOIRE  
Timezone: AFRICA/ABIDJAN  
Runways: 1

Elevation: 20 ft / 6 m  
Location: 5.261240 -3.925880  
Magnetic Var: 3.998 W

## METAR

DIAP 092200Z 20004KT 9999 FEW011 28/26 Q1010 NOSIG

## TAF

TAF DIAP 091705Z 0918/1024 24008KT 8000 SCT013 SCT030 TEMPO 1002/1008 TS BKN011 FEW020CB BKN030 PROB30 TEMPO 1003/

## Frequencies

REC - 129.10 MHz - ABIDJAN ATIS INFORMATION      TWR - 118.10 MHz - ABIDJAN TOWER  
APP - 121.10 MHz - ABIDJAN APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,891 ft	22.34	ASPHALT	0 ft	187 ft
	45 m	3,015 m	26.33		0 m	57 m
21	148 ft	9,891 ft	202.34	ASPHALT	0 ft	328 ft
	45 m	3,015 m	206.33		0 m	100 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	AN	110.30 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
21	LOC-ILS	AN	110.30 MHz	18 nm	202.34	-	20 ft
				33 km	206.34		20 m
21	GS	AN	110.30 MHz	10 nm	202.34	3.00	20 ft
				19 km	206.34		20 m