

# NZAA

Auckland International Airport


# NZWN

Wellington Intl

2024/05/06 0241Z

NZAA POKOM Q277 OPABI Y127 RUSIL NZWN

259.37 nm / 480.35 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NZAA APT	-	-37.00810 174.79200	0 ft 0 m	-	Auckland International Airport
POKOM FIX	-	-37.87210 174.80600	18,500 ft 5,639 m	51	-
OPABI FIX	Q277 AWY-HI	-38.82660 174.80700	32,100 ft 9,784 m	57	-
ENBUG FIX	Y127 AWY-HI	-39.19790 174.80800	27,300 ft 8,321 m	22	-
RUSIL FIX	Y127 AWY-HI	-40.66310 174.81400	8,500 ft 2,591 m	87	-
NZWN APT	-	-41.32670 174.80700	0 ft 0 m	39	Wellington Intl

## NZAA

Region: NEW ZEALAND AND ANTARCTICA  
Timezone: PACIFIC/AUCKLAND  
Runways: 1

Elevation: 23 ft / 7 m  
Location: -37.008100 174.792000  
Magnetic Var: 20.178 E

## METAR

NZAA 060230Z AUTO 35008KT 300V020 9999 SCT028/// SCT034/// 18/12 Q1017

## TAF

TAF NZAA 060205Z 0603/0706 28010KT 9999 -SHRA BKN025 TEMPO 0603/0607 5000 SHRA FEW020TCU BECMG 0605/0607 18008KT

## Frequencies

REC - 127.80 MHz - ATIS	REC - 127.00 MHz - ATIS
GND - 121.90 MHz - AUCKLAND GROUND	TWR - 118.70 MHz - AUCKLAND TOWER
TWR - 120.95 MHz - AUCKLAND TOWER	CLD - 128.20 MHz - CLEARANCE DELIVERY
APP - 120.10 MHz - AUCKLAND APPROACH	APP - 124.30 MHz - AUCKLAND APPROACH
APP - 129.50 MHz - AUCKLAND APPROACH	APP - 129.60 MHz - AUCKLAND APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	151 ft	12,040 ft	70.92	CONCRETE	1,250 ft	0 ft
	46 m	3,670 m	50.75		381 m	0 m
23L	151 ft	12,040 ft	250.90	CONCRETE	0 ft	131 ft
	46 m	3,670 m	230.72		0 m	40 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IAA	110.30 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
23L	DME	IMG	109.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
05R	LOC-ILS	IAA	110.30 MHz	18 nm	70.91	-	23 ft
				33 km	50.73		23 m
23L	LOC-ILS	IMG	109.90 MHz	18 nm	250.91	-	23 ft
				33 km	230.73		23 m
05R	GS	IAA	110.30 MHz	10 nm	70.91	3.00	23 ft
				19 km	50.73		23 m
23L	GS	IMG	109.90 MHz	10 nm	250.91	3.00	23 ft
				19 km	230.73		23 m

## NZWN

Region: NEW ZEALAND AND ANTARCTICA  
Timezone: PACIFIC/AUCKLAND  
Runways: 1

Elevation: 41 ft / 12 m  
Location: -41.326700 174.807000  
Magnetic Var: 22.990 E

## METAR

NZWN 060230Z AUTO 34009KT 300V010 9999 NCD 18/09 Q1016

## TAF

TAF NZWN 060205Z 0603/0706 32015KT 9999 FEW025 BECMG 0603/0605 18015KT FM060500 18020G30KT 9999 -SHRA FEW020 SCT0

## Frequencies

CLD - 128.20 MHz - CLNC DEL  
DEP - 122.30 MHz -  
GND - 121.90 MHz -  
REC - 126.90 MHz - ATIS

APP - 119.30 MHz -  
TWR - 118.80 MHz -  
COM - 122.80 MHz - UNICOM  
TWR - 128.80 MHz - UNNAMED ENTITY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	131 ft	6,735 ft	182.88	ASPHALT	427 ft	62 ft
	40 m	2,053 m	159.89		130 m	19 m
34	131 ft	6,735 ft	2.88	ASPHALT	348 ft	161 ft
	40 m	2,053 m	339.89		106 m	49 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IEB	110.30 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
34	DME	IMP	109.90 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
16	LOC-ILS	IEB	110.30 MHz	18 nm	182.84	-	20 ft
				33 km	159.85		20 m
34	LOC-ILS	IMP	109.90 MHz	18 nm	2.75	-	20 ft
				33 km	339.76		20 m
16	GS	IEB	110.30 MHz	10 nm	184.06	3.00	26 ft
				19 km	161.07		26 m
34	GS	IMP	109.90 MHz	10 nm	3.00	3.00	6 ft
				19 km	340.01		6 m