

LOWW

Wien Schwechat


OMDB

DUBAI INTL

2024/05/13 2059Z

LOWW TORNO **UY34** DODAR **UL850** BUDOP **UL602** NEPOT **UT705** ENIMA **UT85** VEVIN **UT99** DINRO **UL601** ODERO **UP975**
SIDAD **R784** IMDAT **B416** ORSAR OMDB

2304.00 nm / 4267.00 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 390ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWW APT	-	48.11007 16.56964	0 ft 0 m	-	Wien Schwechat
TORNO FIX	-	47.53977 18.49012	29,200 ft 8,900 m	84	-
BALUX FIX	UY34 AWY-HI	47.34090 19.12955	35,000 ft 10,668 m	28	-
DODAR FIX	UY34 AWY-HI	47.21454 19.52753	35,000 ft 10,668 m	17	-
BUDOP FIX	UL850 AWY-HI	46.68738 21.49666	35,000 ft 10,668 m	86	-
EVRIK FIX	UL602 AWY-HI	46.35190 22.24225	35,000 ft 10,668 m	36	-
NEPOT FIX	UL602 AWY-HI	45.96030 23.08808	35,000 ft 10,668 m	42	-
EPUKI FIX	UT705 AWY-HI	45.49351 24.06413	35,000 ft 10,668 m	49	-
ENIMA FIX	UT705 AWY-HI	45.07951 24.90251	35,000 ft 10,668 m	43	-
BALBI FIX	UT85 AWY-HI	44.90509 25.75403	35,000 ft 10,668 m	37	-
VEVIN FIX	UT85 AWY-HI	44.71310 26.65196	35,000 ft 10,668 m	39	-
AGNAR FIX	UT99 AWY-HI	44.35323 27.43651	35,000 ft 10,668 m	39	-
DINRO FIX	UT99 AWY-HI	43.70000 28.80833	35,000 ft 10,668 m	71	-
ODERO FIX	UL601 AWY-HI	42.61056 30.26444	35,000 ft 10,668 m	91	-
HAKAN FIX	UP975 AWY-HI	41.72333 32.29833	35,000 ft 10,668 m	105	-
TEPKI FIX	UP975 AWY-HI	41.45333 32.99278	35,000 ft 10,668 m	35	-
ORMAN FIX	UP975 AWY-HI	41.29056 33.41194	35,000 ft 10,668 m	21	-
ERGUN FIX	UP975 AWY-HI	40.74639 34.73889	35,000 ft 10,668 m	68	-
SIV NDB	UP975 AWY-HI	39.78944 36.89333	35,000 ft 10,668 m	114	SIVAS NDB
ARPUT FIX	UP975 AWY-HI	38.84556 38.94056	35,000 ft 10,668 m	110	-
EZS VOR	UP975 AWY-HI	38.70694 39.22444	35,000 ft 10,668 m	15	ELAZIG VOR-DME
DYB NDB	UP975 AWY-HI	37.87083 40.20861	35,000 ft 10,668 m	68	DIYARBAKIR NDB
LESRI FIX	UP975 AWY-HI	37.07222 41.23028	35,000 ft 10,668 m	68	-
KANOK FIX	UP975 AWY-HI	36.56515 41.68316	35,000 ft 10,668 m	37	-
GETID FIX	UP975 AWY-HI	35.26406 42.93303	35,000 ft 10,668 m	99	-
LOPAS FIX	UP975 AWY-HI	34.50096 43.64288	35,000 ft 10,668 m	57	-
SOGUM	UP975	34.20333	35,000 ft	22	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	43.91500	10,668 m		
ETBOM	UP975	33.36048	35,000 ft	67	-
FIX	AWY-HI	44.79793	10,668 m		
NOLDO	UP975	32.82567	35,000 ft	42	-
FIX	AWY-HI	45.35817	10,668 m		
DENKI	UP975	32.37457	35,000 ft	36	-
FIX	AWY-HI	45.85599	10,668 m		
ILMAP	UP975	31.35917	35,000 ft	82	-
FIX	AWY-HI	46.95056	10,668 m		
SIDAD	UP975	29.87528	35,000 ft	119	-
FIX	AWY-HI	48.49556	10,668 m		
DESLU	R784	29.46667	35,000 ft	37	-
FIX	AWY-HI	49.03056	10,668 m		
NANPI	R784	29.08250	35,000 ft	34	-
FIX	AWY-HI	49.53250	10,668 m		
OBMOR	R784	28.97056	35,000 ft	9	-
FIX	AWY-HI	49.67000	10,668 m		
ALNIN	R784	28.67861	35,000 ft	25	-
FIX	AWY-HI	50.02722	10,668 m		
IMDAT	R784	27.68333	35,000 ft	85	-
FIX	AWY-HI	51.18333	10,668 m		
DURSI	B416	27.20528	35,000 ft	53	-
FIX	AWY-HI	52.02889	10,668 m		
EGMID	B416	26.60417	31,700 ft	66	-
FIX	AWY-HI	53.06694	9,662 m		
ORSAR	B416	26.07500	19,400 ft	57	-
FIX	AWY-HI	53.95833	5,913 m		
OMDB	-	25.25491	0 ft	90	DUBAI INTL
APT	-	55.36426	0 m		

LOWW

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 600 ft / 183 m
Location: 48.110100 16.569600
Magnetic Var: 5.015 E

METAR

LOWW 132020Z 15008KT CAVOK 15/09 Q1015 NOSIG

TAF

TAF LOWW 132015Z 1321/1503 14010KT CAVOK TX22/1414Z TN10/1503Z

Frequencies

REC - 122.95 MHz - ATIS ARRIVAL	REC - 121.72 MHz - ATIS DEPARTURE
TWR - 124.47 MHz - WIEN TOWER	TWR - 123.80 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER	TWR - 119.40 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND	GND - 121.60 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY	APP - 134.67 MHz - WIEN RADAR
APP - 125.17 MHz - WIEN RADAR	APP - 129.05 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR	APP - 136.25 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR	APP - 134.12 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.21		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.22		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.00		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.02		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.24		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.96		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.01		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.46		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.01		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.46		604 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 132000Z 08003KT 040V110 CAVOK 34/16 Q1006 NOSIG

TAF

TAF OMDB 131700Z 1318/1500 12007KT 8000 NSC BECMG 1400/1402 18014KT BECMG 1409/1411 33012KT BECMG 1415/1417 12005

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m