


2024/05/14 1351Z

VHHH TOMUD R200 BIGRO G221 NYB NYB G221 GIVIL ZJSY

369.31 nm / 683.96 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VHHH	-	22.30890	0 ft	-	Hong Kong Intl
APT	-	113.91500	0 m	-	
TOMUD	-	21.85830	28,800 ft	80	-
FIX	-	112.54700	8,778 m	-	-
BIGRO	R200	21.57000	35,000 ft	43	-
FIX	AWY-HI	111.82700	10,668 m	-	-
GIVIV	G221	20.95330	35,000 ft	56	-
FIX	AWY-HI	111.05500	10,668 m	-	-
SAMAS	G221	20.50500	31,300 ft	41	-
FIX	AWY-HI	110.49500	9,540 m	-	-
NYB	G221	20.01500	23,700 ft	35	NANYINGBINDAO
VOR	AWY-HI	110.13700	7,224 m	-	
NYB	-	20.01330	23,700 ft	0	NANYINGBINDAO VOR-DME
DME	-	110.13700	7,224 m	-	
GIVIL	G221	19.25000	13,200 ft	48	-
FIX	AWY-HI	109.83300	4,023 m	-	-
ZJSY	-	18.30290	0 ft	61	PHOENIX INTL
APT	-	109.41200	0 m	-	

## VHHH

Region: HONG KONG  
Timezone: UNKNOWN  
Runways: 2

Elevation: 27 ft / 8 m  
Location: 22.308900 113.915000  
Magnetic Var: 3.238 W

## METAR

VHHH 141330Z 10012KT CAVOK 26/17 Q1014 NOSIG

## TAF

TAF VHHH 141100Z 1412/1518 09010KT 9999 FEW035 TX30/1506Z TN24/1422Z BECMG 1503/1505 27010KT BECMG 1509/1511 0901

## Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.03		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m

## ZJSY

Region: CHINA  
Timezone: ASIA/CHONGQING  
Runways: 1

Elevation: 95 ft / 29 m  
Location: 18.302900 109.412000  
Magnetic Var: 1.870 W

## METAR

ZJSY 141300Z 06004MPS 7000 SHRA SCT017 FEW023CB SCT030 26/25 Q1012 BECMG AT1330 NSW SCT020

## TAF

TAF AMD TAF AMD ZJSY 141254Z 1412/1512 09004MPS 9999 SCT020 TX33/1506Z TN26/1421Z TEMPO 1412/1414 TSRA SCT015 FEW

## Frequencies

REC - 126.45 MHz - ATIS  
TWR - 118.15 MHz - FENGHUANG TOWER  
APP - 125.55 MHz - SANYA APPROACH  
GND - 121.70 MHz - FENGHUANG GROUND  
TWR - 118.85 MHz - FENGHUANG TOWER  
APP - 119.25 MHz - SANYA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	11,139 ft	82.19	CONCRETE	0 ft	197 ft
	45 m	3,395 m	84.06		0 m	60 m
26	148 ft	11,139 ft	262.20	CONCRETE	0 ft	197 ft
	45 m	3,395 m	264.07		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IKK	109.50 MHz	18 nm	-	-	68 ft
				33 km	-		68 m
08	LOC-ILS	IKK	109.50 MHz	18 nm	82.19	-	95 ft
				33 km	84.06		95 m
26	LOC-ILS	IFH	108.50 MHz	18 nm	262.19	-	95 ft
				33 km	264.06		95 m
08	GS	IKK	109.50 MHz	10 nm	82.19	3.00	95 ft
				19 km	84.06		95 m
26	GS	IFH	108.50 MHz	10 nm	262.19	3.00	95 ft
				19 km	264.06		95 m