


2024/05/13 2121Z

EGSS PEVAD **UP20** GORLO **UL480** RKN **UG9** ETEBO EDDV

351.36 nm / 650.73 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 450kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGSS APT	-	51.88510 0.23496	0 ft 0 m	-	London Stansted
PEVAD FIX	-	51.91540 2.66691	31,100 ft 9,479 m	90	-
GORLO FIX	UP20 AWY-HI	51.92407 3.17184	35,000 ft 10,668 m	18	-
RENDI FIX	UL480 AWY-HI	52.06167 5.67750	31,000 ft 9,449 m	93	-
RKN VOR	UL480 AWY-HI	52.13320 6.76388	23,500 ft 7,163 m	40	REKKEN VOR-DME
ETEBO FIX	UG9 AWY-HI	52.13833 6.87528	23,500 ft 7,163 m	4	-
EDDV APT	-	52.46209 9.68679	0 ft 0 m	105	Hannover

EGSS

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 348 ft / 106 m
Location: 51.885100 0.234989
Magnetic Var: 0.579 E

METAR

EGSS 132050Z AUTO 13010KT 100V170 9999 NCD 15/11 Q1005

TAF

TAF EGSS 131656Z 1318/1424 15010KT 9999 SCT025 BECMG 1400/1403 8000 -RA BKN012 TEMPO 1403/1412 4000 RA RADZ BKN007

Frequencies

DEP - 120.62 MHz - ESSEX RADAR	APP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH	CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
GND - 121.72 MHz - STANSTED GROUND	TWR - 123.80 MHz - STANSTED TOWER
TWR - 125.55 MHz - STANSTED TOWER	APP - 136.20 MHz - STANSTED DIRECT
REC - 114.55 MHz - ATIS	REC - 127.17 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,984 ft	42.78	ASPHALT	974 ft	0 ft
	46 m	3,043 m	42.21		297 m	0 m
22	151 ft	9,984 ft	222.81	ASPHALT	0 ft	0 ft
	46 m	3,043 m	222.23		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
22	DME	ISX	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm	42.80	-	348 ft
				33 km	42.22		348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm	222.80	-	348 ft
				33 km	222.22		348 m
04	GS	ISED	110.50 MHz	10 nm	42.80	3.00	348 ft
				19 km	42.22		348 m
22	GS	ISX	110.50 MHz	10 nm	222.80	3.00	348 ft
				19 km	222.22		348 m

EDDV

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 3

Elevation: 183 ft / 56 m
Location: 52.460200 9.683520
Magnetic Var: 3.559 E

METAR

EDDV 132050Z AUTO 09006KT CAVOK 19/06 Q1012 NOSIG

TAF

TAF EDDV 131700Z 1318/1418 10007KT CAVOK BECMG 1406/1408 11013KT TEMPO 1409/1417 11015G25KT

Frequencies

REC - 136.57 MHz - HANNOVER ATIS
APP - 118.05 MHz - BREMEN RADAR
TWR - 120.17 MHz - HANNOVER TOWER
APP - 131.32 MHz - BREMEN RADAR
DEP - 119.60 MHz - HANNOVER DIRECTOR
GND - 121.95 MHz - HANNOVER GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09C	75 ft	2,557 ft	92.64	ASPHALT	197 ft	0 ft
	23 m	779 m	89.08		60 m	0 m
27C	75 ft	2,557 ft	272.65	ASPHALT	558 ft	0 ft
	23 m	779 m	269.09		170 m	0 m
09R	148 ft	7,669 ft	92.60	CONCRETE	0 ft	0 ft
	45 m	2,338 m	89.04		0 m	0 m
27L	148 ft	7,669 ft	272.63	CONCRETE	0 ft	0 ft
	45 m	2,338 m	269.07		0 m	0 m
09L	148 ft	10,509 ft	92.57	CONCRETE	0 ft	0 ft
	45 m	3,203 m	89.01		0 m	0 m
27R	148 ft	10,509 ft	272.61	CONCRETE	0 ft	0 ft
	45 m	3,203 m	269.05		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IHNE	108.30 MHz	18 nm	92.59	-	187 ft
				33 km	89.03		187 m
09R	LOC-ILS	IHSE	108.70 MHz	18 nm	92.62	-	183 ft
				33 km	89.06		183 m
27L	LOC-ILS	IHSW	109.50 MHz	18 nm	272.62	-	183 ft
				33 km	269.06		183 m
27R	LOC-ILS	IHNW	108.90 MHz	18 nm	272.59	-	183 ft
				33 km	269.03		183 m
09L	GS	IHNE	108.30 MHz	10 nm	92.59	3.00	187 ft
				19 km	89.03		187 m
09R	GS	IHSE	108.70 MHz	10 nm	92.62	3.00	183 ft
				19 km	89.06		183 m
27L	GS	IHSW	109.50 MHz	10 nm	272.62	3.00	183 ft
				19 km	269.06		183 m
27R	GS	IHNW	108.90 MHz	10 nm	272.59	3.00	183 ft
				19 km	269.03		183 m