


**KLAX**  
Los Angeles Intl

**NZAA**  
Auckland International Airport

2024/05/06 2135Z

KLAX FICKY **B577** TUT **B575** SELKA AA NZAA

5733.80 nm / 10619.00 km



## Notes

Requested: KLAX FICKY B577 AHND0 B577 CANOL B577 SAPIX B577 TUT B575 SELKA AA NZAA

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLAX	-	33.94320	0 ft	-	Los Angeles Intl
APT	-	-118.40800	0 m		
FICKY	-	31.55760	0 ft	207	-
FIX	-	-121.39200	0 m		
LENNA	B577	30.52500	0 ft	103	-
FIX	AWY-HI	-122.99500	0 m		
AHND0	B577	24.42830	0 ft	578	-
FIX	AWY-HI	-131.41200	0 m		
BELAN	B577	18.80750	0 ft	501	-
FIX	AWY-HI	-138.05200	0 m		
CANOL	B577	12.96280	0 ft	500	-
FIX	AWY-HI	-144.24300	0 m		
SANTA	B577	7.12944	0 ft	488	-
FIX	AWY-HI	-150.00000	0 m		
QUIGG	B577	1.05944	0 ft	502	-
FIX	AWY-HI	-155.76500	0 m		
PASSA	B577	-5.00000	0 ft	501	-
FIX	AWY-HI	-161.52500	0 m		
SAPIX	B577	-8.62068	0 ft	300	-
FIX	AWY-HI	-165.00000	0 m		
DARMA	B577	-13.15340	0 ft	379	-
FIX	AWY-HI	-169.49600	0 m		
TUT	B577	-14.33210	0 ft	100	PAGO
NDB	AWY-HI	-170.71900	0 m		
DRAWN	B575	-14.63060	0 ft	20	-
FIX	AWY-HI	-170.90000	0 m		
OGELA	B575	-16.40830	0 ft	124	-
FIX	AWY-HI	-172.00700	0 m		
TBU	B575	-21.24420	0 ft	340	FUA'AMOTU
VOR	AWY-HI	-175.14900	0 m		
REPOL	B575	-25.00000	0 ft	253	-
FIX	AWY-HI	-177.24200	0 m		
MOMTA	B575	-30.00000	0 ft	340	-
FIX	AWY-HI	179.72500	0 m		
SELKA	B575	-34.14930	0 ft	286	-
FIX	AWY-HI	176.92800	0 m		
AA	-	-37.00460	0 ft	200	AUCKLAND
VOR	-	174.81400	0 m		
NZAA	-	-37.00810	0 ft	1	Auckland International Airport
APT	-	174.79200	0 m		

## KLAX

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 4

Elevation: 125 ft / 38 m  
Location: 33.943100 -118.409000  
Magnetic Var: 11.442 E

## METAR

KLAX 062053Z 24009KT 10SM FEW160 FEW200 17/09 A3001 RMK A02 SLP162 T01720089 58003 \$

## TAF

TAF AMD KLAX 062038Z 0621/0724 26015KT P6SM FEW200 FM070300 26008KT P6SM FEW200 FM070900 06005KT P6SM FEW020 FM071500 26015KT P6SM FEW200

## Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.51		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.53		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.53		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.50		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.52		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.52		0 m	87 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m

## NZAA

Region: NEW ZEALAND AND ANTARCTICA  
Timezone: PACIFIC/AUCKLAND  
Runways: 1

Elevation: 23 ft / 7 m  
Location: -37.008100 174.792000  
Magnetic Var: 20.178 E

## METAR

NZAA 062100Z AUTO 13007KT 9999 SCT070/// 14/11 Q1020

## TAF

TAF NZAA 062011Z 0621/0800 13010KT 9999 BKN020

## Frequencies

REC - 127.80 MHz - ATIS	REC - 127.00 MHz - ATIS
GND - 121.90 MHz - AUCKLAND GROUND	TWR - 118.70 MHz - AUCKLAND TOWER
TWR - 120.95 MHz - AUCKLAND TOWER	CLD - 128.20 MHz - CLEARANCE DELIVERY
APP - 120.10 MHz - AUCKLAND APPROACH	APP - 124.30 MHz - AUCKLAND APPROACH
APP - 129.50 MHz - AUCKLAND APPROACH	APP - 129.60 MHz - AUCKLAND APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	151 ft	12,040 ft	70.92	CONCRETE	1,250 ft	0 ft
	46 m	3,670 m	50.75		381 m	0 m
23L	151 ft	12,040 ft	250.90	CONCRETE	0 ft	131 ft
	46 m	3,670 m	230.72		0 m	40 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IAA	110.30 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
23L	DME	IMG	109.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
05R	LOC-ILS	IAA	110.30 MHz	18 nm	70.91	-	23 ft
				33 km	50.73		23 m
23L	LOC-ILS	IMG	109.90 MHz	18 nm	250.91	-	23 ft
				33 km	230.73		23 m
05R	GS	IAA	110.30 MHz	10 nm	70.91	3.00	23 ft
				19 km	50.73		23 m
23L	GS	IMG	109.90 MHz	10 nm	250.91	3.00	23 ft
				19 km	230.73		23 m