


2024/05/09 2148Z

LJLJ GILIN **P735** ARNOS **L607** LIZUM LOWI

142.48 nm / 263.88 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LJLJ APT	-	46.22368 14.45761	0 ft 0 m	-	LJUBLJANA
GILIN FIX	-	46.49193 13.70243	12,500 ft 3,810 m	35	-
ARNOS FIX	P735 AWY-LO	46.54126 13.56931	14,800 ft 4,511 m	6	-
VENOG FIX	L607 AWY-LO	46.95477 12.27579	14,500 ft 4,420 m	58	-
LIZUM FIX	L607 AWY-LO	47.11507 11.75604	14,500 ft 4,420 m	23	-
LOWI APT	-	47.26023 11.34397	0 ft 0 m	18	Innsbruck Kranebitten

LJLJ

Region: SLOVENIA
Timezone: EUROPE/LJUBLJANA
Runways: 1

Elevation: 1,271 ft / 387 m
Location: 46.223700 14.457600
Magnetic Var: 4.393 E

METAR

LJLJ 092130Z 29004KT 250V310 9999 FEW070 12/07 Q1022 NOSIG

TAF

TAF LJLJ 091700Z 0918/1018 10006KT 9999 SCT060 PROB40 TEMPO 1011/1018 12010KT

Frequencies

REC - 128.18 MHz - LJUBLJANA ATIS	GND - 121.62 MHz - LJUBLJANA GROUND
TWR - 118.00 MHz - LJUBLJANA TOWER	TWR - 118.75 MHz - LJUBLJANA TOWER
APP - 135.27 MHz - LJUBLJANA APP	APP - 136.00 MHz - LJUBLJANA APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,838 ft	126.47	ASPHALT	0 ft	0 ft
	45 m	3,303 m	122.08		0 m	0 m
30	148 ft	10,838 ft	306.50	ASPHALT	0 ft	0 ft
	45 m	3,303 m	302.11		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	DME	LJB	110.50 MHz	18 nm	-	-	1,198 ft
				33 km	-		1,198 m
30	LOC-ILS	LJB	110.50 MHz	18 nm	306.49	-	1,271 ft
				33 km	302.10		1,271 m
30	GS	LJB	110.50 MHz	10 nm	306.49	3.00	1,271 ft
				19 km	302.10		1,271 m

LOWI

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 3

Elevation: 1,907 ft / 581 m
Location: 47.260800 11.341500
Magnetic Var: 3.779 E

METAR

LOWI 092120Z AUTO VRB01KT 9999 FEW038 SCT042 12/09 Q1023

TAF

TAF LOWI 091715Z 0918/1018 09009KT 9999 FEW040 SCT080 TX23/1014Z TN08/1004Z BECMG 0918/0920 27003KT BECMG 1008/10

Frequencies

APP - 119.27 MHz - INNSBRUCK RADAR
REC - 126.02 MHz - INNSBRUCK INFORMATION

TWR - 120.10 MHz - INNSBRUCK TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	6,548 ft	80.95	ASPHALT	335 ft	0 ft
	45 m	1,996 m	77.17		102 m	0 m
26	148 ft	6,548 ft	260.96	ASPHALT	0 ft	0 ft
	45 m	1,996 m	257.19		0 m	0 m
08C	125 ft	3,671 ft	81.00	GRASS	0 ft	0 ft
	38 m	1,119 m	77.22		0 m	0 m
26C	125 ft	3,671 ft	261.01	GRASS	0 ft	0 ft
	38 m	1,119 m	257.23		0 m	0 m
08L	164 ft	1,149 ft	81.11	GRASS	0 ft	0 ft
	50 m	350 m	77.33		0 m	0 m
26R	164 ft	1,149 ft	261.11	GRASS	0 ft	0 ft
	50 m	350 m	257.33		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	DME	OEJ	109.70 MHz	30 nm	-	-	1,906 ft
				56 km	-		1,906 m
26	DME	OEV	111.10 MHz	27 nm	-	-	1,911 ft
				50 km	-		1,911 m
26	LOC-ILS	OEV	111.10 MHz	18 nm	260.96	-	1,907 ft
				33 km	257.18		1,907 m
26	GS	OEV	111.10 MHz	10 nm	260.96	3.77	1,907 ft
				19 km	257.18		1,907 m